

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
40025	CONVERTER 230V LED 24V 10VA INDOOR ACC	62	3
40049	CONVERTER 230V LED 48V 150VA INDOOR ACC (DINRAIL)	94	3
40057	CONVERTER 230V LED 24V 20W INDOOR REMOTE ACC	77	3
40063	CONVERTER 230V LED 24V 20VA IP67	59	3
40067	LEDCONVERTER REMOTE 48V 70W IP20	67	3
40068	LEDCONVERTER IN-TRACK 48V 100W (DALI THROUGH WIRE) IP20 excl. ESTH	100	3
40069	LEDCONVERTER IN-TRACK 48V 100W (DALI THROUGH WIRE) IP20 excl. ESTH	100	3
40070	CONVERTER 230V LED 24V 35VA IP67	83	3
40071	CONVERTER 230V LED 24V 60VA IP67	94	3
40072	CONVERTER 230V LED 24V 100VA IP67	154	3
40073	CONVERTER 230V LED 24V 150VA IP67	174	3
40080	CONVERTER 230V LED 24V 20VA IP20 DIMMABLE 1-10V SQ	84	3
40081	CONVERTER 230V LED 24V 40VA IP67 DIMMABLE 1-10V	177	3
40082	CONVERTER 230V LED 24V 60VA IP67 DIMMABLE 1-10V	217	3
40083	CONVERTER 230V LED 24V 90VA IP67 DIMMABLE 1-10V	255	3
40084	CONVERTER 230V LED 24V 120VA IP67 DIMMABLE 1-10V	343	3
40087	CONVERTER 230V LED 24V 50VA IP20 TOUCH DALI DIMM	141	3
40088	CONVERTER 230V LED 24V 80VA IP20 TOUCH DALI DIMM	181	3
40089	CONVERTER 230V LED 24V 12VA IP65 MAINS DIMM	33	3
107106	MINI TOMMY 1 BEAUFORT 180mA 2700K	165	3
107107	MINI TOMMY 1 BEAUFORT 180mA 2700K	165	3
107116	MINI TOMMY 1 BEAUFORT 180mA 3000K	165	3
107117	MINI TOMMY 1 BEAUFORT 180mA 3000K	165	3
107136	MINI TOMMY 2 GU10 230V	173	3
107157	MINI TOMMY 2 GU10 230V	173	3
107186	MINI TOMMY 1 BEAUFORT 180mA 2700K	171	3
107196	MINI TOMMY 1 BEAUFORT 180mA 3000K	171	3
107206	MINI TOMMY 2 BEAUFORT 180mA 2700K	293	3
107207	MINI TOMMY 2 BEAUFORT 180mA 2700K	293	3
107216	MINI TOMMY 2 BEAUFORT 180mA 3000K	293	3
107217	MINI TOMMY 2 BEAUFORT 180mA 3000K	293	3
107236	MINI TOMMY 1 GU10 230V	100	3
107257	MINI TOMMY 1 GU10 230V	100	3
107286	MINI TOMMY 2 BEAUFORT 180mA 2700K	304	3
107296	MINI TOMMY 2 BEAUFORT 180mA 3000K	304	3
107406	MINI TOMMY 1 HALOLED 700mA 2700K	138	3
107407	MINI TOMMY 1 HALOLED 700mA 2700K	138	3
107416	MINI TOMMY 1 HALOLED 700mA 3000K	138	3
107417	MINI TOMMY 1 HALOLED 700mA 3000K	138	3
107506	MINI TOMMY 2 HALOLED 700mA 2700K	228	3
107507	MINI TOMMY 2 HALOLED 700mA 2700K	228	3
107516	MINI TOMMY 2 HALOLED 700mA 3000K	228	3
107517	MINI TOMMY 2 HALOLED 700mA 3000K	228	3
124006	COSMOPOLITAN ROUND WALL 24V 2700K	370	3
124017	COSMOPOLITAN ROUND WALL 24V 2700K	400	3
124026	COSMOPOLITAN ROUND WALL 24V 2700K	270	3
124029	COSMOPOLITAN ROUND WALL 24V 2700K	370	3
124047	COSMOPOLITAN ROUND WALL 24V 2700K	270	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
124206	COSMOPOLITAN SQUARE WALL 24V 2700K	370	3
124217	COSMOPOLITAN SQUARE WALL 24V 2700K	400	3
124226	COSMOPOLITAN SQUARE WALL 24V 2700K	270	3
124229	COSMOPOLITAN SQUARE WALL 24V 2700K	370	3
124247	COSMOPOLITAN SQUARE WALL 24V 2700K	270	3
131137	FLOX NXT LEAF 230V 3000K MAINS DIMMABLE	150	3
131147	FLOX NXT LEAF 230V 2700K MAINS DIMMABLE	150	3
131177	FLOX NXT BOX FOR PLASTER	51	3
131182	FLOX NXT LEAF 230V 3000K MAINS DIMMABLE	154	3
131186	FLOX NXT LEAF 230V 3000K MAINS DIMMABLE	154	3
131192	FLOX NXT LEAF 230V 2700K MAINS DIMMABLE	154	3
131196	FLOX NXT LEAF 230V 2700K MAINS DIMMABLE	154	3
131197	FLOX NXT FRAME FOR PLASTER	27	3
131237	FLOX NXT TORSION 230V 3000K MAINS DIMMABLE	150	3
131247	FLOX NXT TORSION 230V 2700K MAINS DIMMABLE	150	3
131282	FLOX NXT TORSION 230V 3000K MAINS DIMMABLE	154	3
131286	FLOX NXT TORSION 230V 3000K MAINS DIMMABLE	154	3
131292	FLOX NXT TORSION 230V 2700K MAINS DIMMABLE	154	3
131296	FLOX NXT TORSION 230V 2700K MAINS DIMMABLE	154	3
132026	HELAX GU10	81	3
132027	HELAX GU10	81	3
132699	FUNNEL TRIMLESS INSTALLATION FRAME FOR PLASTER	63	3
132904	FUNNEL TRIMLESS 700mA 2700K (excl. plasterkit)	160	3
132905	FUNNEL TRIMLESS 700mA 2700K (excl. plasterkit)	160	3
132914	FUNNEL TRIMLESS 700mA 2700K (excl. plasterkit)	160	3
132915	FUNNEL TRIMLESS 700mA 3000K (excl. plasterkit)	160	3
132924	FUNNEL TRIMLESS 700mA 3000K (excl. plasterkit)	160	3
132925	FUNNEL TRIMLESS 700mA 3000K (excl. plasterkit)	160	3
132927	FUNNEL TRIMLESS 700mA 2700K (excl. plasterkit)	110	3
132928	FUNNEL TRIMLESS 700mA 3000K (excl. plasterkit)	110	3
132948	FUNNEL TRIMLESS 700mA 2700K (excl. plasterkit)	110	3
132949	FUNNEL TRIMLESS 700mA 3000K (excl. plasterkit)	110	3
133806	INTANA HALOLED 2700K	164	3
133807	INTANA HALOLED 2700K	164	3
133816	INTANA HALOLED 3000K	164	3
133817	INTANA HALOLED 3000K	164	3
133823	FUNNEL SFEROS TRIMLESS 700mA 36° 2700K	375	3
133824	FUNNEL SFEROS TRIMLESS 700mA 36° 2700K	375	3
133825	FUNNEL SFEROS TRIMLESS 700mA 36° 2700K	375	3
133826	INTANA (2014) BEAUFORT	182	3
133827	FUNNEL SFEROS TRIMLESS 700mA 24° 2700K	250	3
133833	FUNNEL SFEROS TRIMLESS 700mA 36° 3000K	375	3
133834	FUNNEL SFEROS TRIMLESS 700mA 36° 3000K	375	3
133835	FUNNEL SFEROS TRIMLESS 700mA 36° 3000K	375	3
133836	INTANA BEAUFORT 3000K	182	3
133837	FUNNEL SFEROS TRIMLESS 700mA 24° 3000K	250	3
133843	FUNNEL SFEROS TRIMLESS 700mA 24° 2700K	375	3
133844	FUNNEL SFEROS TRIMLESS 700mA 24° 2700K	375	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
133845	FUNNEL SFEROS TRIMLESS 700mA 24° 2700K	375	3
133846	FUNNEL SFEROS TRIMLESS 700mA 24° 2700K	250	3
133847	INTANA (2014) BEAUFORT	182	3
133853	FUNNEL SFEROS TRIMLESS 700mA 24° 3000K	375	3
133854	FUNNEL SFEROS TRIMLESS 700mA 24° 3000K	375	3
133855	FUNNEL SFEROS TRIMLESS 700mA 24° 3000K	375	3
133856	FUNNEL SFEROS TRIMLESS 700mA 24° 3000K	250	3
133857	INTANA BEAUFORT 3000K	182	3
133866	FUNNEL SFEROS TRIMLESS 700mA 36° 2700K	250	3
133867	FUNNEL SFEROS TRIMLESS 700mA 36° 2700K	250	3
133876	FUNNEL SFEROS TRIMLESS 700mA 36° 3000K	250	3
133877	FUNNEL SFEROS TRIMLESS 700mA 36° 3000K	250	3
133883	FUNNEL SFEROS TRIMLESS 700mA 60° 2700K	375	3
133884	FUNNEL SFEROS TRIMLESS 700mA 60° 2700K	375	3
133885	FUNNEL SFEROS TRIMLESS 700mA 60° 2700K	375	3
133886	FUNNEL SFEROS TRIMLESS 700mA 60° 2700K	250	3
133887	FUNNEL SFEROS TRIMLESS 700mA 60° 2700K	250	3
133893	FUNNEL SFEROS TRIMLESS 700mA 60° 3000K	375	3
133894	FUNNEL SFEROS TRIMLESS 700mA 60° 3000K	375	3
133895	FUNNEL SFEROS TRIMLESS 700mA 60° 3000K	375	3
133896	FUNNEL SFEROS TRIMLESS 700mA 60° 3000K	250	3
133897	FUNNEL SFEROS TRIMLESS 700mA 60° 3000K	250	3
134103	FUNNEL SFEROS TORSION 700mA 24° 2700K	480	3
134104	FUNNEL SFEROS TORSION 700mA 24° 2700K	480	3
134105	FUNNEL SFEROS TORSION 700mA 24° 2700K	480	3
134106	FUNNEL SFEROS TORSION 700mA 24° 2700K	325	3
134107	FUNNEL SFEROS TORSION 700mA 24° 2700K	325	3
134113	FUNNEL SFEROS TORSION 700mA 24° 3000K	480	3
134114	FUNNEL SFEROS TORSION 700mA 24° 3000K	480	3
134115	FUNNEL SFEROS TORSION 700mA 24° 3000K	480	3
134116	FUNNEL SFEROS TORSION 700mA 24° 3000K	325	3
134117	FUNNEL SFEROS TORSION 700mA 24° 3000K	325	3
134123	FUNNEL SFEROS TORSION 700mA 36° 2700K	480	3
134124	FUNNEL SFEROS TORSION 700mA 36° 2700K	480	3
134125	FUNNEL SFEROS TORSION 700mA 36° 2700K	480	3
134126	FUNNEL SFEROS TORSION 700mA 36° 2700K	325	3
134127	FUNNEL SFEROS TORSION 700mA 36° 2700K	325	3
134133	FUNNEL SFEROS TORSION 700mA 36° 3000K	480	3
134134	FUNNEL SFEROS TORSION 700mA 36° 3000K	480	3
134135	FUNNEL SFEROS TORSION 700mA 36° 3000K	480	3
134136	FUNNEL SFEROS TORSION 700mA 36° 3000K	325	3
134137	FUNNEL SFEROS TORSION 700mA 36° 3000K	325	3
134143	FUNNEL SFEROS TORSION 700mA 60° 2700K	480	3
134144	FUNNEL SFEROS TORSION 700mA 60° 2700K	480	3
134145	FUNNEL SFEROS TORSION 700mA 60° 2700K	480	3
134146	FUNNEL SFEROS TORSION 700mA 60° 2700K	325	3
134147	FUNNEL SFEROS TORSION 700mA 60° 2700K	325	3
134153	FUNNEL SFEROS TORSION 700mA 60° 3000K	480	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
134154	FUNNEL SFEROS TORSION 700mA 60° 3000K	480	3
134155	FUNNEL SFEROS TORSION 700mA 60° 3000K	480	3
134156	FUNNEL SFEROS TORSION 700mA 60° 3000K	325	3
134157	FUNNEL SFEROS TORSION 700mA 60° 3000K	325	3
134203	FUNNEL SFEROS LEAF 700mA 24° 2700K	480	3
134204	FUNNEL SFEROS LEAF 700mA 24° 2700K	480	3
134205	FUNNEL SFEROS LEAF 700mA 24° 2700K	480	3
134206	FUNNEL SFEROS LEAF 700mA 24° 2700K	325	3
134207	FUNNEL SFEROS LEAF 700mA 24° 2700K	325	3
134213	FUNNEL SFEROS LEAF 700mA 24° 3000K	480	3
134214	FUNNEL SFEROS LEAF 700mA 24° 3000K	480	3
134215	FUNNEL SFEROS LEAF 700mA 24° 3000K	480	3
134216	FUNNEL SFEROS LEAF 700mA 24° 3000K	325	3
134217	FUNNEL SFEROS LEAF 700mA 24° 3000K	325	3
134223	FUNNEL SFEROS LEAF 700mA 36° 2700K	480	3
134224	FUNNEL SFEROS LEAF 700mA 36° 2700K	480	3
134225	FUNNEL SFEROS LEAF 700mA 36° 2700K	480	3
134226	FUNNEL SFEROS LEAF 700mA 36° 2700K	325	3
134227	FUNNEL SFEROS LEAF 700mA 36° 2700K	325	3
134233	FUNNEL SFEROS LEAF 700mA 36° 3000K	480	3
134234	FUNNEL SFEROS LEAF 700mA 36° 3000K	480	3
134235	FUNNEL SFEROS LEAF 700mA 36° 3000K	480	3
134236	FUNNEL SFEROS LEAF 700mA 36° 3000K	325	3
134237	FUNNEL SFEROS LEAF 700mA 36° 3000K	325	3
134243	FUNNEL SFEROS LEAF 700mA 60° 2700K	480	3
134244	FUNNEL SFEROS LEAF 700mA 60° 2700K	480	3
134245	FUNNEL SFEROS LEAF 700mA 60° 2700K	480	3
134246	FUNNEL SFEROS LEAF 700mA 60° 2700K	325	3
134247	FUNNEL SFEROS LEAF 700mA 60° 2700K	325	3
134253	FUNNEL SFEROS LEAF 700mA 60° 3000K	480	3
134254	FUNNEL SFEROS LEAF 700mA 60° 3000K	480	3
134255	FUNNEL SFEROS LEAF 700mA 60° 3000K	480	3
134256	FUNNEL SFEROS LEAF 700mA 60° 3000K	325	3
134257	FUNNEL SFEROS LEAF 700mA 60° 3000K	325	3
145530	ELITE 230V 2700K	87	3
145531	ELITE 230V 2700K	87	3
145541	ELITE 230V 2700K	118	3
145567	ELITE 230V 2700K	87	3
145610	ELITE 230V 3000K	87	3
145611	ELITE 230V 3000K	87	3
145621	ELITE 230V 3000K	118	3
145626	ELITE 230V 3000K	87	3
145900	ELITE CLAMP SET ACC	8	3
150073	HEB NXT 150-150 CI 3000K	581	3
150076	HEB NXT 150-150 CI 3000K	581	3
150083	HEB NXT 150-150 CI 3000K	581	3
150773	HEB NXT 150-150 CI 2700K	581	3
150776	HEB NXT 150-150 CI 2700K	581	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
150783	HEB NXT 150-150 CI 2700K	581	3
168999	ACCESSORY GREG MOUNTING BOX	17	3
175256	BLOX SINGLE BEAM 230V 2700K MAINS DIMMABLE	195	3
175266	BLOX SINGLE BEAM 230V 3000K MAINS DIMMABLE	195	3
175277	BLOX SINGLE BEAM 230V 2700K MAINS DIMMABLE	195	3
175278	BLOX SINGLE BEAM 230V 2700K MAINS DIMMABLE	183	3
175297	BLOX SINGLE BEAM 230V 3000K MAINS DIMMABLE	195	3
175298	BLOX SINGLE BEAM 230V 3000K MAINS DIMMABLE	183	3
175356	BLOX DOUBLE BEAM 230V 2700K MAINS DIMMABLE	235	3
175366	BLOX DOUBLE BEAM 230V 3000K MAINS DIMMABLE	235	3
175377	BLOX DOUBLE BEAM 230V 2700K MAINS DIMMABLE	235	3
175378	BLOX DOUBLE BEAM 230V 2700K MAINS DIMMABLE	222	3
175397	BLOX DOUBLE BEAM 230V 3000K MAINS DIMMABLE	235	3
175398	BLOX DOUBLE BEAM 230V 3000K MAINS DIMMABLE	222	3
175476	BLOX SINGLE BEAM 230V 2700K MAINS DIMMABLE	183	3
175496	BLOX SINGLE BEAM 230V 3000K MAINS DIMMABLE	183	3
175576	BLOX DOUBLE BEAM 230V 2700K MAINS DIMMABLE	222	3
175596	BLOX DOUBLE BEAM 230V 3000K MAINS DIMMABLE	222	3
177070	CHROMOS 2700K	124	3
177076	CHROMOS 2700K	95	3
177077	CHROMOS conbox + frame for plaster	27	3
177078	CHROMOS 2700K	95	3
177097	CHROMOS Frame for plaster	12	3
177446	DIABOLO SMALL CI MAINS DIMM for wall box 2700K	160	3
177456	DIABOLO SMALL CI MAINS DIMM for wall box 3000K	160	3
177467	DIABOLO SMALL CI MAINS DIMM for wall box 2700K	160	3
177477	DIABOLO SMALL CI MAINS DIMM for wall box 3000K	160	3
177626	DIABOLO M SM MAINS DIMMABLE 3000K	337	3
177636	DIABOLO M SM MAINS DIMMABLE 4000K	337	3
177647	DIABOLO M SM MAINS DIMMABLE 3000K	337	3
177657	DIABOLO M SM MAINS DIMMABLE 4000K	337	3
177726	DIABOLO M SM Touch/DALI DIMMABLE 3000K	391	3
177736	DIABOLO M SM Touch/DALI DIMMABLE 4000K	391	3
177747	DIABOLO M SM Touch/DALI DIMMABLE 3000K	391	3
177757	DIABOLO M SM Touch/DALI DIMMABLE 4000K	391	3
177826	DIABOLO M SUSP MAINS DIMMABLE 3000K	456	3
177836	DIABOLO M SUSP MAINS DIMMABLE 4000K	456	3
177847	DIABOLO M SUSP MAINS DIMMABLE 3000K	456	3
177857	DIABOLO M SUSP MAINS DIMMABLE 4000K	456	3
177920	CHROMOS 3000K	124	3
177926	DIABOLO M SUSP Touch/DALI DIMMABLE 3000K	498	3
177927	CHROMOS 3000K	95	3
177928	CHROMOS 3000K	95	3
177936	DIABOLO M SUSP Touch/DALI DIMMABLE 4000K	498	3
177947	DIABOLO M SUSP Touch/DALI DIMMABLE 3000K	498	3
177957	DIABOLO M SUSP Touch/DALI DIMMABLE 4000K	498	3
178000	HELAX SML - FUNNEL EXO - NOBEL ECLIPS frame for plaster	11	3
178900	MICRO HELAX Frame for plaster	11	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
178927	MICRO HELAX 250mA HALOSPHERE	82	3
178928	MICRO HELAX 250mA HALOSPHERE	82	3
179090	MINI SCOOP FOOT ACC	26	3
179091	MINI SCOOP FOOT ACC	27	3
179226	MINI SCOOP GU10	237	3
179247	MINI SCOOP GU10	237	3
179526	MINI SCOOP TRACK GU10	276	3
179547	MINI SCOOP TRACK GU10	276	3
179706	MINI SCOOP 230V 9° 2700K MAINS DIMMABLE	319	3
179716	MINI SCOOP 230V 9° 3000K MAINS DIMMABLE	319	3
179726	MINI SCOOP 230V 38° 2700K MAINS DIMMABLE	319	3
179727	MINI SCOOP 230V 9° 2700K MAINS DIMMABLE	319	3
179736	MINI SCOOP 230V 38° 3000K MAINS DIMMABLE	319	3
179737	MINI SCOOP 230V 9° 3000K MAINS DIMMABLE	319	3
179746	MINI SCOOP 230V 60° 2700K MAINS DIMMABLE	319	3
179747	MINI SCOOP 230V 38° 2700K MAINS DIMMABLE	319	3
179756	MINI SCOOP 230V 60° 3000K MAINS DIMMABLE	319	3
179757	MINI SCOOP 230V 38° 3000K MAINS DIMMABLE	319	3
179767	MINI SCOOP 230V 60° 2700K MAINS DIMMABLE	319	3
179777	MINI SCOOP 230V 60° 3000K MAINS DIMMABLE	319	3
186224	GREG SMALL IP65 230V 2700K	164	3
186234	GREG SMALL IP65 230V 3000K	164	3
186283	GREG SMALL IP65 230V 2700K	164	3
186286	GREG SMALL IP65 230V 2700K	164	3
186293	GREG SMALL IP65 230V 3000K	164	3
186296	GREG SMALL IP65 230V 3000K	164	3
225472	SOLID ROUND GU10 LEAF	39	3
225518	SOLID ROUND GU10 LEAF	39	3
225526	SOLID ROUND GU10 LEAF	39	3
226472	SOLID SQUARE GU10	54	3
226518	SOLID SQUARE GU10	54	3
226526	SOLID SQUARE GU10	54	3
227472	SOLID ROUND MOBY GU10 LEAF	54	3
227518	SOLID ROUND MOBY GU10 LEAF	54	3
227526	SOLID ROUND MOBY GU10 LEAF	54	3
227626	SIMPLON HALOED TORSION 2700K	107	3
227636	SIMPLON HALOED TORSION 3000K	107	3
227647	SIMPLON HALOED TORSION 2700K	107	3
227657	SIMPLON HALOED TORSION 3000K	107	3
227726	SIMPLON HALOED LEAF 2700K	107	3
227736	SIMPLON HALOED LEAF 3000K	107	3
227747	SIMPLON HALOED LEAF 2700K	107	3
227757	SIMPLON HALOED LEAF 3000K	107	3
227826	SIMPLON BEAUFORT TORSION 2700K	98	3
227836	SIMPLON BEAUFORT TORSION 3000K	98	3
227847	SIMPLON BEAUFORT TORSION 2700K	98	3
227857	SIMPLON BEAUFORT TORSION 3000K	98	3
227926	SIMPLON BEAUFORT LEAF 2700K	98	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
227936	SIMPLON BEAUFORT LEAF 3000K	98	3
227947	SIMPLON BEAUFORT LEAF 2700K	98	3
227957	SIMPLON BEAUFORT LEAF 3000K	98	3
228472	SOLID SQUARE MOBY GU10	74	3
228518	SOLID SQUARE MOBY GU10	74	3
228526	SOLID SQUARE MOBY GU10	74	3
248003	HELAX 70 HALOED LEAF 2700K 24°	150	3
248004	HELAX 70 HALOED LEAF 2700K 24°	150	3
248005	HELAX 70 HALOED LEAF 2700K 24°	150	3
248006	HELAX 70 HALOED LEAF 2700K 24°	113	3
248007	HELAX 70 HALOED LEAF 2700K 24°	113	3
248013	HELAX 70 HALOED TORSION 2700K 36°	150	3
248014	HELAX 70 HALOED TORSION 2700K 36°	150	3
248015	HELAX 70 HALOED TORSION 2700K 36°	150	3
248016	HELAX 70 HALOED TORSION 2700K	113	3
248017	HELAX 70 HALOED TORSION 2700K	113	3
248023	HELAX 70 HALOED TORSION 3000K 36°	150	3
248024	HELAX 70 HALOED TORSION 3000K 36°	150	3
248025	HELAX 70 HALOED TORSION 3000K 36°	150	3
248026	HELAX 70 HALOED TORSION 3000K	113	3
248027	HELAX 70 HALOED TORSION 3000K	113	3
248033	HELAX 70 HALOED LEAF 3000K 24°	150	3
248034	HELAX 70 HALOED LEAF 3000K 24°	150	3
248035	HELAX 70 HALOED LEAF 3000K 24°	150	3
248038	HELAX 70 HALOED LEAF 3000K 24°	113	3
248039	HELAX 70 HALOED LEAF 3000K 24°	113	3
248043	HELAX 70 HALOED LEAF 2700K 36°	150	3
248044	HELAX 70 HALOED LEAF 2700K 36°	150	3
248045	HELAX 70 HALOED LEAF 2700K 36°	150	3
248046	HELAX 70 HALOED LEAF 2700K	113	3
248047	HELAX 70 HALOED LEAF 2700K	113	3
248053	HELAX 70 HALOED LEAF 3000K 36°	150	3
248054	HELAX 70 HALOED LEAF 3000K 36°	150	3
248055	HELAX 70 HALOED LEAF 3000K 36°	150	3
248056	HELAX 70 HALOED LEAF 3000K	113	3
248057	HELAX 70 HALOED LEAF 3000K	113	3
248063	HELAX 70 HALOED LEAF 2700K 60°	150	3
248064	HELAX 70 HALOED LEAF 2700K 60°	150	3
248066	HELAX 70 HALOED LEAF 2700K 60°	113	3
248068	HELAX 70 HALOED LEAF 2700K 60°	113	3
248069	HELAX 70 HALOED LEAF 2700K 60°	150	3
248073	HELAX 70 HALOED LEAF 3000K 60°	150	3
248074	HELAX 70 HALOED LEAF 3000K 60°	150	3
248075	HELAX 70 HALOED LEAF 3000K 60°	150	3
248076	HELAX 70 HALOED LEAF 3000K 60°	113	3
248077	HELAX 70 HALOED LEAF 3000K 60°	113	3
248083	HELAX 70 HALOED TORSION 2700K 24°	150	3
248084	HELAX 70 HALOED TORSION 2700K 24°	150	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
248085	HELAX 70 HALOLED TORSION 2700K 24°	150	3
248086	HELAX 70 HALOLED TORSION 2700K 24°	113	3
248087	HELAX 70 HALOLED TORSION 2700K 24°	113	3
248093	HELAX 70 HALOLED TORSION 2700K 60°	150	3
248094	HELAX 70 HALOLED TORSION 2700K 60°	150	3
248095	HELAX 70 HALOLED TORSION 2700K 60°	150	3
248096	HELAX 70 HALOLED TORSION 2700K 60°	113	3
248097	HELAX 70 HALOLED TORSION 2700K 60°	113	3
248116	HELAX SML HALOLED TORSION 2700K	114	3
248117	HELAX SML HALOLED TORSION 2700K	114	3
248126	HELAX SML HALOLED TORSION 3000K	114	3
248127	HELAX SML HALOLED TORSION 3000K	114	3
248136	HELAX SML HALOLED TORSION	114	3
248137	HELAX SML HALOLED TORSION 4000K	114	3
248146	HELAX SML HALOLED LEAF 2700K	114	3
248147	HELAX SML HALOLED LEAF 2700K	114	3
248156	HELAX SML HALOLED LEAF 3000K	114	3
248157	HELAX SML HALOLED LEAF 3000K	114	3
248165	HELAX SML HALOLED LEAF 4000K	114	3
248167	HELAX SML HALOLED LEAF 4000K	114	3
248183	HELAX 70 HALOLED TORSION 3000K 24°	150	3
248184	HELAX 70 HALOLED TORSION 3000K 24°	150	3
248185	HELAX 70 HALOLED TORSION 3000K 24°	150	3
248186	HELAX 70 HALOLED TORSION 3000K 24°	113	3
248187	HELAX 70 HALOLED TORSION 3000K 24°	113	3
248193	HELAX 70 HALOLED TORSION 3000K 60°	150	3
248194	HELAX 70 HALOLED TORSION 3000K 60°	150	3
248195	HELAX 70 HALOLED TORSION 3000K 60°	150	3
248196	HELAX 70 HALOLED TORSION 3000K 60°	113	3
248197	HELAX 70 HALOLED TORSION 3000K 60°	113	3
249016	HELAX 70 OUT HALOLED TORSION IP54 700mA 2700K	122	3
249017	HELAX 70 OUT HALOLED TORSION IP54 700mA 2700K	122	3
249026	HELAX 70 OUT HALOLED TORSION IP54 700mA 3000K	122	3
249027	HELAX 70 OUT HALOLED TORSION IP54 700mA 3000K	122	3
249046	HELAX 70 OUT HALOLED LEAF IP54 700mA 2700K	122	3
249047	HELAX 70 OUT HALOLED LEAF IP54 700mA 2700K	122	3
249056	HELAX 70 OUT HALOLED LEAF IP54 700mA 3000K	122	3
249057	HELAX 70 OUT HALOLED LEAF IP54 700mA 3000K	122	3
249146	HELAX SML HALOLED OUT LEAF 2700K	125	3
249147	HELAX SML HALOLED OUT LEAF 2700K	125	3
249156	HELAX SML HALOLED OUT LEAF 3000K	125	3
249157	HELAX SML HALOLED OUT LEAF 3000K	125	3
250790	QUAD BEAUFORT installation frame for plaster	13	3
253011	SELECT 1T MICROSCOOP 24V-250V PUSH BUTTON	318	3
253026	SELECT 1T MICROSCOOP 24V-250V PUSH BUTTON	318	3
253044	SELECT 1T MICROSCOOP 24V-250V PUSH BUTTON	318	3
253045	SELECT 1T MICROSCOOP 24V-250V PUSH BUTTON	318	3
253096	SELECT 1T MICROSCOOP 24V-250V PUSH BUTTON	343	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
253111	SELECT 1D MICROSCOOP UNIVERSAL + MICROSCOOP	582	3
253126	SELECT 1D MICROSCOOP UNIVERSAL + MICROSCOOP	582	3
253144	SELECT 1D MICROSCOOP UNIVERSAL + MICROSCOOP	582	3
253145	SELECT 1D MICROSCOOP UNIVERSAL + MICROSCOOP	582	3
253196	SELECT 1D MICROSCOOP UNIVERSAL + MICROSCOOP	593	3
253211	COCKPIT 1C MICROSCOOP 2-WAY SWITCH	366	3
253226	COCKPIT 1C MICROSCOOP 2-WAY SWITCH	366	3
253244	COCKPIT 1C MICROSCOOP 2-WAY SWITCH	366	3
253245	COCKPIT 1C MICROSCOOP 2-WAY SWITCH	366	3
253296	COCKPIT 1C MICROSCOOP 2-WAY SWITCH	366	3
253311	SELECT 1T NOBEL 24V-250V PUSH BUTTON	259	3
253326	SELECT 1T NOBEL 24V-250V PUSH BUTTON	259	3
253344	SELECT 1T NOBEL 24V-250V PUSH BUTTON	259	3
253345	SELECT 1T NOBEL 24V-250V PUSH BUTTON	259	3
253396	SELECT 1T NOBEL 24V-250V PUSH BUTTON	284	3
253411	SELECT 1D NOBEL UNIVERSAL + NOBEL	522	3
253426	SELECT 1D NOBEL UNIVERSAL + NOBEL	522	3
253444	SELECT 1D NOBEL UNIVERSAL + NOBEL	522	3
253445	SELECT 1D NOBEL UNIVERSAL + NOBEL	522	3
253496	SELECT 1D NOBEL UNIVERSAL + NOBEL	534	3
253511	COCKPIT 1C NOBEL 2-WAY + NOBEL	306	3
253526	COCKPIT 1C NOBEL 2-WAY + NOBEL	306	3
253544	COCKPIT 1C NOBEL 2-WAY + NOBEL	306	3
253545	COCKPIT 1C NOBEL 2-WAY + NOBEL	306	3
253596	COCKPIT 1C NOBEL 2-WAY + NOBEL	306	3
253611	Dimmer 1D Universal	341	3
253626	Dimmer 1D Universal	341	3
253644	Dimmer 1D Universal	341	3
253645	Dimmer 1D Universal	341	3
253696	Dimmer 1D Universal	350	3
260931	BRIX SINGLE BEAM IP65 230V 3000K MAINS DIMMABLE	380	3
260932	BRIX DOUBLE BEAM IP65 230V 3000K MAINS DIMMABLE	500	3
260933	BRIX SINGLE BEAM IP65 230V 3000K MAINS DIMMABLE	380	3
260934	BRIX DOUBLE BEAM IP65 230V 3000K MAINS DIMMABLE	500	3
260936	BRIX DOUBLE BEAM IP65 230V 3000K MAINS DIMMABLE	500	3
260937	BRIX SINGLE BEAM IP65 230V 3000K MAINS DIMMABLE	380	3
260941	BRIX SINGLE BEAM IP65 230V 2700K MAINS DIMMABLE	380	3
260942	BRIX DOUBLE BEAM IP65 230V 2700K MAINS DIMMABLE	500	3
260943	BRIX SINGLE BEAM IP65 230V 2700K MAINS DIMMABLE	380	3
260944	BRIX DOUBLE BEAM IP65 230V 2700K MAINS DIMMABLE	500	3
260946	BRIX DOUBLE BEAM IP65 230V 2700K MAINS DIMMABLE	500	3
260947	BRIX SINGLE BEAM IP65 230V 2700K MAINS DIMMABLE	380	3
260972	BRIX OUT CEILING 230V 2700K MAINS DIMMABLE	299	3
260974	BRIX OUT CEILING 230V 2700K MAINS DIMMABLE	299	3
260976	BRIX OUT CEILING 230V 2700K MAINS DIMMABLE	299	3
260982	BRIX OUT CEILING 230V 3000K MAINS DIMMABLE	299	3
260984	BRIX OUT CEILING 230V 3000K MAINS DIMMABLE	299	3
260986	BRIX OUT CEILING 230V 3000K MAINS DIMMABLE	299	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
260990	ACCESSORY GROUNDPIN SMALL	73	3
260991	ACCESSORY GROUNDPIN LARGE	81	3
260992	ACCESSORY GROUNDPIN SQUARE	77	3
277016	DIABOLO XL SM Touch/DALI DIMMABLE 2700K	2261	3
277026	DIABOLO XL SM Touch/DALI DIMMABLE 3000K	2261	3
277036	DIABOLO XL SM Touch/DALI DIMMABLE 4000K	2261	3
277037	DIABOLO XL SM Touch/DALI DIMMABLE 2700K	2261	3
277047	DIABOLO XL SM Touch/DALI DIMMABLE 3000K	2261	3
277057	DIABOLO XL SM Touch/DALI DIMMABLE 4000K	2261	3
277116	DIABOLO XL SUSP Touch/DALI DIMMABLE 2700K	2538	3
277126	DIABOLO XL SUSP Touch/DALI DIMMABLE 3000K	2538	3
277136	DIABOLO XL SUSP Touch/DALI DIMMABLE 4000K	2538	3
277137	DIABOLO XL SUSP Touch/DALI DIMMABLE 2700K	2538	3
277147	DIABOLO XL SUSP Touch/DALI DIMMABLE 3000K	2538	3
277157	DIABOLO XL SUSP Touch/DALI DIMMABLE 4000K	2538	3
279706	MINI SCOOP TRACK 230V 9° 2700K MAINS DIMMABLE	358	3
279716	MINI SCOOP TRACK 230V 9° 3000K MAINS DIMMABLE	358	3
279726	MINI SCOOP TRACK 230V 38° 2700K MAINS DIMMABLE	358	3
279727	MINI SCOOP TRACK 230V 9° 2700K MAINS DIMMABLE	358	3
279736	MINI SCOOP TRACK 230V 38° 3000K MAINS DIMMABLE	358	3
279737	MINI SCOOP TRACK 230V 9° 3000K MAINS DIMMABLE	358	3
279746	MINI SCOOP TRACK 230V 60° 2700K MAINS DIMMABLE	358	3
279747	MINI SCOOP TRACK 230V 38° 2700K MAINS DIMMABLE	358	3
279756	MINI SCOOP TRACK 230V 60° 3000K MAINS DIMMABLE	358	3
279757	MINI SCOOP TRACK 230V 38° 3000K MAINS DIMMABLE	358	3
279767	MINI SCOOP TRACK 230V 60° 2700K MAINS DIMMABLE	358	3
279777	MINI SCOOP TRACK 230V 60° 3000K MAINS DIMMABLE	358	3
291000	CLEVER SEMI-RECESSED LEAF 230V 24° 2700K MAINS DIMMABLE	246	3
291001	CLEVER SEMI-RECESSED LEAF 230V 40° 2700K MAINS DIMMABLE	246	3
291003	CLEVER SEMI-RECESSED LEAF 230V 60° 2700K MAINS DIMMABLE	246	3
291005	CLEVER SEMI-RECESSED LEAF 230V 24° 3000K MAINS DIMMABLE	246	3
291007	CLEVER SEMI-RECESSED LEAF 230V 40° 3000K MAINS DIMMABLE	246	3
291009	CLEVER SEMI-RECESSED LEAF 230V 60° 3000K MAINS DIMMABLE	246	3
291010	CLEVER SEMI-RECESSED LEAF 230V 24° 2700K MAINS DIMMABLE	246	3
291011	CLEVER SEMI-RECESSED LEAF 230V 40° 2700K MAINS DIMMABLE	246	3
291013	CLEVER SEMI-RECESSED LEAF 230V 60° 2700K MAINS DIMMABLE	246	3
291015	CLEVER SEMI-RECESSED LEAF 230V 24° 3000K MAINS DIMMABLE	246	3
291017	CLEVER SEMI-RECESSED LEAF 230V 40° 3000K MAINS DIMMABLE	246	3
291019	CLEVER SEMI-RECESSED LEAF 230V 60° 3000K MAINS DIMMABLE	246	3
291090	CLEVER HONEYCOMB RING ACCESSORY	45	3
291099	CLEVER ANTIGLARE RING ACCESSORY	37	3
291100	CLEVER SEMI-RECESSED TORSION 230V 24° 2700K MAINS DIMMABLE	246	3
291101	CLEVER SEMI-RECESSED TORSION 230V 40° 2700K MAINS DIMMABLE	246	3
291103	CLEVER SEMI-RECESSED TORSION 230V 60° 2700K MAINS DIMMABLE	246	3
291105	CLEVER SEMI-RECESSED TORSION 230V 24° 3000K MAINS DIMMABLE	246	3
291107	CLEVER SEMI-RECESSED TORSION 230V 40° 3000K MAINS DIMMABLE	246	3
291109	CLEVER SEMI-RECESSED TORSION 230V 60° 3000K MAINS DIMMABLE	246	3
291110	CLEVER SEMI-RECESSED TORSION 230V 24° 2700K MAINS DIMMABLE	246	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
291111	CLEVER SEMI-RECESSED TORSION 230V 40° 2700K MAINS DIMMABLE	246	3
291113	CLEVER SEMI-RECESSED TORSION 230V 60° 2700K MAINS DIMMABLE	246	3
291115	CLEVER SEMI-RECESSED TORSION 230V 24° 3000K MAINS DIMMABLE	246	3
291117	CLEVER SEMI-RECESSED TORSION 230V 40° 3000K MAINS DIMMABLE	246	3
291119	CLEVER SEMI-RECESSED TORSION 230V 60° 3000K MAINS DIMMABLE	246	3
291200	CLEVER RECESSED BASE LARGE 230V 24° 2700K MAINS DIMMABLE	252	3
291201	CLEVER RECESSED BASE LARGE 230V 40° 2700K MAINS DIMMABLE	252	3
291203	CLEVER RECESSED BASE LARGE 230V 60° 2700K MAINS DIMMABLE	252	3
291205	CLEVER RECESSED BASE LARGE 230V 24° 3000K MAINS DIMMABLE	252	3
291207	CLEVER RECESSED BASE LARGE 230V 40° 3000K MAINS DIMMABLE	252	3
291209	CLEVER RECESSED BASE LARGE 230V 60° 3000K MAINS DIMMABLE	252	3
291210	CLEVER RECESSED BASE LARGE 230V 24° 2700K MAINS DIMMABLE	252	3
291211	CLEVER RECESSED BASE LARGE 230V 40° 2700K MAINS DIMMABLE	252	3
291213	CLEVER RECESSED BASE LARGE 230V 60° 2700K MAINS DIMMABLE	252	3
291215	CLEVER RECESSED BASE LARGE 230V 24° 3000K MAINS DIMMABLE	252	3
291217	CLEVER RECESSED BASE LARGE 230V 40° 3000K MAINS DIMMABLE	252	3
291219	CLEVER RECESSED BASE LARGE 230V 60° 3000K MAINS DIMMABLE	252	3
291300	CLEVER SURFACE MOUNTED 230V 24° 2700K MAINS DIMMABLE	257	3
291301	CLEVER SURFACE MOUNTED 230V 40° 2700K MAINS DIMMABLE	257	3
291303	CLEVER SURFACE MOUNTED 230V 60° 2700K MAINS DIMMABLE	257	3
291305	CLEVER SURFACE MOUNTED 230V 24° 3000K MAINS DIMMABLE	257	3
291307	CLEVER SURFACE MOUNTED 230V 40° 3000K MAINS DIMMABLE	257	3
291309	CLEVER SURFACE MOUNTED 230V 60° 3000K MAINS DIMMABLE	257	3
291310	CLEVER SURFACE MOUNTED 230V 24° 2700K MAINS DIMMABLE	257	3
291311	CLEVER SURFACE MOUNTED 230V 40° 2700K MAINS DIMMABLE	257	3
291313	CLEVER SURFACE MOUNTED 230V 60° 2700K MAINS DIMMABLE	257	3
291315	CLEVER SURFACE MOUNTED 230V 24° 3000K MAINS DIMMABLE	257	3
291317	CLEVER SURFACE MOUNTED 230V 40° 3000K MAINS DIMMABLE	257	3
291319	CLEVER SURFACE MOUNTED 230V 60° 3000K MAINS DIMMABLE	257	3
291400	CLEVER TRACK 230V 24° 2700K MAINS DIMMABLE	249	3
291401	CLEVER TRACK 230V 40° 2700K MAINS DIMMABLE	249	3
291403	CLEVER TRACK 230V 60° 2700K MAINS DIMMABLE	249	3
291405	CLEVER TRACK 230V 24° 3000K MAINS DIMMABLE	249	3
291407	CLEVER TRACK 230V 40° 3000K MAINS DIMMABLE	249	3
291409	CLEVER TRACK 230V 60° 3000K MAINS DIMMABLE	249	3
291410	CLEVER TRACK 230V 24° 2700K MAINS DIMMABLE	249	3
291411	CLEVER TRACK 230V 40° 2700K MAINS DIMMABLE	249	3
291413	CLEVER TRACK 230V 60° 2700K MAINS DIMMABLE	249	3
291415	CLEVER TRACK 230V 24° 3000K MAINS DIMMABLE	249	3
291417	CLEVER TRACK 230V 40° 3000K MAINS DIMMABLE	249	3
291419	CLEVER TRACK 230V 60° 3000K MAINS DIMMABLE	249	3
291500	CLEVER M10 230V 24° 2700K MAINS DIMMABLE	213	3
291501	CLEVER M10 230V 40° 2700K MAINS DIMMABLE	213	3
291503	CLEVER M10 230V 60° 2700K MAINS DIMMABLE	213	3
291505	CLEVER M10 230V 24° 3000K MAINS DIMMABLE	213	3
291507	CLEVER M10 230V 40° 3000K MAINS DIMMABLE	213	3
291509	CLEVER M10 230V 60° 3000K MAINS DIMMABLE	213	3
291510	CLEVER M10 230V 24° 2700K MAINS DIMMABLE	213	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
291511	CLEVER M10 230V 40° 2700K MAINS DIMMABLE	213	3
291513	CLEVER M10 230V 60° 2700K MAINS DIMMABLE	213	3
291515	CLEVER M10 230V 24° 3000K MAINS DIMMABLE	213	3
291517	CLEVER M10 230V 40° 3000K MAINS DIMMABLE	213	3
291519	CLEVER M10 230V 60° 3000K MAINS DIMMABLE	213	3
292016	TWIST SURFACE MOUNTED BASE 230V 15° 2700K MAINS DIMMABLE	100	3
292017	TWIST SURFACE MOUNTED BASE 230V 15° 2700K MAINS DIMMABLE	100	3
292026	TWIST SURFACE MOUNTED BASE 230V 15° 3000K MAINS DIMMABLE	100	3
292027	TWIST SURFACE MOUNTED BASE 230V 15° 3000K MAINS DIMMABLE	100	3
292036	TWIST SURFACE MOUNTED BASE 230V 36° 2700K MAINS DIMMABLE	100	3
292037	TWIST SURFACE MOUNTED BASE 230V 36° 2700K MAINS DIMMABLE	100	3
292046	TWIST SURFACE MOUNTED BASE 230V 36° 3000K MAINS DIMMABLE	100	3
292047	TWIST SURFACE MOUNTED BASE 230V 36° 3000K MAINS DIMMABLE	100	3
292066	TWIST SURFACE MOUNTED BASE 230V 60° 2700K MAINS DIMMABLE	100	3
292067	TWIST SURFACE MOUNTED BASE 230V 60° 2700K MAINS DIMMABLE	100	3
292076	TWIST SURFACE MOUNTED BASE 230V 60° 3000K MAINS DIMMABLE	100	3
292077	TWIST SURFACE MOUNTED BASE 230V 60° 3000K MAINS DIMMABLE	100	3
292116	TWIST TRACK 3F 230V 15° 2700K MAINS DIMMABLE	135	3
292117	TWIST TRACK 3F 230V 15° 2700K MAINS DIMMABLE	135	3
292126	TWIST TRACK 3F 230V 15° 3000K MAINS DIMMABLE	135	3
292127	TWIST TRACK 3F 230V 15° 3000K MAINS DIMMABLE	135	3
292136	TWIST TRACK 3F 230V 36° 2700K MAINS DIMMABLE	135	3
292137	TWIST TRACK 3F 230V 36° 2700K MAINS DIMMABLE	135	3
292146	TWIST TRACK 3F 230V 36° 3000K MAINS DIMMABLE	135	3
292147	TWIST TRACK 3F 230V 36° 3000K MAINS DIMMABLE	135	3
292166	TWIST TRACK 3F 230V 60° 2700K MAINS DIMMABLE	135	3
292167	TWIST TRACK 3F 230V 60° 2700K MAINS DIMMABLE	135	3
292176	TWIST TRACK 3F 230V 60° 3000K MAINS DIMMABLE	135	3
292177	TWIST TRACK 3F 230V 60° 3000K MAINS DIMMABLE	135	3
292215	TWIST TRACK 48V 15° 2700K	243	3
292216	TWIST TRACK 48V 15° 2700K	190	3
292217	TWIST TRACK 48V 15° 2700K	190	3
292225	TWIST TRACK 48V 15° 3000K	243	3
292226	TWIST TRACK 48V 15° 3000K	190	3
292227	TWIST TRACK 48V 15° 3000K	190	3
292235	TWIST TRACK 48V 36° 2700K	243	3
292236	TWIST TRACK 48V 36° 2700K	190	3
292237	TWIST TRACK 48V 36° 2700K	190	3
292245	TWIST TRACK 48V 36° 3000K	243	3
292246	TWIST TRACK 48V 36° 3000K	190	3
292247	TWIST TRACK 48V 36° 3000K	190	3
292265	TWIST TRACK 48V 60° 2700K	243	3
292266	TWIST TRACK 48V 60° 2700K	190	3
292267	TWIST TRACK 48V 60° 2700K	190	3
292275	TWIST TRACK 48V 60° 3000K	243	3
292276	TWIST TRACK 48V 60° 3000K	190	3
292277	TWIST TRACK 48V 60° 3000K	190	3
292315	TWIST TRACK 48V 15° 2700K DALI DIMMABLE	273	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
292316	TWIST TRACK 48V 15° 2700K DALI DIMMABLE	216	3
292317	TWIST TRACK 48V 15° 2700K DALI DIMMABLE	216	3
292325	TWIST TRACK 48V 15° 3000K DALI DIMMABLE	273	3
292326	TWIST TRACK 48V 15° 3000K DALI DIMMABLE	216	3
292327	TWIST TRACK 48V 15° 3000K DALI DIMMABLE	216	3
292335	TWIST TRACK 48V 36° 2700K DALI DIMMABLE	273	3
292336	TWIST TRACK 48V 36° 2700K DALI DIMMABLE	216	3
292337	TWIST TRACK 48V 36° 2700K DALI DIMMABLE	216	3
292345	TWIST TRACK 48V 36° 3000K DALI DIMMABLE	273	3
292346	TWIST TRACK 48V 36° 3000K DALI DIMMABLE	216	3
292347	TWIST TRACK 48V 36° 3000K DALI DIMMABLE	216	3
292365	TWIST TRACK 48V 60° 2700K DALI DIMMABLE	273	3
292366	TWIST TRACK 48V 60° 2700K DALI DIMMABLE	216	3
292367	TWIST TRACK 48V 60° 2700K DALI DIMMABLE	216	3
292375	TWIST TRACK 48V 60° 3000K DALI DIMMABLE	273	3
292376	TWIST TRACK 48V 60° 3000K DALI DIMMABLE	216	3
292377	TWIST TRACK 48V 60° 3000K DALI DIMMABLE	216	3
293026	B4 TORSION 700mA 10° 2700K	165	3
293036	B4 TORSION 700mA 10° 3000K	165	3
293047	B4 TORSION 700mA 10° 2700K	165	3
293057	B4 TORSION 700mA 10° 3000K	165	3
293126	B4 TORSION 700mA 25° 2700K	165	3
293136	B4 TORSION 700mA 25° 3000K	165	3
293147	B4 TORSION 700mA 25° 2700K	165	3
293157	B4 TORSION 700mA 25° 3000K	165	3
293226	B4 TORSION 700mA 46° 2700K	165	3
293236	B4 TORSION 700mA 46° 3000K	165	3
293247	B4 TORSION 700mA 46° 2700K	165	3
293257	B4 TORSION 700mA 46° 3000K	165	3
293326	B4 LEAF 700mA 10° 2700K	165	3
293336	B4 LEAF 700mA 10° 3000K	165	3
293347	B4 LEAF 700mA 10° 2700K	165	3
293357	B4 LEAF 700mA 10° 3000K	165	3
293426	B4 LEAF 700mA 25° 2700K	165	3
293436	B4 LEAF 700mA 25° 3000K	165	3
293447	B4 LEAF 700mA 25° 2700K	165	3
293457	B4 LEAF 700mA 25° 3000K	165	3
293526	B4 LEAF 700mA 46° 2700K	165	3
293536	B4 LEAF 700mA 46° 3000K	165	3
293547	B4 LEAF 700mA 46° 2700K	165	3
293557	B4 LEAF 700mA 46° 3000K	165	3
294326	B4 OUT LEAF 700mA 10° 2700K	220	3
294336	B4 OUT LEAF 700mA 10° 3000K	220	3
294347	B4 OUT LEAF 700mA 10° 2700K	220	3
294357	B4 OUT LEAF 700mA 10° 3000K	220	3
294426	B4 OUT LEAF 700mA 25° 2700K	220	3
294436	B4 OUT LEAF 700mA 25° 3000K	220	3
294447	B4 OUT LEAF 700mA 25° 2700K	220	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
294457	B4 OUT LEAF 700mA 25° 3000K	220	3
294526	B4 OUT LEAF 700mA 46° 2700K	220	3
294536	B4 OUT LEAF 700mA 46° 3000K	220	3
294547	B4 OUT LEAF 700mA 46° 2700K	220	3
294557	B4 OUT LEAF 700mA 46° 3000K	220	3
346001	KOMBO GLASS E27 SUSPENSION	343	3
346002	KOMBO GLASS E27 SUSPENSION	343	3
346003	KOMBO GLASS E27 SUSPENSION	364	3
346004	KOMBO GLASS E27 SUSPENSION	364	3
346026	KOMBO E27 SUSPENSION	385	3
346047	KOMBO E27 SUSPENSION	385	3
346057	KOMBO E27 SUSPENSION	385	3
346087	KOMBO E27 SUSPENSION	515	3
346096	KOMBO E27 SUSPENSION	515	3
346097	KOMBO E27 SUSPENSION	515	3
346126	KOMBO LED SUSPENSION 230V 2700K MAINS DIMMABLE	556	3
346147	KOMBO LED SUSPENSION 230V 2700K MAINS DIMMABLE	556	3
346157	KOMBO LED SUSPENSION 230V 2700K MAINS DIMMABLE	556	3
346187	KOMBO LED SUSPENSION 230V 2700K MAINS DIMMABLE	685	3
346196	KOMBO LED SUSPENSION 230V 2700K MAINS DIMMABLE	685	3
346197	KOMBO LED SUSPENSION 230V 2700K MAINS DIMMABLE	685	3
346326	KOMBO LED SURFACE MOUNTED MAINS DIMMABLE	473	3
346347	KOMBO LED SURFACE MOUNTED MAINS DIMMABLE	473	3
346396	KOMBO LED SURFACE MOUNTED MAINS DIMMABLE	603	3
346397	KOMBO LED SURFACE MOUNTED MAINS DIMMABLE	603	3
346901	ACCESSORY KOMBO SUSPENSION GLASS SHELL	246	3
346902	ACCESSORY KOMBO SUSPENSION GLASS SHELL	260	3
346903	ACCESSORY KOMBO SUSPENSION GLASS SHELL	270	3
346904	ACCESSORY KOMBO SUSPENSION GLASS SHELL	265	3
348000	CEDRUS GU10-BEAUFORT FRAME FOR PLASTER	12	3
348100	CEDRUS Q - FUNNEL FIX - MIX ROUND 6-13 FRAME FOR PLASTER	13	3
348213	CEDRUS GU10 TORSION	58	3
348226	CEDRUS GU10 TORSION	35	3
348247	CEDRUS GU10 TORSION	35	3
348313	CEDRUS GU10 LEAF	62	3
348326	CEDRUS GU10 LEAF	39	3
348347	CEDRUS GU10 LEAF	39	3
348707	CEDRUS QUANTUM TORSION 350mA 60° 3000K	150	3
348708	CEDRUS QUANTUM TORSION 350mA 24° 3000K	150	3
348709	CEDRUS QUANTUM FLEX TORSION 350mA 60° 3000K	89	3
348717	CEDRUS QUANTUM FLEX TORSION 350mA 60° 3000K	161	3
348718	CEDRUS QUANTUM FLEX TORSION 350mA 24° 3000K	161	3
348719	CEDRUS QUANTUM TORSION 350mA 60° 3000K	78	3
348720	CEDRUS QUANTUM TORSION 350mA 24° 3000K	78	3
348721	CEDRUS QUANTUM TORSION 350mA 60° 2700K	150	3
348722	CEDRUS QUANTUM TORSION 350mA 24° 2700K	150	3
348723	CEDRUS QUANTUM TORSION 350mA 60° 2700K	78	3
348724	CEDRUS QUANTUM TORSION 350mA 24° 2700K	78	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
348725	CEDRUS QUANTUM TORSION 350mA 36° 2700K	139	3
348727	CEDRUS QUANTUM TORSION 350mA 36° 2700K	67	3
348728	CEDRUS QUANTUM TORSION 350mA 36° 3000K	67	3
348729	CEDRUS QUANTUM TORSION 350mA 36° 3000K	139	3
348730	CEDRUS QUANTUM FLEX TORSION 350mA 24° 3000K	89	3
348731	CEDRUS QUANTUM FLEX TORSION 350mA 60° 2700K	161	3
348732	CEDRUS QUANTUM FLEX TORSION 350mA 24° 2700K	161	3
348733	CEDRUS QUANTUM FLEX TORSION 350mA 60° 2700K	89	3
348734	CEDRUS QUANTUM FLEX TORSION 350mA 24° 2700K	89	3
348735	CEDRUS QUANTUM FLEX TORSION 350mA 36° 2700K	150	3
348737	CEDRUS QUANTUM FLEX TORSION 350mA 36° 2700K	78	3
348738	CEDRUS QUANTUM FLEX TORSION 350mA 36° 3000K	78	3
348739	CEDRUS QUANTUM FLEX TORSION 350mA 36° 3000K	150	3
348742	CEDRUS QUANTUM TORSION 350mA 60° 3000K	78	3
348743	CEDRUS QUANTUM TORSION 350mA 24° 3000K	78	3
348744	CEDRUS QUANTUM TORSION 350mA 60° 2700K	78	3
348745	CEDRUS QUANTUM TORSION 350mA 24° 2700K	78	3
348748	CEDRUS QUANTUM TORSION 350mA 36° 2700K	67	3
348749	CEDRUS QUANTUM TORSION 350mA 36° 3000K	67	3
348752	CEDRUS QUANTUM FLEX TORSION 350mA 60° 3000K	89	3
348753	CEDRUS QUANTUM FLEX TORSION 350mA 24° 3000K	89	3
348754	CEDRUS QUANTUM FLEX TORSION 350mA 60° 2700K	89	3
348755	CEDRUS QUANTUM FLEX TORSION 350mA 24° 2700K	89	3
348758	CEDRUS QUANTUM FLEX TORSION 350mA 36° 2700K	78	3
348759	CEDRUS QUANTUM FLEX TORSION 350mA 36° 3000K	78	3
348807	CEDRUS QUANTUM LEAF 350mA 60° 3000K	150	3
348808	CEDRUS QUANTUM LEAF 350mA 24° 3000K	150	3
348809	CEDRUS QUANTUM FLEX LEAF 350mA 60° 3000K	89	3
348817	CEDRUS QUANTUM FLEX LEAF 350mA 60° 3000K	161	3
348818	CEDRUS QUANTUM FLEX LEAF 350mA 24° 3000K	161	3
348819	CEDRUS QUANTUM LEAF 350mA 60° 3000K	78	3
348820	CEDRUS QUANTUM LEAF 350mA 24° 3000K	78	3
348821	CEDRUS QUANTUM LEAF 350mA 60° 2700K	150	3
348822	CEDRUS QUANTUM LEAF 350mA 24° 2700K	150	3
348823	CEDRUS QUANTUM LEAF 350mA 60° 2700K	78	3
348824	CEDRUS QUANTUM LEAF 350mA 24° 2700K	78	3
348825	CEDRUS QUANTUM LEAF 350mA 36° 2700K	139	3
348827	CEDRUS QUANTUM LEAF 350mA 36° 2700K	67	3
348828	CEDRUS QUANTUM LEAF 350mA 36° 3000K	67	3
348829	CEDRUS QUANTUM LEAF 350mA 36° 3000K	139	3
348830	CEDRUS QUANTUM FLEX LEAF 350mA 24° 3000K	89	3
348831	CEDRUS QUANTUM FLEX LEAF 350mA 60° 2700K	161	3
348832	CEDRUS QUANTUM FLEX LEAF 350mA 24° 2700K	161	3
348833	CEDRUS QUANTUM FLEX LEAF 350mA 60° 2700K	89	3
348834	CEDRUS QUANTUM FLEX LEAF 350mA 24° 2700K	89	3
348835	CEDRUS QUANTUM FLEX LEAF 350mA 36° 2700K	150	3
348837	CEDRUS QUANTUM FLEX LEAF 350mA 36° 2700K	78	3
348838	CEDRUS QUANTUM FLEX LEAF 350mA 36° 3000K	78	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
348839	CEDRUS QUANTUM FLEX LEAF 350mA 36° 3000K	150	3
348842	CEDRUS QUANTUM LEAF 350mA 60° 3000K	78	3
348843	CEDRUS QUANTUM LEAF 350mA 24° 3000K	78	3
348844	CEDRUS QUANTUM LEAF 350mA 60° 2700K	78	3
348845	CEDRUS QUANTUM LEAF 350mA 24° 2700K	78	3
348848	CEDRUS QUANTUM LEAF 350mA 36° 2700K	67	3
348849	CEDRUS QUANTUM LEAF 350mA 36° 3000K	67	3
348852	CEDRUS QUANTUM FLEX LEAF 350mA 60° 3000K	89	3
348853	CEDRUS QUANTUM FLEX LEAF 350mA 24° 3000K	89	3
348854	CEDRUS QUANTUM FLEX LEAF 350mA 60° 2700K	89	3
348855	CEDRUS QUANTUM FLEX LEAF 350mA 24° 2700K	89	3
348858	CEDRUS QUANTUM FLEX LEAF 350mA 36° 2700K	78	3
348859	CEDRUS QUANTUM FLEX LEAF 350mA 36° 3000K	78	3
350018	DART	166	3
350026	DART	177	3
351047	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	367	3
351050	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	392	3
351056	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	405	3
351057	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	367	3
351060	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	392	3
351066	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	405	3
351086	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	381	3
351096	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	381	3
351147	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	383	3
351150	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	415	3
351156	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	437	3
351157	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	383	3
351160	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	415	3
351166	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	437	3
351186	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	407	3
351196	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	407	3
352103	PULSAR PIN 9° 2700K	418	3
352113	PULSAR PIN 9° 3000K	418	3
352123	PULSAR PIN 9° 2700K	418	3
352126	PULSAR PIN 9° 2700K	418	3
352133	PULSAR PIN 9° 3000K	418	3
352136	PULSAR PIN 9° 3000K	418	3
352203	PULSAR PIN 38° 2700K	418	3
352213	PULSAR PIN 38° 3000K	418	3
352223	PULSAR PIN 38° 2700K	418	3
352226	PULSAR PIN 38° 2700K	418	3
352233	PULSAR PIN 38° 3000K	418	3
352236	PULSAR PIN 38° 3000K	418	3
352303	PULSAR PIN 60° 2700K	418	3
352313	PULSAR PIN 60° 3000K	418	3
352323	PULSAR PIN 60° 2700K	418	3
352326	PULSAR PIN 60° 2700K	418	3
352333	PULSAR PIN 60° 3000K	418	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
352336	PULSAR PIN 60° 3000K	418	3
352403	PULSAR ON BASE 9° 2700K	355	3
352413	PULSAR ON BASE 9° 3000K	355	3
352423	PULSAR ON BASE 9° 2700K	355	3
352426	PULSAR ON BASE 9° 2700K	355	3
352433	PULSAR ON BASE 9° 3000K	355	3
352436	PULSAR ON BASE 9° 3000K	355	3
352503	PULSAR ON BASE 38° 2700K	355	3
352513	PULSAR ON BASE 38° 3000K	355	3
352523	PULSAR ON BASE 38° 2700K	355	3
352526	PULSAR ON BASE 38° 2700K	355	3
352533	PULSAR ON BASE 38° 3000K	355	3
352536	PULSAR ON BASE 38° 3000K	355	3
352603	PULSAR ON BASE 60° 2700K	355	3
352613	PULSAR ON BASE 60° 3000K	355	3
352623	PULSAR ON BASE 60° 2700K	355	3
352626	PULSAR ON BASE 60° 2700K	355	3
352633	PULSAR ON BASE 60° 3000K	355	3
352636	PULSAR ON BASE 60° 3000K	355	3
359800	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	319	3
359818	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	319	3
359820	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	319	3
359826	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	329	3
359828	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	319	3
359846	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	329	3
359850	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	319	3
359856	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	344	3
359857	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	484	3
359870	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	319	3
359876	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	344	3
359877	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	484	3
359882	DARTLING DOUBLE BEAM 230V 3000K MAINS DIMMABLE	329	3
359892	DARTLING DOUBLE BEAM 230V 2700K MAINS DIMMABLE	329	3
359900	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	231	3
359918	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	231	3
359920	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	231	3
359926	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	236	3
359928	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	231	3
359946	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	236	3
359950	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	231	3
359956	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	267	3
359970	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	231	3
359976	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	267	3
359982	DARTLING SINGLE BEAM 230V 3000K MAINS DIMMABLE	236	3
359992	DARTLING SINGLE BEAM 230V 2700K MAINS DIMMABLE	236	3
360526	MENHIR 250	454	3
360530	MENHIR 250	454	3
360533	MENHIR 250	454	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
360726	MENHIR 600	527	3
360734	MENHIR 600	527	3
360764	MENHIR 600	527	3
362621	MICRO OBO 350mA 2700K	152	3
362623	MICRO OBO 350mA 2700K	125	3
362625	MICRO OBO FOCUS 350mA 2700K	169	3
362627	MICRO OBO FOCUS 350mA 2700K	139	3
362628	MICRO OBO FOCUS 350mA 2700K	144	3
362629	MICRO OBO FOCUS 350mA 2700K	139	3
362641	MICRO UBO 350mA 2700K	152	3
362643	MICRO UBO 350mA 2700K	125	3
362645	MICRO UBO FOCUS 350mA 2700K	169	3
362647	MICRO UBO FOCUS 350mA 2700K	139	3
362648	MICRO UBO FOCUS 350mA 2700K	144	3
362649	MICRO UBO FOCUS 350mA 2700K	139	3
362660	MICRO UBO 350mA 3000K	152	3
362662	MICRO UBO 350mA 3000K	125	3
362665	MICRO UBO FOCUS 350mA 3000K	169	3
362667	MICRO UBO FOCUS 350mA 3000K	139	3
362668	MICRO UBO FOCUS 350mA 3000K	139	3
362669	MICRO UBO FOCUS 350mA 3000K	144	3
362670	MICRO OBO 350mA 3000K	152	3
362672	MICRO OBO 350mA 3000K	125	3
362675	MICRO OBO FOCUS 350mA 3000K	169	3
362677	MICRO OBO FOCUS 350mA 3000K	139	3
362678	MICRO OBO FOCUS 350mA 3000K	139	3
362679	MICRO OBO FOCUS 350mA 3000K	144	3
366348	MINI UBO ROUND QR-C51 WT FLOORTUBE ACC	66	3
366358	MINI OBO RO/SQ QR-C51 WT FLOORTUBE ACC	57	3
366448	MINI UBO SQUARE QR-C51 WT FLOORTUBE ACC	97	3
369200	MINI OBO R LUXEON M WC 2700K 180°	332	3
369202	MINI OBO R LUXEON M WC 2700K 180°	293	3
369210	MINI OBO SQ LUXEON M WC 2700K 180°	332	3
369212	MINI OBO SQ LUXEON M WC 2700K 180°	293	3
369220	MINI UBO R LUXEON M WC 2700K 180°	332	3
369222	MINI UBO R LUXEON M WC 2700K 180°	293	3
369230	MINI UBO SQ LUXEON M WC 2700K 180°	332	3
369232	MINI UBO SQ LUXEON M WC 2700K 180°	293	3
369240	MINI OBO R LUXEON M WC 3000K 180°	332	3
369242	MINI OBO R LUXEON M WC 3000K 180°	293	3
369250	MINI OBO SQ LUXEON M WC 3000K 180°	332	3
369252	MINI OBO SQ LUXEON M WC 3000K 180°	293	3
369260	MINI UBO R LUXEON M WC 3000K 180°	332	3
369262	MINI UBO R LUXEON M WC 3000K 180°	293	3
369270	MINI UBO SQ LUXEON M WC 3000K 180°	332	3
369272	MINI UBO SQ LUXEON M WC 3000K 180°	293	3
369300	MINI OBO R LUXEON M WC 2700K CLEAR GLASS STST 9°	385	3
369302	MINI OBO R LUXEON M WC 2700K CLEAR GLASS ANO 9°	357	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
369310	MINI OBO SQ LUXEON M WC 2700K CLEAR GLASS STST 9°	385	3
369312	MINI OBO SQ LUXEON M WC 2700K CLEAR GLASS ANO 9°	357	3
369320	MINI UBO R LUXEON M WC 2700K CLEAR GLASS STST 9°	376	3
369322	MINI UBO R LUXEON M WC 2700K CLEAR GLASS ANO 9°	347	3
369330	MINI UBO SQ LUXEON M WC 2700K CLEAR GLASS STST 9°	385	3
369332	MINI UBO SQ LUXEON M WC 2700K CLEAR GLASS ANO 9°	357	3
369340	MINI OBO R LUXEON M WC 3000K CLEAR GLASS STST 9°	385	3
369342	MINI OBO R LUXEON M WC 3000K CLEAR GLASS ANO 9°	357	3
369350	MINI OBO SQ LUXEON M WC 3000K CLEAR GLASS STST 9°	385	3
369352	MINI OBO SQ LUXEON M WC 3000K CLEAR GLASS ANO 9°	357	3
369360	MINI UBO R LUXEON M WC 3000K CLEAR GLASS STST 9°	376	3
369362	MINI UBO R LUXEON M WC 3000K CLEAR GLASS ANO 9°	347	3
369370	MINI UBO SQ LUXEON M WC 3000K CLEAR GLASS STST 9°	385	3
369372	MINI UBO SQ LUXEON M WC 3000K CLEAR GLASS ANO 9°	357	3
369400	MINI OBO R LUXEON M WC 2700K CLEAR GLASS STST 38°	385	3
369402	MINI OBO R LUXEON M WC 2700K CLEAR GLASS ANO 38°	357	3
369410	MINI OBO SQ LUXEON M WC 2700K CLEAR GLASS STST 38°	385	3
369412	MINI OBO SQ LUXEON M WC 2700K CLEAR GLASS ANO 38°	357	3
369420	MINI UBO R LUXEON M WC 2700K CLEAR GLASS STST 38°	376	3
369422	MINI UBO R LUXEON M WC 2700K CLEAR GLASS ANO 38°	347	3
369430	MINI UBO SQ LUXEON M WC 2700K CLEAR GLASS STST 38°	385	3
369432	MINI UBO SQ LUXEON M WC 2700K CLEAR GLASS ANO 38°	357	3
369440	MINI OBO R LUXEON M WC 3000K CLEAR GLASS STST 38°	385	3
369442	MINI OBO R LUXEON M WC 3000K CLEAR GLASS ANO 38°	347	3
369450	MINI OBO SQ LUXEON M WC 3000K CLEAR GLASS STST 38°	385	3
369452	MINI OBO SQ LUXEON M WC 3000K CLEAR GLASS ANO 38°	357	3
369460	MINI UBO R LUXEON M WC 3000K CLEAR GLASS STST 38°	376	3
369462	MINI UBO R LUXEON M WC 3000K CLEAR GLASS ANO 38°	347	3
369470	MINI UBO SQ LUXEON M WC 3000K CLEAR GLASS STST 38°	385	3
369472	MINI UBO SQ LUXEON M WC 3000K CLEAR GLASS ANO 38°	357	3
369500	MINI OBO R LUXEON M WC 2700K CLEAR GLASS STST 60°	385	3
369502	MINI OBO R LUXEON M WC 2700K CLEAR GLASS ANO 60°	357	3
369510	MINI OBO SQ LUXEON M WC 2700K CLEAR GLASS STST 60°	385	3
369512	MINI OBO SQ LUXEON M WC 2700K CLEAR GLASS ANO 60°	357	3
369520	MINI UBO R LUXEON M WC 2700K CLEAR GLASS STST 60°	376	3
369522	MINI UBO R LUXEON M WC 2700K CLEAR GLASS ANO 60°	347	3
369530	MINI UBO SQ LUXEON M WC 2700K CLEAR GLASS STST 60°	385	3
369532	MINI UBO SQ LUXEON M WC 2700K CLEAR GLASS ANO 60°	357	3
369540	MINI OBO R LUXEON M WC 3000K CLEAR GLASS STST 60°	385	3
369542	MINI OBO R LUXEON M WC 3000K CLEAR GLASS ANO 60°	357	3
369550	MINI OBO SQ LUXEON M WC 3000K CLEAR GLASS STST 60°	385	3
369552	MINI OBO SQ LUXEON M WC 3000K CLEAR GLASS ANO 60°	357	3
369560	MINI UBO R LUXEON M WC 3000K CLEAR GLASS STST 60°	376	3
369562	MINI UBO R LUXEON M WC 3000K CLEAR GLASS ANO 60°	347	3
369570	MINI UBO SQ LUXEON M WC 3000K CLEAR GLASS STST 60°	385	3
369572	MINI UBO SQ LUXEON M WC 3000K CLEAR GLASS ANO 60°	357	3
369650	MICRO OBO FLOORTUBE	16	3
369651	MICRO UBO FLOORTUBE WHITE	17	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
369653	MICRO UBO FLOORTUBE BLACK	17	3
371901	DJANGO GU10 ORIENTABLE	101	3
371902	DJANGO GU10 ORIENTABLE	101	3
371903	DJANGO GU10 ORIENTABLE	138	3
371905	DJANGO GU10 FIXED	78	3
371906	DJANGO GU10 FIXED	78	3
371907	DJANGO GU10 FIXED	92	3
371921	DJANGO 2 GU10 ORIENTABLE	196	3
371922	DJANGO 2 GU10 ORIENTABLE	196	3
371923	DJANGO 2 GU10 ORIENTABLE	238	3
371925	DJANGO 2 GU10 FIXED	111	3
371926	DJANGO 2 GU10 FIXED	111	3
371927	DJANGO 2 GU10 FIXED	129	3
371941	DJANGO HALOLED 230V 2700K	195	3
371942	DJANGO HALOLED 230V 2700K	195	3
371943	DJANGO HALOLED 230V 3000K	195	3
371944	DJANGO HALOLED 230V 3000K	195	3
371945	DJANGO HALOLED 230V 2700K	195	3
371946	DJANGO HALOLED 230V 3000K	195	3
371951	DJANGO 2 HALOLED FIXED 2700K MAINS DIM	295	3
371952	DJANGO 2 HALOLED FIXED 2700K MAINS DIM	295	3
371953	DJANGO 2 HALOLED FIXED 3000K MAINS DIM	295	3
371954	DJANGO 2 HALOLED FIXED 3000K MAINS DIM	295	3
371955	DJANGO 2 HALOLED FIXED 2700K MAINS DIM	295	3
371956	DJANGO 2 HALOLED FIXED 3000K MAINS DIM	295	3
375527	M10 BASE PRO 2 (600) 230V	112	3
375548	M10 BASE PRO 2 (600) 230V	112	3
375627	M10 BASE PRO 3 (900) 230V	137	3
375648	M10 BASE PRO 3 (900) 230V	137	3
375727	M10 BASE PRO 4 (1200) 230V	169	3
375748	M10 BASE PRO 4 (1200) 230V	169	3
375827	M10 BASE PRO 1 (300) 230V	92	3
375848	M10 BASE PRO 1 (300) 230V	92	3
377116	DICE 230V 3000K MAINS DIMMABLE	126	3
377126	DICE 230V 2700K MAINS DIMMABLE	126	3
377137	DICE 230V 3000K MAINS DIMMABLE	126	3
377147	DICE 230V 2700K MAINS DIMMABLE	126	3
377316	DICE EXO LEAF 3000K	116	3
377326	DICE EXO LEAF 2700K	116	3
377337	DICE EXO LEAF 3000K	116	3
377347	DICE EXO LEAF 2700K	116	3
377626	DICE WALL CI FOR WALL BOX 2700K MAINS DIMM	98	3
377636	DICE WALL CI FOR WALL BOX 3000K MAINS DIMM	98	3
377647	DICE WALL CI FOR WALL BOX 2700K MAINS DIMM	98	3
377657	DICE WALL CI FOR WALL BOX 3000K MAINS DIMM	98	3
378527	M10 BASE PRO 2 (600) CI 350mA MAINS DIMMABLE	177	3
378548	M10 BASE PRO 2 (600) CI 350mA MAINS DIMMABLE	177	3
378627	M10 BASE PRO 3 (900) CI 350mA MAINS DIMMABLE	255	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
378648	M10 BASE PRO 3 (900) CI 350mA MAINS DIMMABLE	255	3
378727	M10 BASE PRO 4 (1200) CI 350mA MAINS DIMMABLE	304	3
378748	M10 BASE PRO 4 (1200) CI 350mA MAINS DIMMABLE	304	3
378827	M10 BASE PRO 1 (300) CI 350mA MAINS DIMMABLE	132	3
378848	M10 BASE PRO 1 (300) CI 350mA MAINS DIMMABLE	132	3
379527	M10 BASE PRO 2 (600) CI 250mA MAINS DIMMABLE	177	3
379548	M10 BASE PRO 2 (600) CI 250mA MAINS DIMMABLE	177	3
379627	M10 BASE PRO 3 (900) CI 250mA MAINS DIMMABLE	255	3
379648	M10 BASE PRO 3 (900) CI 250mA MAINS DIMMABLE	255	3
379727	M10 BASE PRO 4 (1200) CI 250mA MAINS DIMMABLE	304	3
379748	M10 BASE PRO 4 (1200) CI 250mA MAINS DIMMABLE	304	3
379827	M10 BASE PRO 1 (300) CI 250mA MAINS DIMMABLE	132	3
379848	M10 BASE PRO 1 (300) CI 250mA MAINS DIMMABLE	132	3
390626	B4 SURFACE 230V 10° 2700K MAINS DIMMABLE	271	3
390636	B4 SURFACE 230V 10° 3000K MAINS DIMMABLE	271	3
390647	B4 SURFACE 230V 10° 2700K MAINS DIMMABLE	271	3
390657	B4 SURFACE 230V 10° 3000K MAINS DIMMABLE	271	3
390726	B4 SURFACE 230V 25° 2700K MAINS DIMMABLE	271	3
390736	B4 SURFACE 230V 25° 3000K MAINS DIMMABLE	271	3
390747	B4 SURFACE 230V 25° 2700K MAINS DIMMABLE	271	3
390757	B4 SURFACE 230V 25° 3000K MAINS DIMMABLE	271	3
390826	B4 SURFACE 230V 46° 2700K MAINS DIMMABLE	271	3
390836	B4 SURFACE 230V 46° 3000K MAINS DIMMABLE	271	3
390847	B4 SURFACE 230V 46° 2700K MAINS DIMMABLE	271	3
390857	B4 SURFACE 230V 46° 3000K MAINS DIMMABLE	271	3
391216	B4 TILT 230V 10° 2700K MAINS DIMMABLE	429	3
391226	B4 TILT 230V 10° 3000K MAINS DIMMABLE	429	3
391237	B4 TILT 230V 10° 2700K MAINS DIMMABLE	429	3
391247	B4 TILT 230V 10° 3000K MAINS DIMMABLE	429	3
391316	B4 TILT 230V 25° 2700K MAINS DIMMABLE	429	3
391326	B4 TILT 230V 25° 3000K MAINS DIMMABLE	429	3
391337	B4 TILT 230V 25° 2700K MAINS DIMMABLE	429	3
391347	B4 TILT 230V 25° 3000K MAINS DIMMABLE	429	3
391416	B4 TILT 230V 46° 2700K MAINS DIMMABLE	429	3
391426	B4 TILT 230V 46° 3000K MAINS DIMMABLE	429	3
391437	B4 TILT 230V 46° 2700K MAINS DIMMABLE	429	3
391447	B4 TILT 230V 46° 3000K MAINS DIMMABLE	429	3
405057	BOA TRIMLESS WALL 700mA 3000K	127	3
405067	BOA TRIMLESS WALL 700mA 2700K	127	3
405072	BOA TRIMLESS WALL 700mA 3000K	116	3
405082	BOA TRIMLESS WALL 700mA 2700K	116	3
405085	BOA TRIMLESS WALL 700mA 3000K	127	3
405086	BOA TRIMLESS WALL 700mA 3000K	116	3
405095	BOA TRIMLESS WALL 700mA 2700K	127	3
405096	BOA TRIMLESS WALL 700mA 2700K	116	3
405136	BOA TRIMLESS CEILING 700mA 3000K	104	3
405146	BOA TRIMLESS CEILING 700mA 2700K	104	3
405157	BOA TRIMLESS CEILING 700mA 3000K	116	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
405167	BOA TRIMLESS CEILING 700mA 2700K	116	3
405416	BOA WALL UP-DOWN 230V 3000K MAINS DIMMABLE	404	3
405426	BOA WALL UP-DOWN 230V 2700K MAINS DIMMABLE	404	3
405437	BOA WALL UP-DOWN 230V 3000K MAINS DIMMABLE	395	3
405447	BOA WALL UP-DOWN 230V 2700K MAINS DIMMABLE	395	3
405482	BOA WALL UP-DOWN 230V 3000K MAINS DIMMABLE	404	3
405485	BOA WALL UP-DOWN 230V 3000K MAINS DIMMABLE	395	3
405492	BOA WALL UP-DOWN 230V 2700K MAINS DIMMABLE	404	3
405495	BOA WALL UP-DOWN 230V 2700K MAINS DIMMABLE	395	3
405916	BOA WALL LED 3000K MAINS DIMM	236	3
405926	BOA WALL LED 2700K MAINS DIMM	236	3
405937	BOA WALL LED 3000K MAINS DIMM	231	3
405947	BOA WALL LED 2700K MAINS DIMM	231	3
405982	BOA WALL LED 3000K MAINS DIMM	236	3
405985	BOA WALL LED 3000K MAINS DIMM	231	3
405992	BOA WALL LED 2700K MAINS DIMM	236	3
405995	BOA WALL LED 2700K MAINS DIMM	231	3
406216	BOA CEILING MOUNTED 230V 3000K MAINS DIMMABLE	232	3
406226	BOA CEILING MOUNTED 230V 2700K MAINS DIMMABLE	232	3
406237	BOA CEILING MOUNTED 230V 3000K MAINS DIMMABLE	226	3
406247	BOA CEILING MOUNTED 230V 2700K MAINS DIMMABLE	226	3
406282	BOA CEILING MOUNTED 230V 3000K MAINS DIMMABLE	232	3
406285	BOA CEILING MOUNTED 230V 3000K MAINS DIMMABLE	226	3
406292	BOA CEILING MOUNTED 230V 2700K MAINS DIMMABLE	232	3
406295	BOA CEILING MOUNTED 230V 2700K MAINS DIMMABLE	226	3
406400	BOA WALL OUT 230V 3000K MAINS DIMMABLE	390	3
406410	BOA WALL OUT 230V 2700K MAINS DIMMABLE	390	3
406416	BOA WALL OUT 230V 3000K MAINS DIMMABLE	390	3
406420	BOA WALL OUT 230V 3000K MAINS DIMMABLE	390	3
406426	BOA WALL OUT 230V 2700K MAINS DIMMABLE	390	3
406430	BOA WALL OUT 230V 2700K MAINS DIMMABLE	390	3
406460	BOA WALL OUT 230V 3000K MAINS DIMMABLE	390	3
406470	BOA WALL OUT 230V 2700K MAINS DIMMABLE	390	3
407144	MICROSCOOP 250mA HALOSPHERE	171	3
407145	MICROSCOOP 250mA HALOSPHERE	171	3
407216	MICROSCOOP 250mA HALOSPHERE	171	3
407217	MICROSCOOP 250mA HALOSPHERE	171	3
407285	MICROSCOOP 250mA HALOSPHERE	171	3
407286	MICROSCOOP 250mA HALOSPHERE	191	3
407926	MICROSCOOP WALL ADAPTER	46	3
407947	MICROSCOOP WALL ADAPTER	46	3
408625	M10 BASE KOSMOS	53	3
408626	M10 BASE KOSMOS	53	3
408636	M10 BASE KOSMOS (HEAVY LOAD)	86	3
408647	M10 BASE KOSMOS	53	3
408657	M10 BASE KOSMOS (HEAVY LOAD)	86	3
408726	M10 BASE 3 (ROUND) CI 350mA MAINS DIMMABLE (for suspension luminai	133	3
408736	M10 BASE SEMI RECESSED TORSION	47	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
408746	M10 BASE SEMI RECESSED LEAF	47	3
408747	M10 BASE 3 (ROUND) CI 350mA MAINS DIMMABLE (for suspension luminai	133	3
408757	M10 BASE SEMI RECESSED TORSION	47	3
408767	M10 BASE SEMI RECESSED LEAF	47	3
408826	M10 BASE RECESSED SMALL	33	3
408847	M10 BASE RECESSED SMALL	33	3
408913	M10 BASE RECESSED LARGE	66	3
408914	M10 BASE RECESSED LARGE	66	3
408915	M10 BASE RECESSED LARGE	66	3
408926	M10 BASE RECESSED LARGE	44	3
408947	M10 BASE RECESSED LARGE	44	3
408999	STRAIN RELIEF incl. SCREW for M10 BASE (KOSMOS)	5	3
409177	MINI PROJEXXAR 1 FRAME FOR PLASTER NXT	32	3
409277	MINI PROJEXXAR 2 FRAME FOR PLASTER NXT	37	3
409526	MINI PROJEXXAR 1XBEAUFORT 2700K	146	3
409527	MINI PROJEXXAR 1XBEAUFORT 2700K	146	3
409536	MINI PROJEXXAR 1XBEAUFORT 3000K	146	3
409537	MINI PROJEXXAR 1XBEAUFORT 3000K	146	3
409626	MINI PROJEXXAR 2XBEAUFORT 2700K	271	3
409627	MINI PROJEXXAR 2XBEAUFORT 2700K	271	3
409636	MINI PROJEXXAR 2XBEAUFORT 3000K	271	3
409637	MINI PROJEXXAR 2XBEAUFORT 3000K	271	3
411926	M10 BASE 3 (ROUND) 230V	106	3
411937	M10 BASE 3 (ROUND) 230V	106	3
411976	M10 BASE 7 (ROUND) 230V	139	3
411977	M10 BASE 7 (ROUND) 230V	139	3
416103	ROSEAU PIN 230V 2700K MAINS DIMMABLE	444	3
416106	ROSEAU PIN 230V 2700K MAINS DIMMABLE	444	3
416113	ROSEAU PIN 230V 3000K MAINS DIMMABLE	444	3
416116	ROSEAU PIN 230V 3000K MAINS DIMMABLE	444	3
416123	ROSEAU PIN 230V 2700K MAINS DIMMABLE	444	3
416126	ROSEAU PIN 230V 2700K MAINS DIMMABLE	444	3
416133	ROSEAU PIN 230V 3000K MAINS DIMMABLE	444	3
416136	ROSEAU PIN 230V 3000K MAINS DIMMABLE	444	3
416203	ROSEAU FLOOR 1350 230V 2700K MAINS DIMMABLE	673	3
416213	ROSEAU FLOOR 1350 230V 3000K MAINS DIMMABLE	673	3
416223	ROSEAU FLOOR 1350 230V 2700K MAINS DIMMABLE	673	3
416226	ROSEAU FLOOR 1350 230V 2700K MAINS DIMMABLE	673	3
416233	ROSEAU FLOOR 1350 230V 3000K MAINS DIMMABLE	673	3
416236	ROSEAU FLOOR 1350 230V 3000K MAINS DIMMABLE	673	3
416303	ROSEAU FLOOR 1700 230V 2700K MAINS DIMMABLE	692	3
416313	ROSEAU FLOOR 1700 230V 3000K MAINS DIMMABLE	692	3
416323	ROSEAU FLOOR 1700 230V 2700K MAINS DIMMABLE	692	3
416326	ROSEAU FLOOR 1700 230V 2700K MAINS DIMMABLE	692	3
416333	ROSEAU FLOOR 1700 230V 3000K MAINS DIMMABLE	692	3
416336	ROSEAU FLOOR 1700 230V 3000K MAINS DIMMABLE	692	3
416426	ROSEAU 2700K INDOOR 1700 CASAMBI	830	3
416436	ROSEAU 3000K INDOOR 1700 CASAMBI	830	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
416447	ROSEAU 2700K INDOOR 1700 CASAMBI	830	3
416457	ROSEAU 3000K INDOOR 1700 CASAMBI	830	3
416626	ROSEAU FLOOR 1350 230V 2700K DIMMER ON MAINSCORD	780	3
416636	ROSEAU FLOOR 1350 230V 3000K DIMMER ON MAINSCORD	780	3
416647	ROSEAU FLOOR 1350 230V 2700K DIMMER ON MAINSCORD	780	3
416657	ROSEAU FLOOR 1350 230V 3000K DIMMER ON MAINSCORD	780	3
416726	ROSEAU FLOOR 1700 230V 2700K DIMMER ON MAINSCORD	799	3
416736	ROSEAU FLOOR 1700 230V 3000K DIMMER ON MAINSCORD	799	3
416747	ROSEAU FLOOR 1700 230V 2700K DIMMER ON MAINSCORD	799	3
416757	ROSEAU FLOOR 1700 230V 3000K DIMMER ON MAINSCORD	799	3
416806	ROUSITTA PIN 24V 2700K	210	3
416808	ROUSITTA PIN 24V 2700K	210	3
416816	ROUSITTA PIN 24V 3000K	210	3
416818	ROUSITTA PIN 24V 3000K	210	3
416826	ROUSITTA PIN 24V 2700K	210	3
416836	ROUSITTA PIN 24V 3000K	210	3
417016	PIXL 4 TORSION 230V 50° 3000K MAINS DIMMABLE	175	3
417018	PIXL 4 TORSION 3000K 50° CI DALI DIMM	225	3
417026	PIXL 4 TORSION 230V 50° 2700K MAINS DIMMABLE	175	3
417028	PIXL 4 TORSION 2700K 50° CI DALI DIMM	225	3
417036	PIXL 4 TORSION 230V 80° 3000K MAINS DIMMABLE	175	3
417037	PIXL 4 TORSION 230V 50° 3000K MAINS DIMMABLE	175	3
417038	PIXL 4 TORSION 3000K 80° CI DALI DIMM	225	3
417039	PIXL 4 TORSION 3000K 50° CI DALI DIMM	225	3
417046	PIXL 4 TORSION 230V 80° 2700K MAINS DIMMABLE	175	3
417047	PIXL 4 TORSION 230V 50° 2700K MAINS DIMMABLE	175	3
417048	PIXL 4 TORSION 2700K 80° CI DALI DIMM	225	3
417049	PIXL 4 TORSION 2700K 50° CI DALI DIMM	225	3
417057	PIXL 4 TORSION 230V 80° 3000K MAINS DIMMABLE	175	3
417059	PIXL 4 TORSION 3000K 80° CI DALI DIMM	225	3
417067	PIXL 4 TORSION 230V 80° 2700K MAINS DIMMABLE	175	3
417069	PIXL 4 TORSION 2700K 80° CI DALI DIMM	225	3
417097	PIXL 4 FRAME + BOX FOR PLASTER	75	3
417099	PIXL 4 FRAME FOR PLASTER	40	3
417116	PIXL 4 LEAF 230V 50° 3000K MAINS DIMMABLE	175	3
417118	PIXL 4 LEAF 3000K 50° CI DALI DIMM	225	3
417126	PIXL 4 LEAF 230V 50° 2700K MAINS DIMMABLE	175	3
417128	PIXL 4 LEAF 2700K 50° CI DALI DIMM	225	3
417136	PIXL 4 LEAF 230V 80° 3000K MAINS DIMMABLE	175	3
417137	PIXL 4 LEAF 230V 50° 3000K MAINS DIMMABLE	175	3
417138	PIXL 4 LEAF 3000K 80° CI DALI DIMM	225	3
417139	PIXL 4 LEAF 3000K 50° CI DALI DIMM	225	3
417146	PIXL 4 LEAF 230V 80° 2700K MAINS DIMMABLE	175	3
417147	PIXL 4 LEAF 230V 50° 2700K MAINS DIMMABLE	175	3
417148	PIXL 4 LEAF 2700K 80° CI DALI DIMM	225	3
417149	PIXL 4 LEAF 2700K 50° CI DALI DIMM	225	3
417157	PIXL 4 LEAF 230V 80° 3000K MAINS DIMMABLE	175	3
417159	PIXL 4 LEAF 3000K 80° CI DALI DIMM	225	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
417167	PIXL 4 LEAF 230V 80° 2700K MAINS DIMMABLE	175	3
417169	PIXL 4 LEAF 2700K 80° CI DALI DIMM	225	3
417216	PIXL 7 TORSION 230V 50° 3000K MAINS DIMMABLE	210	3
417218	PIXL 7 TORSION 3000K 50° CI DALI DIMM	260	3
417226	PIXL 7 TORSION 230V 50° 2700K MAINS DIMMABLE	210	3
417228	PIXL 7 TORSION 2700K 50° CI DALI DIMM	260	3
417236	PIXL 7 TORSION 230V 80° 3000K MAINS DIMMABLE	210	3
417237	PIXL 7 TORSION 230V 50° 3000K MAINS DIMMABLE	210	3
417238	PIXL 7 TORSION 3000K 80° CI DALI DIMM	260	3
417239	PIXL 7 TORSION 3000K 50° CI DALI DIMM	260	3
417246	PIXL 7 TORSION 230V 80° 2700K MAINS DIMMABLE	210	3
417247	PIXL 7 TORSION 230V 50° 2700K MAINS DIMMABLE	210	3
417248	PIXL 7 TORSION 2700K 80° CI DALI DIMM	260	3
417249	PIXL 7 TORSION 2700K 50° CI DALI DIMM	260	3
417257	PIXL 7 TORSION 230V 80° 3000K MAINS DIMMABLE	210	3
417259	PIXL 7 TORSION 3000K 80° CI DALI DIMM	260	3
417267	PIXL 7 TORSION 230V 80° 2700K MAINS DIMMABLE	210	3
417269	PIXL 7 TORSION 2700K 80° CI DALI DIMM	260	3
417297	PIXL 7 FRAME + BOX FOR PLASTER	110	3
417299	PIXL 7 FRAME FOR PLASTER	50	3
417316	PIXL 7 LEAF 230V 50° 3000K MAINS DIMMABLE	210	3
417318	PIXL 7 LEAF 3000K 50° CI DALI DIMM	260	3
417326	PIXL 7 LEAF 230V 50° 2700K MAINS DIMMABLE	210	3
417328	PIXL 7 LEAF 2700K 50° CI DALI DIMM	260	3
417336	PIXL 7 LEAF 230V 80° 3000K MAINS DIMMABLE	210	3
417337	PIXL 7 LEAF 230V 50° 3000K MAINS DIMMABLE	210	3
417338	PIXL 7 LEAF 3000K 80° CI DALI DIMM	260	3
417339	PIXL 7 LEAF 3000K 50° CI DALI DIMM	260	3
417346	PIXL 7 LEAF 230V 80° 2700K MAINS DIMMABLE	210	3
417347	PIXL 7 LEAF 230V 50° 2700K MAINS DIMMABLE	210	3
417348	PIXL 7 LEAF 2700K 80° CI DALI DIMM	260	3
417349	PIXL 7 LEAF 2700K 50° CI DALI DIMM	260	3
417357	PIXL 7 LEAF 230V 80° 3000K MAINS DIMMABLE	210	3
417359	PIXL 7 LEAF 3000K 80° CI DALI DIMM	260	3
417367	PIXL 7 LEAF 230V 80° 2700K MAINS DIMMABLE	210	3
417369	PIXL 7 LEAF 2700K 80° CI DALI DIMM	260	3
417416	PIXL 4 CEILING MOUNTED 230V 50° 3000K MAINS DIMMABLE	175	3
417418	PIXL 4 CEILING MOUNTED 3000K 50° CI DALI DIMM	225	3
417426	PIXL 4 CEILING MOUNTED 230V 50° 2700K MAINS DIMMABLE	175	3
417428	PIXL 4 CEILING MOUNTED 2700K 50° CI DALI DIMM	225	3
417436	PIXL 4 CEILING MOUNTED 230V 80° 3000K MAINS DIMMABLE	175	3
417437	PIXL 4 CEILING MOUNTED 230V 50° 3000K MAINS DIMMABLE	175	3
417438	PIXL 4 CEILING MOUNTED 3000K 80° CI DALI DIMM	225	3
417439	PIXL 4 CEILING MOUNTED 3000K 50° CI DALI DIMM	225	3
417446	PIXL 4 CEILING MOUNTED 230V 80° 2700K MAINS DIMMABLE	175	3
417447	PIXL 4 CEILING MOUNTED 230V 50° 2700K MAINS DIMMABLE	175	3
417448	PIXL 4 CEILING MOUNTED 2700K 80° CI DALI DIMM	225	3
417449	PIXL 4 CEILING MOUNTED 2700K 50° CI DALI DIMM	225	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
417457	PIXL 4 CEILING MOUNTED 230V 80° 3000K MAINS DIMMABLE	175	3
417459	PIXL 4 CEILING MOUNTED 3000K 80° CI DALI DIMM	225	3
417467	PIXL 4 CEILING MOUNTED 230V 80° 2700K MAINS DIMMABLE	175	3
417469	PIXL 4 CEILING MOUNTED 2700K 80° CI DALI DIMM	225	3
417516	PIXL 7 CEILING MOUNTED 230V 50° 3000K MAINS DIMMABLE	210	3
417518	PIXL 7 CEILING MOUNTED 3000K 50° CI DALI DIMM	260	3
417526	PIXL 7 CEILING MOUNTED 230V 50° 2700K MAINS DIMMABLE	210	3
417528	PIXL 7 CEILING MOUNTED 2700K 50° CI DALI DIMM	260	3
417536	PIXL 7 CEILING MOUNTED 230V 80° 3000K MAINS DIMMABLE	210	3
417537	PIXL 7 CEILING MOUNTED 230V 50° 3000K MAINS DIMMABLE	210	3
417538	PIXL 7 CEILING MOUNTED 3000K 80° CI DALI DIMM	260	3
417539	PIXL 7 CEILING MOUNTED 3000K 50° CI DALI DIMM	260	3
417546	PIXL 7 CEILING MOUNTED 230V 80° 2700K MAINS DIMMABLE	210	3
417547	PIXL 7 CEILING MOUNTED 230V 50° 2700K MAINS DIMMABLE	210	3
417548	PIXL 7 CEILING MOUNTED 2700K 80° CI DALI DIMM	260	3
417549	PIXL 7 CEILING MOUNTED 2700K 50° CI DALI DIMM	260	3
417557	PIXL 7 CEILING MOUNTED 230V 80° 3000K MAINS DIMMABLE	210	3
417559	PIXL 7 CEILING MOUNTED 3000K 80° CI DALI DIMM	260	3
417567	PIXL 7 CEILING MOUNTED 230V 80° 2700K MAINS DIMMABLE	210	3
417569	PIXL 7 CEILING MOUNTED 2700K 80° CI DALI DIMM	260	3
417616	MICRO PIXL 6 LEAF 3000K 65° WC	140	3
417626	MICRO PIXL 6 LEAF 2700K 65° WC	140	3
417637	MICRO PIXL 6 LEAF 3000K 65° WC	140	3
417647	MICRO PIXL 6 LEAF 2700K 65° WC	140	3
417697	MICRO PIXL 6 FRAME + BOX FOR PLASTER	75	3
417699	MICRO PIXL 6 FRAME FOR PLASTER	40	3
417716	MICRO PIXL 14 LEAF 3000K 65° WC	175	3
417726	MICRO PIXL 14 LEAF 2700K 65° WC	175	3
417737	MICRO PIXL 14 LEAF 3000K 65° WC	175	3
417747	MICRO PIXL 14 LEAF 2700K 65° WC	175	3
417797	MICRO PIXL 14 FRAME + BOX FOR PLASTER	110	3
417799	MICRO PIXL 14 FRAME FOR PLASTER	50	3
418028	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	217	3
418029	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	262	3
418030	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	322	3
418032	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	217	3
418066	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	338	3
418067	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	262	3
418104	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	217	3
418106	NOBEL PI 230V HALOSPHERE MAINS DIMMABLE	221	3
418128	NOBEL PI M10 250mA HALOSPHERE	168	3
418132	NOBEL PI M10 250mA HALOSPHERE	168	3
418204	NOBEL PI M10 250mA HALOSPHERE	168	3
418206	NOBEL PI M10 250mA HALOSPHERE	174	3
418229	NOBEL PI M10 250mA HALOSPHERE	218	3
418230	NOBEL PI M10 250mA HALOSPHERE	276	3
418266	NOBEL PI M10 250mA HALOSPHERE	290	3
418267	NOBEL PI M10 250mA HALOSPHERE	218	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
419006	MICRO TOMMY TRIMLESS 250mA HALOSPHERE	250	3
419027	MICRO TOMMY TRIMLESS 250mA HALOSPHERE	250	3
419074	MICRO TOMMY TRIMLESS 250mA HALOSPHERE	250	3
419075	MICRO TOMMY TRIMLESS 250mA HALOSPHERE	250	3
419076	MICRO TOMMY TRIMLESS 250mA HALOSPHERE	250	3
419106	MICRO TOMMY 1 TORSION HALOSPHERE	141	3
419127	MICRO TOMMY 1 TORSION HALOSPHERE	141	3
419174	MICRO TOMMY 1 TORSION HALOSPHERE	141	3
419175	MICRO TOMMY 1 TORSION HALOSPHERE	141	3
419176	MICRO TOMMY 1 TORSION HALOSPHERE	146	3
419197	MICRO TOMMY 1 FRAME + BOX FOR PLASTER	28	3
419199	MICRO TOMMY 1 FRAME FOR PLASTER	13	3
419206	MICRO TOMMY 2 TORSION HALOSPHERE	242	3
419227	MICRO TOMMY 2 TORSION HALOSPHERE	242	3
419274	MICRO TOMMY 2 TORSION HALOSPHERE	242	3
419275	MICRO TOMMY 2 TORSION HALOSPHERE	242	3
419276	MICRO TOMMY 2 TORSION HALOSPHERE	252	3
419297	MICRO TOMMY 2 FRAME + BOX FOR PLASTER	48	3
419299	MICRO TOMMY 2 FRAME FOR PLASTER	18	3
419306	MICRO TOMMY 3 TORSION HALOSPHERE	336	3
419327	MICRO TOMMY 3 TORSION HALOSPHERE	336	3
419374	MICRO TOMMY 3 TORSION HALOSPHERE	336	3
419375	MICRO TOMMY 3 TORSION HALOSPHERE	336	3
419376	MICRO TOMMY 3 TORSION HALOSPHERE	350	3
419397	MICRO TOMMY 3 FRAME + BOX FOR PLASTER	52	3
419399	MICRO TOMMY 3 FRAME FOR PLASTER	21	3
419406	MICRO TOMMY 1 LEAF HALOSPHERE	141	3
419427	MICRO TOMMY 1 LEAF HALOSPHERE	141	3
419474	MICRO TOMMY 1 LEAF HALOSPHERE	141	3
419475	MICRO TOMMY 1 LEAF HALOSPHERE	141	3
419476	MICRO TOMMY 1 LEAF HALOSPHERE	146	3
419506	MICRO TOMMY 2 LEAF HALOSPHERE	242	3
419527	MICRO TOMMY 2 LEAF HALOSPHERE	242	3
419574	MICRO TOMMY 2 LEAF HALOSPHERE	242	3
419575	MICRO TOMMY 2 LEAF HALOSPHERE	242	3
419576	MICRO TOMMY 2 LEAF HALOSPHERE	252	3
419606	MICRO TOMMY 3 LEAF HALOSPHERE	336	3
419627	MICRO TOMMY 3 LEAF HALOSPHERE	336	3
419674	MICRO TOMMY 3 LEAF HALOSPHERE	336	3
419675	MICRO TOMMY 3 LEAF HALOSPHERE	336	3
419676	MICRO TOMMY 3 LEAF HALOSPHERE	350	3
420654	WODAN SURFACE 1xBEAUFORT ² 70° 3000K MAINS DIMMABLE	387	3
420656	WODAN SURFACE 1xBEAUFORT ² 70° 3000K MAINS DIMMABLE	387	3
420657	WODAN SURFACE 1xBEAUFORT ² 70° 3000K MAINS DIMMABLE	387	3
420664	WODAN SURFACE 1xBEAUFORT ² 70° 2700K MAINS DIMMABLE	387	3
420666	WODAN SURFACE 1xBEAUFORT ² 70° 2700K MAINS DIMMABLE	387	3
420667	WODAN SURFACE 1xBEAUFORT ² 70° 2700K MAINS DIMMABLE	387	3
420674	WODAN SURFACE 1xBEAUFORT ² 35° 3000K MAINS DIMMABLE	387	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
420676	WODAN SURFACE 1xBEAUFORT ² 35° 3000K MAINS DIMMABLE	387	3
420677	WODAN SURFACE 1xBEAUFORT ² 35° 3000K MAINS DIMMABLE	387	3
420682	WODAN SURFACE 1xBEAUFORT ² 35° 2700K MAINS DIMMABLE	387	3
420685	WODAN SURFACE 1xBEAUFORT ² 35° 2700K MAINS DIMMABLE	387	3
420687	WODAN SURFACE 1xBEAUFORT ² 35° 2700K MAINS DIMMABLE	387	3
422354	WODAN TRACK 1xBEAUFORT ² 70° 3000K MAINS DIMMABLE	466	3
422356	WODAN TRACK 1xBEAUFORT ² 70° 3000K MAINS DIMMABLE	466	3
422357	WODAN TRACK 1xBEAUFORT ² 70° 3000K MAINS DIMMABLE	466	3
422364	WODAN TRACK 1xBEAUFORT ² 70° 2700K MAINS DIMMABLE	466	3
422366	WODAN TRACK 1xBEAUFORT ² 70° 2700K MAINS DIMMABLE	466	3
422367	WODAN TRACK 1xBEAUFORT ² 70° 2700K MAINS DIMMABLE	466	3
422374	WODAN TRACK 1xBEAUFORT ² 35° 3000K MAINS DIMMABLE	466	3
422376	WODAN TRACK 1xBEAUFORT ² 35° 3000K MAINS DIMMABLE	466	3
422377	WODAN TRACK 1xBEAUFORT ² 35° 3000K MAINS DIMMABLE	466	3
422382	WODAN TRACK 1xBEAUFORT ² 35° 2700K MAINS DIMMABLE	466	3
422385	WODAN TRACK 1xBEAUFORT ² 35° 2700K MAINS DIMMABLE	466	3
422387	WODAN TRACK 1xBEAUFORT ² 35° 2700K MAINS DIMMABLE	466	3
425021	NUTS SUSPENDED E27	162	3
425026	NUTS SUSPENDED E27	137	3
425047	NUTS SUSPENDED E27	137	3
425050	NUTS SUSPENDED E27	162	3
425521	NUTS SUSPENDED E27 M10	124	3
425526	NUTS SUSPENDED E27 M10	101	3
425547	NUTS SUSPENDED E27 M10	101	3
425550	NUTS SUSPENDED E27 M10	124	3
426226	ECLIPS ROUND BEAUFORT 2700K	148	3
426236	ECLIPS ROUND BEAUFORT 3000K	148	3
426247	ECLIPS ROUND BEAUFORT 2700K	148	3
426257	ECLIPS ROUND BEAUFORT 3000K	148	3
431203	GUARDIAN SMALL IP65 230V 2700K MAINS DIMMABLE	350	3
431223	GUARDIAN SMALL IP65 230V 2700K MAINS DIMMABLE	350	3
431226	GUARDIAN SMALL IP65 230V 2700K MAINS DIMMABLE	350	3
431303	GUARDIAN LARGE IP65 230V 2700K MAINS DIMMABLE	420	3
431313	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE E (BE-FR) 2700K MAINS DIM	500	3
431323	GUARDIAN LARGE IP65 230V 2700K MAINS DIMMABLE	420	3
431326	GUARDIAN LARGE IP65 230V 2700K MAINS DIMMABLE	420	3
431333	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE E (BE-FR) 2700K MAINS DIM	500	3
431336	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE E (BE-FR) 2700K MAINS DIM	500	3
431343	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE F (EU) 2700K MAINS DIMMA	500	3
431363	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE F (EU) 2700K MAINS DIMMA	500	3
431366	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE F (EU) 2700K MAINS DIMMA	500	3
431603	GUARDIAN SMALL IP65 230V 3000K MAINS DIMMABLE	350	3
431623	GUARDIAN SMALL IP65 230V 3000K MAINS DIMMABLE	350	3
431626	GUARDIAN SMALL IP65 230V 3000K MAINS DIMMABLE	350	3
431703	GUARDIAN LARGE IP65 230V 3000K MAINS DIMMABLE	420	3
431713	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE E (BE-FR) 3000K MAINS DIM	500	3
431723	GUARDIAN LARGE IP65 230V 3000K MAINS DIMMABLE	420	3
431726	GUARDIAN LARGE IP65 230V 3000K MAINS DIMMABLE	420	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
431733	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE E (BE-FR) 3000K MAINS DIM	500	3
431736	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE E (BE-FR) 3000K MAINS DIM	500	3
431743	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE F (EU) 3000K MAINS DIMMA	500	3
431763	GUARDIAN LARGE + SOCKET IP55 2x230VTYPE F (EU) 3000K MAINS DIMMA	500	3
431766	GUARDIAN LARGE + SOCKET IP55 2x230V TYPE F (EU) 3000K MAINS DIMMA	500	3
433903	FUNNEL ON SPLASH IP54 230V 2700K MAINS DIMMABLE	275	3
433904	FUNNEL ON SPLASH IP54 230V 2700K MAINS DIMMABLE	275	3
433905	FUNNEL ON SPLASH IP54 230V 2700K MAINS DIMMABLE	275	3
433913	FUNNEL ON SPLASH IP54 230V 3000K MAINS DIMMABLE	275	3
433914	FUNNEL ON SPLASH IP54 230V 3000K MAINS DIMMABLE	275	3
433915	FUNNEL ON SPLASH IP54 230V 3000K MAINS DIMMABLE	275	3
433926	FUNNEL ON SPLASH IP54 230V 2700K MAINS DIMMABLE	228	3
433927	FUNNEL ON SPLASH IP54 230V 3000K MAINS DIMMABLE	228	3
433928	FUNNEL ON SPLASH IP54 230V 4000K MAINS DIMMABLE	228	3
433947	FUNNEL ON SPLASH IP54 230V 2700K MAINS DIMMABLE	228	3
433948	FUNNEL ON SPLASH IP54 230V 3000K MAINS DIMMABLE	228	3
433949	FUNNEL ON SPLASH IP54 230V 4000K MAINS DIMMABLE	228	3
433992	FUNNEL ON SPLASH IP54 230V 2700K MAINS DIMMABLE	235	3
433993	FUNNEL ON SPLASH IP54 230V 3000K MAINS DIMMABLE	235	3
433994	FUNNEL ON SPLASH IP54 230V 4000K MAINS DIMMABLE	235	3
433996	FUNNEL ON SPLASH IP54 230V 2700K MAINS DIMMABLE	235	3
433997	FUNNEL ON SPLASH IP54 230V 3000K MAINS DIMMABLE	235	3
433998	FUNNEL ON SPLASH IP54 230V 4000K MAINS DIMMABLE	235	3
446700	LINEAR LED MODULE 48V L286 3000K CRI90 OPAL DALI	280	3
446701	LINEAR LED MODULE 48V L286 4000K CRI90 OPAL DALI	280	3
446702	LINEAR LED MODULE 48V L286 2700K CRI90 OPAL DALI	280	3
446703	LINEAR LED MODULE 48V L286 3000K CRI90 UGR DALI	326	3
446704	LINEAR LED MODULE 48V L286 4000K CRI90 UGR DALI	326	3
446705	LINEAR LED MODULE 48V L286 2700K CRI90 UGR DALI	326	3
446706	LINEAR LED MODULE 48V L286 3000K CRI90 OPAL	218	3
446707	LINEAR LED MODULE 48V L286 4000K CRI90 OPAL	218	3
446708	LINEAR LED MODULE 48V L286 2700K CRI90 OPAL	218	3
446709	LINEAR LED MODULE 48V L286 3000K CRI90 UGR	268	3
446710	LINEAR LED MODULE 48V L286 4000K CRI90 UGR	268	3
446711	LINEAR LED MODULE 48V L286 2700K CRI90 UGR	268	3
446712	LINEAR LED MODULE 48V L567 3000K CRI90 OPAL DALI	368	3
446713	LINEAR LED MODULE 48V L567 4000K CRI90 OPAL DALI	368	3
446714	LINEAR LED MODULE 48V L567 2700K CRI90 OPAL DALI	368	3
446715	LINEAR LED MODULE 48V L567 3000K CRI90 UGR DALI	495	3
446716	LINEAR LED MODULE 48V L567 4000K CRI90 UGR DALI	495	3
446717	LINEAR LED MODULE 48V L567 2700K CRI90 UGR DALI	495	3
446718	LINEAR LED MODULE 48V L567 3000K CRI90 OPAL	306	3
446719	LINEAR LED MODULE 48V L567 4000K CRI90 OPAL	306	3
446720	LINEAR LED MODULE 48V L567 2700K CRI90 OPAL	306	3
446721	LINEAR LED MODULE 48V L567 3000K CRI90 UGR	429	3
446722	LINEAR LED MODULE 48V L567 4000K CRI90 UGR	429	3
446723	LINEAR LED MODULE 48V L567 2700K CRI90 UGR	429	3
446724	LINEAR LED MODULE 48V L847 3000K CRI90 OPAL DALI	426	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
446725	LINEAR LED MODULE 48V L847 4000K CRI90 OPAL DALI	426	3
446726	LINEAR LED MODULE 48V L847 2700K CRI90 OPAL DALI	426	3
446727	LINEAR LED MODULE 48V L847 3000K CRI90 UGR DALI	609	3
446728	LINEAR LED MODULE 48V L847 4000K CRI90 UGR DALI	609	3
446729	LINEAR LED MODULE 48V L847 2700K CRI90 UGR DALI	609	3
446730	LINEAR LED MODULE 48V L847 3000K CRI90 OPAL	364	3
446731	LINEAR LED MODULE 48V L847 4000K CRI90 OPAL	364	3
446732	LINEAR LED MODULE 48V L847 2700K CRI90 OPAL	364	3
446733	LINEAR LED MODULE 48V L847 3000K CRI90 UGR	542	3
446734	LINEAR LED MODULE 48V L847 4000K CRI90 UGR	542	3
446735	LINEAR LED MODULE 48V L847 2700K CRI90 UGR	542	3
446736	LINEAR LED MODULE 48V L1128 3000K CRI90 OPAL DALI	477	3
446737	LINEAR LED MODULE 48V L1128 4000K CRI90 OPAL DALI	477	3
446738	LINEAR LED MODULE 48V L1128 2700K CRI90 OPAL DALI	477	3
446739	LINEAR LED MODULE 48V L1128 3000K CRI90 UGR DALI	713	3
446740	LINEAR LED MODULE 48V L1128 4000K CRI90 UGR DALI	713	3
446741	LINEAR LED MODULE 48V L1128 2700K CRI90 UGR DALI	713	3
446742	LINEAR LED MODULE 48V L1128 3000K CRI90 OPAL	416	3
446743	LINEAR LED MODULE 48V L1128 4000K CRI90 OPAL	416	3
446744	LINEAR LED MODULE 48V L1128 2700K CRI90 OPAL	416	3
446745	LINEAR LED MODULE 48V L1128 3000K CRI90 UGR	646	3
446746	LINEAR LED MODULE 48V L1128 4000K CRI90 UGR	646	3
446747	LINEAR LED MODULE 48V L1128 2700K CRI90 UGR	646	3
446748	LINEAR LED MODULE 48V L1408 3000K CRI90 OPAL DALI	530	3
446749	LINEAR LED MODULE 48V L1408 4000K CRI90 OPAL DALI	530	3
446750	LINEAR LED MODULE 48V L1408 2700K CRI90 OPAL DALI	530	3
446751	LINEAR LED MODULE 48V L1408 3000K CRI90 OPAL	469	3
446752	LINEAR LED MODULE 48V L1408 4000K CRI90 OPAL	469	3
446753	LINEAR LED MODULE 48V L1408 2700K CRI90 OPAL	469	3
446754	LINEAR LED MODULE 48V L286 3000K CRI90 OPAL DALI	280	3
446755	LINEAR LED MODULE 48V L286 4000K CRI90 OPAL DALI	280	3
446756	LINEAR LED MODULE 48V L286 2700K CRI90 OPAL DALI	280	3
446757	LINEAR LED MODULE 48V L286 3000K CRI90 UGR DALI	326	3
446758	LINEAR LED MODULE 48V L286 4000K CRI90 UGR DALI	326	3
446759	LINEAR LED MODULE 48V L286 2700K CRI90 UGR DALI	326	3
446760	LINEAR LED MODULE 48V L286 3000K CRI90 OPAL	218	3
446761	LINEAR LED MODULE 48V L286 4000K CRI90 OPAL	218	3
446762	LINEAR LED MODULE 48V L286 2700K CRI90 OPAL	218	3
446763	LINEAR LED MODULE 48V L286 3000K CRI90 UGR	268	3
446764	LINEAR LED MODULE 48V L286 4000K CRI90 UGR	268	3
446765	LINEAR LED MODULE 48V L286 2700K CRI90 UGR	268	3
446766	LINEAR LED MODULE 48V L567 3000K CRI90 OPAL DALI	368	3
446767	LINEAR LED MODULE 48V L567 4000K CRI90 OPAL DALI	368	3
446768	LINEAR LED MODULE 48V L567 2700K CRI90 OPAL DALI	368	3
446769	LINEAR LED MODULE 48V L567 3000K CRI90 UGR DALI	495	3
446770	LINEAR LED MODULE 48V L567 4000K CRI90 UGR DALI	495	3
446771	LINEAR LED MODULE 48V L567 2700K CRI90 UGR DALI	495	3
446772	LINEAR LED MODULE 48V L567 3000K CRI90 OPAL	306	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
446773	LINEAR LED MODULE 48V L567 4000K CRI90 OPAL	306	3
446774	LINEAR LED MODULE 48V L567 2700K CRI90 OPAL	306	3
446775	LINEAR LED MODULE 48V L567 3000K CRI90 UGR	429	3
446776	LINEAR LED MODULE 48V L567 4000K CRI90 UGR	429	3
446777	LINEAR LED MODULE 48V L567 2700K CRI90 UGR	429	3
446778	LINEAR LED MODULE 48V L847 3000K CRI90 OPAL DALI	426	3
446779	LINEAR LED MODULE 48V L847 4000K CRI90 OPAL DALI	426	3
446780	LINEAR LED MODULE 48V L847 2700K CRI90 OPAL DALI	426	3
446781	LINEAR LED MODULE 48V L847 3000K CRI90 UGR DALI	609	3
446782	LINEAR LED MODULE 48V L847 4000K CRI90 UGR DALI	609	3
446783	LINEAR LED MODULE 48V L847 2700K CRI90 UGR DALI	609	3
446784	LINEAR LED MODULE 48V L847 3000K CRI90 OPAL	364	3
446785	LINEAR LED MODULE 48V L847 4000K CRI90 OPAL	364	3
446786	LINEAR LED MODULE 48V L847 2700K CRI90 OPAL	364	3
446787	LINEAR LED MODULE 48V L847 3000K CRI90 UGR	542	3
446788	LINEAR LED MODULE 48V L847 4000K CRI90 UGR	542	3
446789	LINEAR LED MODULE 48V L847 2700K CRI90 UGR	542	3
446790	LINEAR LED MODULE 48V L1128 3000K CRI90 OPAL DALI	477	3
446791	LINEAR LED MODULE 48V L1128 4000K CRI90 OPAL DALI	477	3
446792	LINEAR LED MODULE 48V L1128 2700K CRI90 OPAL DALI	477	3
446793	LINEAR LED MODULE 48V L1128 3000K CRI90 UGR DALI	713	3
446794	LINEAR LED MODULE 48V L1128 4000K CRI90 UGR DALI	713	3
446795	LINEAR LED MODULE 48V L1128 2700K CRI90 UGR DALI	713	3
446796	LINEAR LED MODULE 48V L1128 3000K CRI90 OPAL	416	3
446797	LINEAR LED MODULE 48V L1128 4000K CRI90 OPAL	416	3
446798	LINEAR LED MODULE 48V L1128 2700K CRI90 OPAL	416	3
446799	LINEAR LED MODULE 48V L1128 3000K CRI90 UGR	646	3
446800	LINEAR LED MODULE 48V L1128 4000K CRI90 UGR	646	3
446801	LINEAR LED MODULE 48V L1128 2700K CRI90 UGR	646	3
446802	LINEAR LED MODULE 48V L1408 3000K CRI90 OPAL DALI	530	3
446803	LINEAR LED MODULE 48V L1408 4000K CRI90 OPAL DALI	530	3
446804	LINEAR LED MODULE 48V L1408 2700K CRI90 OPAL DALI	530	3
446805	LINEAR LED MODULE 48V L1408 3000K CRI90 OPAL	469	3
446806	LINEAR LED MODULE 48V L1408 4000K CRI90 OPAL	469	3
446807	LINEAR LED MODULE 48V L1408 2700K CRI90 OPAL	469	3
446900	LINEAR LED MODULE SLIM 48V L300 3000K CRI90 26x42° DALI	258	3
446901	LINEAR LED MODULE SLIM 48V L300 4000K CRI90 26x42° DALI	258	3
446902	LINEAR LED MODULE SLIM 48V L300 2700K CRI90 26x42° DALI	258	3
446903	LINEAR LED MODULE SLIM 48V L300 3000K CRI90 UGR DALI	278	3
446904	LINEAR LED MODULE SLIM 48V L300 4000K CRI90 UGR DALI	278	3
446905	LINEAR LED MODULE SLIM 48V L300 2700K CRI90 UGR DALI	278	3
446954	LINEAR LED MODULE SLIM 48V L300 3000K CRI90 26x42° DALI	258	3
446955	LINEAR LED MODULE SLIM 48V L300 4000K CRI90 26x42° DALI	258	3
446956	LINEAR LED MODULE SLIM 48V L300 2700K CRI90 26x42° DALI	258	3
446957	LINEAR LED MODULE SLIM 48V L300 3000K CRI90 UGR DALI	278	3
446958	LINEAR LED MODULE SLIM 48V L300 4000K CRI90 UGR DALI	278	3
446959	LINEAR LED MODULE SLIM 48V L300 2700K CRI90 UGR DALI	278	3
449003	GUIDO LED 3x1,2W 2700K CI	306	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
449013	GUIDO LED 3x1,2W 3000K CI	306	3
449023	GUIDO LED 3x1,2W 2700K CI	306	3
449026	GUIDO LED 3x1,2W 2700K CI	306	3
449033	GUIDO LED 3x1,2W 3000K CI	306	3
449036	GUIDO LED 3x1,2W 3000K CI	306	3
450102	BERRIER CONE JUNIOR SUSPENSION 230V 2700K MAINS DIMMABLE	247	3
450104	BERRIER CONE JUNIOR SUSPENSION 230V HALOSPHERE MAINS DIMMABLE	262	3
450112	BERRIER CONE JUNIOR SUSPENSION 230V 3000K MAINS DIMMABLE	247	3
450114	BERRIER CONE JUNIOR SUSPENSION 230V HALOSPHERE MAINS DIMMABLE	262	3
450115	BERRIER CONE JUNIOR SUSPENSION 230V HALOSPHERE MAINS DIMMABLE	262	3
450122	BERRIER CONE JUNIOR SUSPENSION 230V HALOSPHERE MAINS DIMMABLE	262	3
450124	BERRIER CONE JUNIOR SUSPENSION 230V 3000K MAINS DIMMABLE	247	3
450126	BERRIER CONE JUNIOR SUSPENSION 230V 4000K MAINS DIMMABLE	252	3
450134	BERRIER CONE JUNIOR SUSPENSION 230V 2700K MAINS DIMMABLE	247	3
450144	BERRIER CONE JUNIOR SUSPENSION 230V 2700K MAINS DIMMABLE	247	3
450145	BERRIER CONE JUNIOR SUSPENSION 230V 2700K MAINS DIMMABLE	247	3
450146	BERRIER CONE JUNIOR SUSPENSION 230V 4000K MAINS DIMMABLE	247	3
450152	BERRIER CONE JUNIOR SUSPENSION 230V 2700K MAINS DIMMABLE	247	3
450154	BERRIER CONE JUNIOR SUSPENSION 230V 3000K MAINS DIMMABLE	247	3
450155	BERRIER CONE JUNIOR SUSPENSION 230V 3000K MAINS DIMMABLE	247	3
450162	BERRIER CONE JUNIOR SUSPENSION 230V 3000K MAINS DIMMABLE	247	3
450166	BERRIER CONE JUNIOR SUSPENSION 230V HALOSPHERE MAINS DIMMABLE	267	3
450167	BERRIER CONE JUNIOR SUSPENSION 230V 4000K MAINS DIMMABLE	247	3
450186	BERRIER CONE JUNIOR SUSPENSION 230V 3000K MAINS DIMMABLE	252	3
450191	BERRIER CONE JUNIOR SUSPENSION 230V 4000K MAINS DIMMABLE	247	3
450192	BERRIER CONE JUNIOR SUSPENSION 230V HALOSPHERE MAINS DIMMABLE	262	3
450193	BERRIER CONE JUNIOR SUSPENSION 230V 4000K MAINS DIMMABLE	247	3
450195	BERRIER CONE JUNIOR SUSPENSION 230V 4000K MAINS DIMMABLE	247	3
450196	BERRIER CONE JUNIOR SUSPENSION 230V 2700K MAINS DIMMABLE	252	3
450202	BERRIER CONE JUNIOR SUSPENSION M10 350mA 2700K	193	3
450204	BERRIER CONE JUNIOR SUSPENSION M10 250mA HALOSPHERE	206	3
450212	BERRIER CONE JUNIOR SUSPENSION M10 350mA 3000K	193	3
450214	BERRIER CONE JUNIOR SUSPENSION M10 250mA HALOSPHERE	206	3
450215	BERRIER CONE JUNIOR SUSPENSION M10 250mA HALOSPHERE	206	3
450222	BERRIER CONE JUNIOR SUSPENSION M10 250mA HALOSPHERE	206	3
450224	BERRIER CONE JUNIOR SUSPENSION M10 350mA 3000K	193	3
450226	BERRIER CONE JUNIOR SUSPENSION M10 350mA 4000K	196	3
450234	BERRIER CONE JUNIOR SUSPENSION M10 350mA 2700K	193	3
450244	BERRIER CONE JUNIOR SUSPENSION M10 350mA 2700K	193	3
450245	BERRIER CONE JUNIOR SUSPENSION M10 350mA 2700K	193	3
450246	BERRIER CONE JUNIOR SUSPENSION M10 350mA 4000K	193	3
450252	BERRIER CONE JUNIOR SUSPENSION M10 350mA 2700K	193	3
450254	BERRIER CONE JUNIOR SUSPENSION M10 350mA 3000K	193	3
450255	BERRIER CONE JUNIOR SUSPENSION M10 350mA 3000K	193	3
450262	BERRIER CONE JUNIOR SUSPENSION M10 350mA 3000K	193	3
450266	BERRIER CONE JUNIOR SUSPENSION M10 250mA HALOSPHERE	213	3
450267	BERRIER CONE JUNIOR SUSPENSION M10 350mA 4000K	193	3
450286	BERRIER CONE JUNIOR SUSPENSION M10 350mA 3000K	196	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
450291	BERRIER CONE JUNIOR SUSPENSION M10 350mA 4000K	193	3
450292	BERRIER CONE JUNIOR SUSPENSION M10 250mA HALOSPHERE	206	3
450293	BERRIER CONE JUNIOR SUSPENSION M10 350mA 4000K	193	3
450295	BERRIER CONE JUNIOR SUSPENSION M10 350mA 4000K	193	3
450296	BERRIER CONE JUNIOR SUSPENSION M10 350mA 2700K	196	3
450302	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K	341	3
450312	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K	341	3
450316	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K DALI	372	3
450322	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K DALI	366	3
450324	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K	341	3
450326	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K	345	3
450332	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K DALI	366	3
450334	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K	341	3
450336	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K DALI	366	3
450344	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K	341	3
450345	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K	341	3
450346	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K	341	3
450352	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K	341	3
450354	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K	341	3
450355	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K	341	3
450356	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K DALI	372	3
450357	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K DALI	366	3
450362	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K	341	3
450364	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K DALI	366	3
450365	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K DALI	366	3
450366	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K DALI	372	3
450367	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K	341	3
450372	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K DALI	366	3
450374	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K DALI	366	3
450375	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K DALI	366	3
450381	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K DALI	366	3
450382	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K DALI	366	3
450383	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K DALI	366	3
450384	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K DALI	366	3
450385	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K DALI	366	3
450386	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 3000K	345	3
450391	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K	341	3
450393	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K	341	3
450394	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K DALI	366	3
450395	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 4000K	341	3
450396	BERRIER CONE JUNIOR SUSPENSION TRACK 48V 2700K	345	3
450402	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 2700K	232	3
450404	BERRIER CONE JUNIOR SURFACE MOUNTED 250mA HALOSPHERE	247	3
450412	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 3000K	232	3
450414	BERRIER CONE JUNIOR SURFACE MOUNTED 250mA HALOSPHERE	247	3
450415	BERRIER CONE JUNIOR SURFACE MOUNTED 250mA HALOSPHERE	247	3
450422	BERRIER CONE JUNIOR SURFACE MOUNTED 250mA HALOSPHERE	247	3
450424	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 3000K	232	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
450426	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 4000K	236	3
450434	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 2700K	232	3
450444	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 2700K	232	3
450445	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 2700K	232	3
450446	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 4000K	232	3
450452	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 2700K	232	3
450454	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 3000K	232	3
450455	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 3000K	232	3
450462	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 3000K	232	3
450467	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 4000K	232	3
450476	BERRIER CONE JUNIOR SURFACE MOUNTED 250mA HALOSPHERE	252	3
450486	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 3000K	236	3
450491	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 4000K	232	3
450492	BERRIER CONE JUNIOR SURFACE MOUNTED 250mA HALOSPHERE	247	3
450493	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 4000K	232	3
450495	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 4000K	232	3
450496	BERRIER CONE JUNIOR SURFACE MOUNTED 350mA 2700K	236	3
450502	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K	255	3
450512	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K	255	3
450516	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K DALI	297	3
450522	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K DALI	281	3
450524	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K	255	3
450526	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K	271	3
450532	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K DALI	281	3
450534	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K	255	3
450536	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K DALI	281	3
450544	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K	255	3
450545	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K	255	3
450546	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K	255	3
450552	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K	255	3
450554	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K	255	3
450555	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K	255	3
450556	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K DALI	297	3
450557	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K DALI	281	3
450562	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K	255	3
450564	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K DALI	281	3
450565	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K DALI	281	3
450566	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K DALI	297	3
450567	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K	255	3
450572	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K DALI	281	3
450574	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K DALI	281	3
450575	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K DALI	281	3
450581	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K DALI	281	3
450582	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K DALI	281	3
450583	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K DALI	281	3
450584	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K DALI	281	3
450585	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K DALI	281	3
450586	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 3000K	271	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
450591	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K	255	3
450593	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K	255	3
450594	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K DALI	281	3
450595	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 4000K	255	3
450596	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK 48V 2700K	271	3
450602	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 2700K	186	3
450604	BERRIER CONE JUNIOR SURFACE MOUNTED M10 250mA HALOSPHERE	201	3
450612	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 3000K	186	3
450614	BERRIER CONE JUNIOR SURFACE MOUNTED M10 250mA HALOSPHERE	201	3
450615	BERRIER CONE JUNIOR SURFACE MOUNTED M10 250mA HALOSPHERE	201	3
450622	BERRIER CONE JUNIOR SURFACE MOUNTED M10 250mA HALOSPHERE	201	3
450624	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 3000K	186	3
450626	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 4000K	193	3
450634	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 2700K	186	3
450644	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 2700K	186	3
450645	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 2700K	186	3
450646	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 4000K	186	3
450652	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 2700K	186	3
450654	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 3000K	186	3
450655	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 3000K	186	3
450662	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 3000K	186	3
450666	BERRIER CONE JUNIOR SURFACE MOUNTED M10 250mA HALOSPHERE	206	3
450667	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 4000K	186	3
450686	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 3000K	193	3
450691	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 4000K	186	3
450692	BERRIER CONE JUNIOR SURFACE MOUNTED M10 250mA HALOSPHERE	201	3
450693	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 4000K	186	3
450695	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 4000K	186	3
450696	BERRIER CONE JUNIOR SURFACE MOUNTED M10 350mA 2700K	193	3
450702	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K	279	3
450712	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K	279	3
450716	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K DALI	321	3
450722	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K DALI	305	3
450724	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K	279	3
450726	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K	295	3
450732	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K DALI	305	3
450734	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K	279	3
450736	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K DALI	305	3
450744	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K	279	3
450745	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K	279	3
450746	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K	279	3
450752	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K	279	3
450754	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K	279	3
450755	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K	279	3
450756	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K DALI	321	3
450757	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K DALI	305	3
450762	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K	279	3
450764	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K DALI	305	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
450765	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K DALI	305	3
450766	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K DALI	321	3
450767	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K	279	3
450772	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K DALI	305	3
450774	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K DALI	305	3
450775	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K DALI	305	3
450781	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K DALI	305	3
450782	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K DALI	305	3
450783	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K DALI	305	3
450784	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K DALI	305	3
450785	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K DALI	305	3
450786	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 3000K	295	3
450791	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K	279	3
450793	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K	279	3
450794	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K DALI	305	3
450795	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 4000K	279	3
450796	BERRIER CONE JUNIOR SURFACE MOUNTED TRACK ST5 48V 2700K	295	3
452012	FONDA SQUARE 230V 3000K	92	3
452022	FONDA SQUARE 230V 2700K	92	3
452026	FONDA SQUARE 230V 3000K	92	3
452036	FONDA SQUARE 230V 2700K	92	3
452047	FONDA SQUARE 230V 3000K	92	3
452057	FONDA SQUARE 230V 2700K	92	3
452212	FONDA ROUND 230V 3000K	92	3
452222	FONDA ROUND 230V 2700K	92	3
452226	FONDA ROUND 230V 3000K	92	3
452236	FONDA ROUND 230V 2700K	92	3
452247	FONDA ROUND 230V 3000K	92	3
452257	FONDA ROUND 230V 2700K	92	3
453026	LUZIEN E27	299	3
453047	LUZIEN E27	299	3
453070	LUZIEN dB E27	520	3
453076	LUZIEN dB E27	520	3
453096	LUZIEN E27	401	3
453097	LUZIEN E27	401	3
453126	LUZIEN LED MAINS DIMMABLE	729	3
453147	LUZIEN LED MAINS DIMMABLE	729	3
453170	LUZIEN dB LED MAINS DIMMABLE	931	3
453176	LUZIEN dB LED MAINS DIMMABLE	931	3
453226	LUZIEN LED DALI/SWITCH DIMMABLE	763	3
453247	LUZIEN LED DALI/SWITCH DIMMABLE	763	3
453270	LUZIEN dB LED DALI SWITCHDIM	966	3
453276	LUZIEN dB LED DALI SWITCHDIM	966	3
453596	DIMITRI E27	673	3
453696	KAZAN E27	472	3
454003	BERNARD 350 LUXEON M	403	3
454023	BERNARD 350 LUXEON M	403	3
454026	BERNARD 350 LUXEON M	403	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
454203	BERNARD 350 LUXEON M	403	3
454223	BERNARD 350 LUXEON M	403	3
454226	BERNARD 350 LUXEON M	403	3
456002	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	237	3
456004	BERRIER JUNIOR THIN WIRE 230V HALOSPHERE MAINS DIMMABLE	254	3
456012	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	237	3
456014	BERRIER JUNIOR THIN WIRE 230V HALOSPHERE MAINS DIMMABLE	254	3
456015	BERRIER JUNIOR THIN WIRE 230V HALOSPHERE MAINS DIMMABLE	254	3
456022	BERRIER JUNIOR THIN WIRE 230V HALOSPHERE MAINS DIMMABLE	254	3
456024	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	237	3
456026	BERRIER JUNIOR THIN WIRE 230V 4000K MAINS DIMMABLE	244	3
456034	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	237	3
456044	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	237	3
456045	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	237	3
456046	BERRIER JUNIOR THIN WIRE 230V 4000K MAINS DIMMABLE	237	3
456047	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	419	3
456052	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	237	3
456054	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	237	3
456055	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	237	3
456057	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	419	3
456062	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	237	3
456063	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	330	3
456064	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	330	3
456065	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	330	3
456066	BERRIER JUNIOR THIN WIRE 230V HALOSPHERE MAINS DIMMABLE	258	3
456067	BERRIER JUNIOR THIN WIRE 230V 4000K MAINS DIMMABLE	237	3
456073	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	330	3
456074	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	330	3
456075	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	330	3
456077	BERRIER JUNIOR THIN WIRE 230V HALOSPHERE MAINS DIMMABLE	434	3
456086	BERRIER JUNIOR THIN WIRE 230V 3000K MAINS DIMMABLE	243	3
456091	BERRIER JUNIOR THIN WIRE 230V 4000K MAINS DIMMABLE	237	3
456092	BERRIER JUNIOR THIN WIRE 230V HALOSPHERE MAINS DIMMABLE	254	3
456093	BERRIER JUNIOR THIN WIRE 230V 4000K MAINS DIMMABLE	237	3
456095	BERRIER JUNIOR THIN WIRE 230V 4000K MAINS DIMMABLE	237	3
456096	BERRIER JUNIOR THIN WIRE 230V 2700K MAINS DIMMABLE	243	3
456102	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	191	3
456104	BERRIER JUNIOR THIN WIRE M10 250mA HALOSPHERE	206	3
456112	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	191	3
456114	BERRIER JUNIOR THIN WIRE M10 250mA HALOSPHERE	205	3
456115	BERRIER JUNIOR THIN WIRE M10 250mA HALOSPHERE	205	3
456122	BERRIER JUNIOR THIN WIRE M10 250mA HALOSPHERE	205	3
456124	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	191	3
456126	BERRIER JUNIOR THIN WIRE M10 350mA 4000K	195	3
456134	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	191	3
456144	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	191	3
456145	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	191	3
456146	BERRIER JUNIOR THIN WIRE M10 350mA 4000K	191	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
456147	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	371	3
456152	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	191	3
456154	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	191	3
456155	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	191	3
456157	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	371	3
456162	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	191	3
456163	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	266	3
456164	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	266	3
456165	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	266	3
456166	BERRIER JUNIOR THIN WIRE M10 250mA HALOSPHERE	211	3
456167	BERRIER JUNIOR THIN WIRE M10 350mA 4000K	191	3
456173	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	266	3
456174	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	266	3
456175	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	266	3
456177	BERRIER JUNIOR THIN WIRE M10 250mA HALOSPHERE	385	3
456186	BERRIER JUNIOR THIN WIRE M10 350mA 3000K	195	3
456191	BERRIER JUNIOR THIN WIRE M10 350mA 4000K	191	3
456192	BERRIER JUNIOR THIN WIRE M10 250mA HALOSPHERE	205	3
456193	BERRIER JUNIOR THIN WIRE M10 350mA 4000K	191	3
456195	BERRIER JUNIOR THIN WIRE M10 350mA 4000K	191	3
456196	BERRIER JUNIOR THIN WIRE M10 350mA 2700K	195	3
456302	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 2700K	251	3
456304	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC HALOSPHERE	265	3
456312	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 3000K	251	3
456314	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC HALOSPHERE	265	3
456315	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC HALOSPHERE	265	3
456322	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC HALOSPHERE	265	3
456324	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 3000K	251	3
456326	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 4000K	256	3
456334	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 2700K	251	3
456344	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 2700K	251	3
456345	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 2700K	251	3
456346	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 4000K	251	3
456352	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 2700K	251	3
456354	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 3000K	251	3
456355	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 3000K	251	3
456362	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 3000K	251	3
456367	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 4000K	251	3
456376	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC HALOSPHERE	272	3
456386	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 3000K	256	3
456391	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 4000K	251	3
456392	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC HALOSPHERE	265	3
456393	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 4000K	251	3
456395	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 4000K	251	3
456396	BERRIER JUNIOR TRIMLESS SEMI-RECESSED WC 2700K	256	3
456402	BERRIER JUNIOR CEILING MOUNTED 350mA 2700K	232	3
456404	BERRIER JUNIOR CEILING MOUNTED 250mA HALOSPHERE	247	3
456412	BERRIER JUNIOR CEILING MOUNTED 350mA 3000K	232	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
456414	BERRIER JUNIOR CEILING MOUNTED 250mA HALOSPHERE	247	3
456415	BERRIER JUNIOR CEILING MOUNTED 250mA HALOSPHERE	247	3
456422	BERRIER JUNIOR CEILING MOUNTED 250mA HALOSPHERE	247	3
456424	BERRIER JUNIOR CEILING MOUNTED 350mA 3000K	232	3
456426	BERRIER JUNIOR CEILING MOUNTED 350mA 4000K	236	3
456434	BERRIER JUNIOR CEILING MOUNTED 350mA 2700K	232	3
456444	BERRIER JUNIOR CEILING MOUNTED 350mA 2700K	232	3
456445	BERRIER JUNIOR CEILING MOUNTED 350mA 2700K	232	3
456446	BERRIER JUNIOR CEILING MOUNTED 350mA 4000K	232	3
456452	BERRIER JUNIOR CEILING MOUNTED 350mA 2700K	232	3
456454	BERRIER JUNIOR CEILING MOUNTED 350mA 3000K	232	3
456455	BERRIER JUNIOR CEILING MOUNTED 350mA 3000K	232	3
456462	BERRIER JUNIOR CEILING MOUNTED 350mA 3000K	232	3
456467	BERRIER JUNIOR CEILING MOUNTED 350mA 4000K	232	3
456476	BERRIER JUNIOR CEILING MOUNTED 250mA HALOSPHERE	252	3
456486	BERRIER JUNIOR CEILING MOUNTED 350mA 3000K	236	3
456491	BERRIER JUNIOR CEILING MOUNTED 350mA 4000K	232	3
456492	BERRIER JUNIOR CEILING MOUNTED 250mA HALOSPHERE	247	3
456493	BERRIER JUNIOR CEILING MOUNTED 350mA 4000K	232	3
456495	BERRIER JUNIOR CEILING MOUNTED 350mA 4000K	232	3
456496	BERRIER JUNIOR CEILING MOUNTED 350mA 2700K	236	3
456502	BERRIER JUNIOR CEILING MOUNTED 230V 2700K MAINS DIMMABLE	511	3
456504	BERRIER JUNIOR CEILING MOUNTED 230V HALOSPHERE MAINS DIMMABLE	542	3
456512	BERRIER JUNIOR CEILING MOUNTED 230V 3000K MAINS DIMMABLE	511	3
456522	BERRIER JUNIOR CEILING MOUNTED 230V HALOSPHERE MAINS DIMMABLE	542	3
456524	BERRIER JUNIOR CEILING MOUNTED 230V 3000K MAINS DIMMABLE	511	3
456526	BERRIER JUNIOR CEILING MOUNTED 230V 4000K MAINS DIMMABLE	521	3
456534	BERRIER JUNIOR CEILING MOUNTED 230V 2700K MAINS DIMMABLE	511	3
456546	BERRIER JUNIOR CEILING MOUNTED 230V 4000K MAINS DIMMABLE	511	3
456552	BERRIER JUNIOR CEILING MOUNTED 230V 2700K MAINS DIMMABLE	511	3
456562	BERRIER JUNIOR CEILING MOUNTED 230V 3000K MAINS DIMMABLE	511	3
456566	BERRIER JUNIOR CEILING MOUNTED 230V HALOSPHERE MAINS DIMMABLE	554	3
456567	BERRIER JUNIOR CEILING MOUNTED 230V 4000K MAINS DIMMABLE	511	3
456586	BERRIER JUNIOR CEILING MOUNTED 230V 3000K MAINS DIMMABLE	521	3
456591	BERRIER JUNIOR CEILING MOUNTED 230V 4000K MAINS DIMMABLE	511	3
456592	BERRIER JUNIOR CEILING MOUNTED 230V HALOSPHERE MAINS DIMMABLE	542	3
456596	BERRIER JUNIOR CEILING MOUNTED 230V 2700K MAINS DIMMABLE	521	3
456602	BERRIER JUNIOR SURFACE MOUNTED M10 2700K	186	3
456604	BERRIER JUNIOR SURFACE MOUNTED M10 HALOSPHERE	201	3
456612	BERRIER JUNIOR SURFACE MOUNTED M10 3000K	186	3
456614	BERRIER JUNIOR SURFACE MOUNTED M10 HALOSPHERE	201	3
456615	BERRIER JUNIOR SURFACE MOUNTED M10 HALOSPHERE	201	3
456622	BERRIER JUNIOR SURFACE MOUNTED M10 HALOSPHERE	201	3
456624	BERRIER JUNIOR SURFACE MOUNTED M10 3000K	186	3
456626	BERRIER JUNIOR SURFACE MOUNTED M10 4000K	193	3
456634	BERRIER JUNIOR SURFACE MOUNTED M10 2700K	186	3
456644	BERRIER JUNIOR SURFACE MOUNTED M10 2700K	186	3
456645	BERRIER JUNIOR SURFACE MOUNTED M10 2700K	186	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
456646	BERRIER JUNIOR SURFACE MOUNTED M10 4000K	186	3
456652	BERRIER JUNIOR SURFACE MOUNTED M10 2700K	186	3
456654	BERRIER JUNIOR SURFACE MOUNTED M10 3000K	186	3
456655	BERRIER JUNIOR SURFACE MOUNTED M10 3000K	186	3
456662	BERRIER JUNIOR SURFACE MOUNTED M10 3000K	186	3
456666	BERRIER JUNIOR SURFACE MOUNTED M10 HALOSPHERE	206	3
456667	BERRIER JUNIOR SURFACE MOUNTED M10 4000K	186	3
456686	BERRIER JUNIOR SURFACE MOUNTED M10 3000K	193	3
456691	BERRIER JUNIOR SURFACE MOUNTED M10 4000K	186	3
456692	BERRIER JUNIOR SURFACE MOUNTED M10 HALOSPHERE	201	3
456693	BERRIER JUNIOR SURFACE MOUNTED M10 4000K	186	3
456695	BERRIER JUNIOR SURFACE MOUNTED M10 4000K	186	3
456696	BERRIER JUNIOR SURFACE MOUNTED M10 2700K	193	3
456702	BERRIER JUNIOR WALL 350mA 2700K	275	3
456712	BERRIER JUNIOR WALL 350mA 3000K	275	3
456724	BERRIER JUNIOR WALL 350mA 3000K	275	3
456734	BERRIER JUNIOR WALL 350mA 2700K	275	3
456763	BERRIER JUNIOR WALL 350mA 2700K	350	3
456764	BERRIER JUNIOR WALL 350mA 2700K	350	3
456765	BERRIER JUNIOR WALL 350mA 2700K	350	3
456773	BERRIER JUNIOR WALL 350mA 3000K	350	3
456774	BERRIER JUNIOR WALL 350mA 3000K	350	3
456775	BERRIER JUNIOR WALL 350mA 3000K	350	3
456786	BERRIER JUNIOR WALL 350mA 3000K	275	3
456796	BERRIER JUNIOR WALL 350mA 2700K	275	3
456902	CIRO THIN WIRE 230V 2700K MAINS DIMMABLE	330	3
456912	CIRO THIN WIRE 230V 3000K MAINS DIMMABLE	330	3
456917	CIRO THIN WIRE 230V 2700K MAINS DIMMABLE	440	3
456924	CIRO THIN WIRE 230V 3000K MAINS DIMMABLE	330	3
456927	CIRO THIN WIRE 230V 3000K MAINS DIMMABLE	440	3
456934	CIRO THIN WIRE 230V 2700K MAINS DIMMABLE	330	3
456937	CIRO THIN WIRE 230V 3000K MAINS DIMMABLE	440	3
456938	CIRO THIN WIRE 230V 2700K MAINS DIMMABLE	440	3
456947	CIRO THIN WIRE 230V 2700K MAINS DIMMABLE	440	3
456948	CIRO THIN WIRE 230V 3000K MAINS DIMMABLE	440	3
456952	CIRO THIN WIRE M10 350mA 2700K	284	3
456962	CIRO THIN WIRE M10 350mA 3000K	284	3
456967	CIRO THIN WIRE M10 350mA 2700K	394	3
456974	CIRO THIN WIRE M10 350mA 3000K	284	3
456977	CIRO THIN WIRE M10 350mA 3000K	394	3
456984	CIRO THIN WIRE M10 350mA 2700K	284	3
456987	CIRO THIN WIRE M10 350mA 3000K	394	3
456988	CIRO THIN WIRE M10 350mA 2700K	394	3
456997	CIRO THIN WIRE M10 350mA 2700K	394	3
456998	CIRO THIN WIRE M10 350mA 3000K	394	3
457002	CIRO THIN WIRE TRACK 48V 2700K - ON MECHANICAL ADAPTER	409	3
457012	CIRO THIN WIRE TRACK 48V 3000K - ON MECHANICAL ADAPTER	409	3
457017	CIRO THIN WIRE TRACK 48V 2700K - ON MECHANICAL ADAPTER	519	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
457024	CIRO THIN WIRE TRACK 48V 3000K - ON MECHANICAL ADAPTER	409	3
457027	CIRO THIN WIRE TRACK 48V 3000K - ON MECHANICAL ADAPTER	519	3
457034	CIRO THIN WIRE TRACK 48V 2700K - ON MECHANICAL ADAPTER	409	3
457037	CIRO THIN WIRE TRACK 48V 3000K - ON MECHANICAL ADAPTER	519	3
457038	CIRO THIN WIRE TRACK 48V 2700K - ON MECHANICAL ADAPTER	519	3
457047	CIRO THIN WIRE TRACK 48V 2700K - ON MECHANICAL ADAPTER	519	3
457048	CIRO THIN WIRE TRACK 48V 3000K - ON MECHANICAL ADAPTER	519	3
457052	CIRO THIN WIRE TRACK 48V 2700K DALI - ON MECHANICAL ADAPTER	435	3
457062	CIRO THIN WIRE TRACK 48V 3000K DALI - ON MECHANICAL ADAPTER	435	3
457067	CIRO THIN WIRE TRACK 48V 2700K DALI - ON MECHANICAL ADAPTER	545	3
457074	CIRO THIN WIRE TRACK 48V 3000K DALI - ON MECHANICAL ADAPTER	435	3
457077	CIRO THIN WIRE TRACK 48V 3000K DALI - ON MECHANICAL ADAPTER	545	3
457084	CIRO THIN WIRE TRACK 48V 2700K DALI - ON MECHANICAL ADAPTER	435	3
457087	CIRO THIN WIRE TRACK 48V 3000K DALI - ON MECHANICAL ADAPTER	545	3
457088	CIRO THIN WIRE TRACK 48V 2700K DALI - ON MECHANICAL ADAPTER	545	3
457097	CIRO THIN WIRE TRACK 48V 2700K DALI - ON MECHANICAL ADAPTER	545	3
457098	CIRO THIN WIRE TRACK 48V 3000K DALI - ON MECHANICAL ADAPTER	545	3
457202	CONE SUSPENSION CI MAINS DIMM 2700K	419	3
457212	CONE SUSPENSION CI MAINS DIMM 3000K	419	3
457224	CONE SUSPENSION CI MAINS DIMM 3000K	419	3
457234	CONE SUSPENSION CI MAINS DIMM 2700K	419	3
457244	CONE SUSPENSION CI MAINS DIMM 2700K	419	3
457245	CONE SUSPENSION CI MAINS DIMM 2700K	419	3
457252	CONE SUSPENSION CI MAINS DIMM 2700K	419	3
457254	CONE SUSPENSION CI MAINS DIMM 3000K	419	3
457255	CONE SUSPENSION CI MAINS DIMM 3000K	419	3
457262	CONE SUSPENSION CI MAINS DIMM 3000K	419	3
457286	CONE SUSPENSION CI MAINS DIMM 3000K	434	3
457296	CONE SUSPENSION CI MAINS DIMM 2700K	434	3
457302	CONE SUSPENSION M10 MAINS DIMM 2700K	403	3
457312	CONE SUSPENSION M10 MAINS DIMM 3000K	403	3
457324	CONE SUSPENSION M10 MAINS DIMM 3000K	403	3
457334	CONE SUSPENSION M10 MAINS DIMM 2700K	403	3
457344	CONE SUSPENSION M10 MAINS DIMM 2700K	403	3
457345	CONE SUSPENSION M10 MAINS DIMM 2700K	403	3
457352	CONE SUSPENSION M10 MAINS DIMM 2700K	403	3
457354	CONE SUSPENSION M10 MAINS DIMM 3000K	403	3
457355	CONE SUSPENSION M10 MAINS DIMM 3000K	403	3
457362	CONE SUSPENSION M10 MAINS DIMM 3000K	403	3
457386	CONE SUSPENSION M10 MAINS DIMM 3000K	418	3
457396	CONE SUSPENSION M10 MAINS DIMM 2700K	418	3
457402	CONE SUSPENSION TRACK MAINS DIMM 2700K	447	3
457412	CONE SUSPENSION TRACK MAINS DIMM 3000K	447	3
457424	CONE SUSPENSION TRACK MAINS DIMM 3000K	447	3
457434	CONE SUSPENSION TRACK MAINS DIMM 2700K	447	3
457444	CONE SUSPENSION TRACK MAINS DIMM 2700K	447	3
457445	CONE SUSPENSION TRACK MAINS DIMM 2700K	447	3
457452	CONE SUSPENSION TRACK MAINS DIMM 2700K	447	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
457454	CONE SUSPENSION TRACK MAINS DIMM 3000K	447	3
457455	CONE SUSPENSION TRACK MAINS DIMM 3000K	447	3
457462	CONE SUSPENSION TRACK MAINS DIMM 3000K	447	3
457486	CONE SUSPENSION TRACK MAINS DIMM 3000K	462	3
457496	CONE SUSPENSION TRACK MAINS DIMM 2700K	462	3
457502	CONE WALL SURFACE CI MAINS DIMM 2700K	477	3
457512	CONE WALL SURFACE CI MAINS DIMM 3000K	477	3
457524	CONE WALL SURFACE CI MAINS DIMM 3000K	477	3
457534	CONE WALL SURFACE CI MAINS DIMM 2700K	477	3
457544	CONE WALL SURFACE CI MAINS DIMM 2700K	477	3
457545	CONE WALL SURFACE CI MAINS DIMM 2700K	477	3
457552	CONE WALL SURFACE CI MAINS DIMM 2700K	477	3
457554	CONE WALL SURFACE CI MAINS DIMM 3000K	477	3
457555	CONE WALL SURFACE CI MAINS DIMM 3000K	477	3
457562	CONE WALL SURFACE CI MAINS DIMM 3000K	477	3
457586	CONE WALL SURFACE CI MAINS DIMM 3000K	492	3
457596	CONE WALL SURFACE CI MAINS DIMM 2700K	492	3
458512	BRIX SINGLE BEAM 230V 2700K MAINS DIMMABLE	239	3
458522	BRIX SINGLE BEAM 230V 3000K MAINS DIMMABLE	239	3
458526	BRIX SINGLE BEAM 230V 2700K MAINS DIMMABLE	228	3
458536	BRIX SINGLE BEAM 230V 3000K MAINS DIMMABLE	228	3
458547	BRIX SINGLE BEAM 230V 2700K MAINS DIMMABLE	228	3
458557	BRIX SINGLE BEAM 230V 3000K MAINS DIMMABLE	228	3
458612	BRIX DOUBLE BEAM 230V 2700K MAINS DIMMABLE	311	3
458622	BRIX DOUBLE BEAM 230V 3000K MAINS DIMMABLE	311	3
458626	BRIX DOUBLE BEAM 230V 2700K MAINS DIMMABLE	299	3
458636	BRIX DOUBLE BEAM 230V 3000K MAINS DIMMABLE	299	3
458647	BRIX DOUBLE BEAM 230V 2700K MAINS DIMMABLE	299	3
458657	BRIX DOUBLE BEAM 230V 3000K MAINS DIMMABLE	299	3
459016	NOBEL ELBOW 250mA HALOSPHERE	174	3
459037	NOBEL ELBOW 250mA HALOSPHERE	174	3
459066	NOBEL ELBOW 250mA HALOSPHERE	178	3
459116	NOBEL ELBOW 230V HALOSPHERE MAINS DIMMABLE	193	3
459137	NOBEL ELBOW 230V HALOSPHERE MAINS DIMMABLE	193	3
459166	NOBEL ELBOW 230V HALOSPHERE MAINS DIMMABLE	196	3
459515	NOBEL ELBOW M10 250mA HALOSPHERE	129	3
459516	NOBEL ELBOW M10 250mA HALOSPHERE	129	3
459537	NOBEL ELBOW M10 250mA HALOSPHERE	129	3
459566	NOBEL ELBOW M10 250mA HALOSPHERE	135	3
459597	NOBEL ELBOW M10 250mA HALOSPHERE	176	3
466008	SOLID ROUND HALOLED 2700K	94	3
466018	SOLID ROUND HALOLED 3000K	94	3
466026	SOLID ROUND HALOLED 2700K	94	3
466036	SOLID ROUND HALOLED 3000K	94	3
466047	SOLID ROUND HALOLED 2700K	94	3
466057	SOLID ROUND HALOLED 3000K	94	3
466108	SOLID ROUND MOBY HALOLED 2700K	104	3
466118	SOLID ROUND MOBY HALOLED 3000K	104	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
466126	SOLID ROUND MOBY HALOED 2700K	104	3
466136	SOLID ROUND MOBY HALOED 3000K	104	3
466147	SOLID ROUND MOBY HALOED 2700K	104	3
466157	SOLID ROUND MOBY HALOED 3000K	104	3
466208	SOLID SQUARE HALOED 2700K	101	3
466218	SOLID SQUARE HALOED 3000K	101	3
466226	SOLID SQUARE HALOED 2700K	101	3
466236	SOLID SQUARE HALOED 3000K	101	3
466247	SOLID SQUARE HALOED 2700K	101	3
466257	SOLID SQUARE HALOED 3000K	101	3
466308	SOLID SQUARE MOBY HALOED 2700K	111	3
466318	SOLID SQUARE MOBY HALOED 3000K	111	3
466326	SOLID SQUARE MOBY HALOED 2700K	111	3
466336	SOLID SQUARE MOBY HALOED 3000K	111	3
466347	SOLID SQUARE MOBY HALOED 2700K	111	3
466357	SOLID SQUARE MOBY HALOED 3000K	111	3
467006	NOBEL SINGLE BEAM 250mA HALOSPHERE	200	3
467036	NOBEL SINGLE BEAM 250mA HALOSPHERE	196	3
467087	NOBEL SINGLE BEAM 250mA HALOSPHERE	196	3
467097	NOBEL SINGLE BEAM 250mA HALOSPHERE	295	3
467106	NOBEL UP-DOWN 250mA HALOSPHERE	256	3
467136	NOBEL UP-DOWN 250mA HALOSPHERE	246	3
467187	NOBEL UP-DOWN 250mA HALOSPHERE	246	3
467197	NOBEL UP-DOWN 250mA HALOSPHERE	345	3
467206	NOBEL SINGLE BEAM 230V HALOSPHERE MAINS DIMMABLE	255	3
467236	NOBEL SINGLE BEAM 230V HALOSPHERE MAINS DIMMABLE	249	3
467287	NOBEL SINGLE BEAM 230V HALOSPHERE MAINS DIMMABLE	249	3
467298	NOBEL SINGLE BEAM 230V HALOSPHERE MAINS DIMMABLE	307	3
467306	NOBEL UP-DOWN 230V HALOSPHERE MAINS DIMMABLE	313	3
467336	NOBEL UP-DOWN 230V HALOSPHERE MAINS DIMMABLE	304	3
467387	NOBEL UP-DOWN 230V HALOSPHERE MAINS DIMMABLE	304	3
467398	NOBEL UP-DOWN 230V HALOSPHERE MAINS DIMMABLE	363	3
468526	DOMINO SFEROS 2x BEAUFORT 230V 2700K MAINS DIMMABLE	545	3
468536	DOMINO SFEROS 2x BEAUFORT 230V 3000K MAINS DIMMABLE	545	3
468547	DOMINO SFEROS 2x BEAUFORT 230V 2700K MAINS DIMMABLE	545	3
468557	DOMINO SFEROS 2x BEAUFORT 230V 3000K MAINS DIMMABLE	545	3
468626	DOMINO BASIC 2x 6W 230V 36° 2700K MAINS DIMMABLE	302	3
468636	DOMINO BASIC 2x 6W 230V 36° 3000K MAINS DIMMABLE	302	3
468647	DOMINO BASIC 2x 6W 230V 36° 2700K MAINS DIMMABLE	302	3
468657	DOMINO BASIC 2x 6W 230V 36° 3000K MAINS DIMMABLE	302	3
468726	DOMINO BASIC 2x 6W 230V 36° 2700K DALI	348	3
468736	DOMINO BASIC 2x 6W 230V 36° 3000K DALI	348	3
468747	DOMINO BASIC 2x 6W 230V 36° 2700K DALI	348	3
468757	DOMINO BASIC 2x 6W 230V 36° 3000K DALI	348	3
469026	FUNNEL FIX HALOED TORSION 2700K	106	3
469036	FUNNEL FIX HALOED TORSION 3000K	106	3
469047	FUNNEL FIX HALOED TORSION 2700K	106	3
469057	FUNNEL FIX HALOED TORSION 3000K	106	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
469126	FUNNEL FIX HALOLED LEAF 2700K	106	3
469136	FUNNEL FIX HALOLED LEAF 3000K	106	3
469147	FUNNEL FIX HALOLED LEAF 2700K	106	3
469157	FUNNEL FIX HALOLED LEAF 3000K	106	3
469226	FUNNEL FLEX HALOLED TORSION 2700K	121	3
469236	FUNNEL FLEX HALOLED TORSION 3000K	121	3
469247	FUNNEL FLEX HALOLED TORSION 2700K	121	3
469257	FUNNEL FLEX HALOLED TORSION 3000K	121	3
469326	FUNNEL FLEX HALOLED LEAF 2700K	121	3
469336	FUNNEL FLEX HALOLED LEAF 3000K	121	3
469347	FUNNEL FLEX HALOLED LEAF 2700K	121	3
469357	FUNNEL FLEX HALOLED LEAF 3000K	121	3
471016	HELAX SML BEAUFORT ² FLOOD TORSION 4000K	197	3
471017	HELAX SML BEAUFORT ² FLOOD TORSION 4000K	197	3
471026	HELAX SML BEAUFORT ² FLOOD TORSION 2700K	197	3
471027	HELAX SML BEAUFORT ² FLOOD TORSION 2700K	197	3
471036	HELAX SML BEAUFORT ² FLOOD TORSION 3000K	197	3
471037	HELAX SML BEAUFORT ² FLOOD TORSION 3000K	197	3
471046	HELAX SML BEAUFORT ² SPOT TORSION 2700K	197	3
471047	HELAX SML BEAUFORT ² SPOT TORSION 2700K	197	3
471056	HELAX SML BEAUFORT ² SPOT TORSION 4000K	197	3
471057	HELAX SML BEAUFORT ² SPOT TORSION 4000K	197	3
471076	HELAX SML BEAUFORT ² SPOT TORSION 3000K	197	3
471077	HELAX SML BEAUFORT ² SPOT TORSION 3000K	197	3
471116	HELAX SML BEAUFORT ² FLOOD LEAF 4000K	197	3
471117	HELAX SML BEAUFORT ² FLOOD LEAF 4000K	197	3
471126	HELAX SML BEAUFORT ² FLOOD LEAF 2700K	197	3
471127	HELAX SML BEAUFORT ² FLOOD LEAF 2700K	197	3
471136	HELAX SML BEAUFORT ² FLOOD LEAF 3000K	197	3
471137	HELAX SML BEAUFORT ² FLOOD LEAF 3000K	197	3
471146	HELAX SML BEAUFORT ² SPOT LEAF 2700K	197	3
471147	HELAX SML BEAUFORT ² SPOT LEAF 2700K	197	3
471156	HELAX SML BEAUFORT ² SPOT LEAF 4000K	197	3
471157	HELAX SML BEAUFORT ² SPOT LEAF 4000K	197	3
471176	HELAX SML BEAUFORT ² SPOT LEAF 3000K	197	3
471177	HELAX SML BEAUFORT ² SPOT LEAF 3000K	197	3
472106	MICRO TOMMY TORSION IP54 250mA HALOSPHERE	173	3
472127	MICRO TOMMY TORSION IP54 250mA HALOSPHERE	173	3
472172	MICRO TOMMY TORSION IP54 250mA HALOSPHERE	177	3
472174	MICRO TOMMY TORSION IP54 250mA HALOSPHERE	173	3
472175	MICRO TOMMY TORSION IP54 250mA HALOSPHERE	173	3
472176	MICRO TOMMY TORSION IP54 250mA HALOSPHERE	177	3
473043	HEKOWA SINGLE BEAM IP65 230V 2700K MAINS DIMMABLE	343	3
473053	HEKOWA SINGLE BEAM IP65 230V 3000K MAINS DIMMABLE	343	3
473063	HEKOWA SINGLE BEAM IP65 230V 2700K MAINS DIMMABLE	343	3
473066	HEKOWA SINGLE BEAM IP65 230V 2700K MAINS DIMMABLE	343	3
473073	HEKOWA SINGLE BEAM IP65 230V 3000K MAINS DIMMABLE	343	3
473076	HEKOWA SINGLE BEAM IP65 230V 3000K MAINS DIMMABLE	343	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
473143	HEKOWA DOUBLE BEAM IP65 230V 2700K MAINS DIMMABLE	519	3
473153	HEKOWA DOUBLE BEAM IP65 230V 3000K MAINS DIMMABLE	519	3
473163	HEKOWA DOUBLE BEAM IP65 230V 2700K MAINS DIMMABLE	519	3
473166	HEKOWA DOUBLE BEAM IP65 230V 2700K MAINS DIMMABLE	519	3
473173	HEKOWA DOUBLE BEAM IP65 230V 3000K MAINS DIMMABLE	519	3
473176	HEKOWA DOUBLE BEAM IP65 230V 3000K MAINS DIMMABLE	519	3
473203	HEKOWA SINGLE BEAM IP65 350mA 2700K	295	3
473213	HEKOWA SINGLE BEAM IP65 350mA 3000K	295	3
473223	HEKOWA SINGLE BEAM IP65 350mA 2700K	295	3
473226	HEKOWA SINGLE BEAM IP65 350mA 2700K	295	3
473233	HEKOWA SINGLE BEAM IP65 350mA 3000K	295	3
473236	HEKOWA SINGLE BEAM IP65 350mA 3000K	295	3
473303	HEKOWA DOUBLE BEAM IP65 350mA 2700K	472	3
473313	HEKOWA DOUBLE BEAM IP65 350mA 3000K	472	3
473323	HEKOWA DOUBLE BEAM IP65 350mA 2700K	472	3
473326	HEKOWA DOUBLE BEAM IP65 350mA 2700K	472	3
473333	HEKOWA DOUBLE BEAM IP65 350mA 3000K	472	3
473336	HEKOWA DOUBLE BEAM IP65 350mA 3000K	472	3
474003	MAX LUXEON M 2700K CI	583	3
474013	MAX LUXEON M 3000K CI	583	3
474023	MAX LUXEON M 2700K CI	583	3
474026	MAX LUXEON M 2700K CI	583	3
474033	MAX LUXEON M 3000K CI	583	3
474036	MAX LUXEON M 3000K CI	583	3
474203	MAX LUXEON M 2700K WC	573	3
474213	MAX LUXEON M 3000K WC	573	3
474223	MAX LUXEON M 2700K WC	573	3
474226	MAX LUXEON M 2700K WC	573	3
474233	MAX LUXEON M 3000K WC	573	3
474236	MAX LUXEON M 3000K WC	573	3
477226	FUNNEL ELBOW 150 GU10 TRACK	223	3
477247	FUNNEL ELBOW 150 GU10 TRACK	223	3
477292	FUNNEL ELBOW 150 GU10 TRACK	227	3
477296	FUNNEL ELBOW 150 GU10 TRACK	227	3
477603	FUNNEL ELBOW 150 TRACK 230V 2700K MAINS DIMMABLE	350	3
477604	FUNNEL ELBOW 150 TRACK 230V 2700K MAINS DIMMABLE	350	3
477605	FUNNEL ELBOW 150 TRACK 230V 2700K MAINS DIMMABLE	350	3
477613	FUNNEL ELBOW 150 TRACK 230V 3000K MAINS DIMMABLE	350	3
477614	FUNNEL ELBOW 150 TRACK 230V 3000K MAINS DIMMABLE	350	3
477615	FUNNEL ELBOW 150 TRACK 230V 3000K MAINS DIMMABLE	350	3
477626	FUNNEL ELBOW 150 TRACK 230V 2700K MAINS DIMMABLE	292	3
477636	FUNNEL ELBOW 150 TRACK 230V 3000K MAINS DIMMABLE	292	3
477646	FUNNEL ELBOW 150 TRACK 230V 4000K MAINS DIMMABLE	292	3
477647	FUNNEL ELBOW 150 TRACK 230V 2700K MAINS DIMMABLE	292	3
477657	FUNNEL ELBOW 150 TRACK 230V 3000K MAINS DIMMABLE	292	3
477667	FUNNEL ELBOW 150 TRACK 230V 4000K MAINS DIMMABLE	292	3
477672	FUNNEL ELBOW 150 TRACK 230V 4000K MAINS DIMMABLE	298	3
477676	FUNNEL ELBOW 150 TRACK 230V 4000K MAINS DIMMABLE	298	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
477682	FUNNEL ELBOW 150 TRACK 230V 2700K MAINS DIMMABLE	298	3
477686	FUNNEL ELBOW 150 TRACK 230V 2700K MAINS DIMMABLE	298	3
477692	FUNNEL ELBOW 150 TRACK 230V 3000K MAINS DIMMABLE	298	3
477696	FUNNEL ELBOW 150 TRACK 230V 3000K MAINS DIMMABLE	298	3
478113	HEDGE 400 CI	487	3
478133	HEDGE 400 CI	487	3
478136	HEDGE 400 CI	487	3
478213	HEDGE 700 CI	527	3
478233	HEDGE 700 CI	527	3
478236	HEDGE 700 CI	527	3
478246	FUNNEL ELBOW 150 M10 GU10	178	3
478267	FUNNEL ELBOW 150 M10 GU10	178	3
478312	FUNNEL ELBOW 150 M10 GU10	183	3
478316	FUNNEL ELBOW 150 M10 GU10	183	3
478336	FUNNEL SUSPENSION 150 M10 GU10	218	3
478357	FUNNEL SUSPENSION 150 M10 GU10	218	3
478402	FUNNEL SUSPENSION 150 M10 GU10	222	3
478406	FUNNEL SUSPENSION 150 M10 GU10	222	3
478646	FUNNEL ELBOW 150 M10 230V 2700K MAINS DIMMABLE	247	3
478656	FUNNEL ELBOW 150 M10 230V 3000K MAINS DIMMABLE	247	3
478666	FUNNEL ELBOW 150 M10 230V 4000K MAINS DIMMABLE	247	3
478667	FUNNEL ELBOW 150 M10 230V 2700K MAINS DIMMABLE	247	3
478677	FUNNEL ELBOW 150 M10 230V 3000K MAINS DIMMABLE	247	3
478687	FUNNEL ELBOW 150 M10 230V 4000K MAINS DIMMABLE	247	3
478692	FUNNEL ELBOW 150 M10 230V 4000K MAINS DIMMABLE	252	3
478696	FUNNEL ELBOW 150 M10 230V 4000K MAINS DIMMABLE	252	3
478702	FUNNEL ELBOW 150 M10 230V 2700K MAINS DIMMABLE	252	3
478706	FUNNEL ELBOW 150 M10 230V 2700K MAINS DIMMABLE	252	3
478712	FUNNEL ELBOW 150 M10 230V 3000K MAINS DIMMABLE	252	3
478716	FUNNEL ELBOW 150 M10 230V 3000K MAINS DIMMABLE	252	3
478736	FUNNEL 150 SUSPENSION M10 230V 2700K MAINS DIMMABLE	294	3
478746	FUNNEL 150 SUSPENSION M10 230V 3000K MAINS DIMMABLE	294	3
478756	FUNNEL 150 SUSPENSION M10 230V 4000K MAINS DIMMABLE	294	3
478757	FUNNEL 150 SUSPENSION M10 230V 2700K MAINS DIMMABLE	294	3
478767	FUNNEL 150 SUSPENSION M10 230V 3000K MAINS DIMMABLE	294	3
478777	FUNNEL 150 SUSPENSION M10 230V 4000K MAINS DIMMABLE	294	3
478782	FUNNEL 150 SUSPENSION M10 230V 4000K MAINS DIMMABLE	300	3
478786	FUNNEL 150 SUSPENSION M10 230V 4000K MAINS DIMMABLE	300	3
478792	FUNNEL 150 SUSPENSION M10 230V 2700K MAINS DIMMABLE	300	3
478796	FUNNEL 150 SUSPENSION M10 230V 2700K MAINS DIMMABLE	300	3
478802	FUNNEL 150 SUSPENSION M10 230V 3000K MAINS DIMMABLE	300	3
478806	FUNNEL 150 SUSPENSION M10 230V 3000K MAINS DIMMABLE	300	3
478903	SPYKE PIN 230V 2700K MAINS DIMMABLE	390	3
478906	SPYKE PIN 230V 2700K MAINS DIMMABLE	390	3
478913	SPYKE PIN 230V 3000K MAINS DIMMABLE	390	3
478916	SPYKE PIN 230V 3000K MAINS DIMMABLE	390	3
478923	SPYKE PIN 230V 2700K MAINS DIMMABLE	390	3
478926	SPYKE PIN 230V 2700K MAINS DIMMABLE	390	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
478933	SPYKE PIN 230V 3000K MAINS DIMMABLE	390	3
478936	SPYKE PIN 230V 3000K MAINS DIMMABLE	390	3
479026	FUNNEL ON 150 GU10	140	3
479047	FUNNEL ON 150 GU10	140	3
479092	FUNNEL ON 150 GU10	145	3
479096	FUNNEL ON 150 GU10	145	3
479126	FUNNEL ON 240 GU10	193	3
479147	FUNNEL ON 240 GU10	193	3
479192	FUNNEL ON 240 GU10	196	3
479196	FUNNEL ON 240 GU10	196	3
479226	FUNNEL ELBOW 150 GU10	210	3
479236	FUNNEL ELBOW 150 RECESSED LEAF GU10	178	3
479237	FUNNEL ELBOW 150 RECESSED TORSION GU10	178	3
479247	FUNNEL ELBOW 150 GU10	210	3
479257	FUNNEL ELBOW 150 RECESSED LEAF GU10	178	3
479258	FUNNEL ELBOW 150 RECESSED TORSION GU10	178	3
479282	FUNNEL ELBOW 150 RECESSED LEAF GU10	183	3
479283	FUNNEL ELBOW 150 RECESSED TORSION GU10	183	3
479286	FUNNEL ELBOW 150 RECESSED LEAF GU10	183	3
479287	FUNNEL ELBOW 150 RECESSED TORSION GU10	183	3
479292	FUNNEL ELBOW 150 GU10	215	3
479296	FUNNEL ELBOW 150 GU10	215	3
479316	FUNNEL SUSPENSION 240 GU10	271	3
479326	FUNNEL SUSPENSION 150 GU10	249	3
479337	FUNNEL SUSPENSION 240 GU10	271	3
479347	FUNNEL SUSPENSION 150 GU10	249	3
479382	FUNNEL SUSPENSION 240 GU10	275	3
479386	FUNNEL SUSPENSION 240 GU10	275	3
479392	FUNNEL SUSPENSION 150 GU10	255	3
479396	FUNNEL SUSPENSION 150 GU10	255	3
479403	FUNNEL ON 150 230V 2700K MAINS DIMMABLE	242	3
479404	FUNNEL ON 150 230V 2700K MAINS DIMMABLE	242	3
479405	FUNNEL ON 150 230V 2700K MAINS DIMMABLE	242	3
479413	FUNNEL ON 150 230V 3000K MAINS DIMMABLE	242	3
479414	FUNNEL ON 150 230V 3000K MAINS DIMMABLE	242	3
479415	FUNNEL ON 150 230V 3000K MAINS DIMMABLE	242	3
479426	FUNNEL ON 150 230V 2700K MAINS DIMMABLE	202	3
479436	FUNNEL ON 150 230V 3000K MAINS DIMMABLE	202	3
479446	FUNNEL ON 150 230V 4000K MAINS DIMMABLE	202	3
479447	FUNNEL ON 150 230V 2700K MAINS DIMMABLE	202	3
479457	FUNNEL ON 150 230V 3000K MAINS DIMMABLE	202	3
479467	FUNNEL ON 150 230V 4000K MAINS DIMMABLE	202	3
479472	FUNNEL ON 150 230V 4000K MAINS DIMMABLE	208	3
479476	FUNNEL ON 150 230V 4000K MAINS DIMMABLE	208	3
479482	FUNNEL ON 150 230V 2700K MAINS DIMMABLE	208	3
479486	FUNNEL ON 150 230V 2700K MAINS DIMMABLE	208	3
479492	FUNNEL ON 150 230V 3000K MAINS DIMMABLE	208	3
479496	FUNNEL ON 150 230V 3000K MAINS DIMMABLE	208	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
479526	FUNNEL ON 240 230V 2700K MAINS DIMMABLE	255	3
479536	FUNNEL ON 240 230V 3000K MAINS DIMMABLE	255	3
479546	FUNNEL ON 240 230V 4000K MAINS DIMMABLE	255	3
479547	FUNNEL ON 240 230V 2700K MAINS DIMMABLE	255	3
479557	FUNNEL ON 240 230V 3000K MAINS DIMMABLE	255	3
479567	FUNNEL ON 240 230V 4000K MAINS DIMMABLE	255	3
479572	FUNNEL ON 240 230V 4000K MAINS DIMMABLE	259	3
479576	FUNNEL ON 240 230V 4000K MAINS DIMMABLE	259	3
479582	FUNNEL ON 240 230V 2700K MAINS DIMMABLE	259	3
479586	FUNNEL ON 240 230V 2700K MAINS DIMMABLE	259	3
479592	FUNNEL ON 240 230V 3000K MAINS DIMMABLE	259	3
479596	FUNNEL ON 240 230V 3000K MAINS DIMMABLE	259	3
479603	FUNNEL ELBOW 150 230V 2700K MAINS DIMMABLE	393	3
479604	FUNNEL ELBOW 150 230V 2700K MAINS DIMMABLE	393	3
479605	FUNNEL ELBOW 150 230V 2700K MAINS DIMMABLE	393	3
479613	FUNNEL ELBOW 150 230V 3000K MAINS DIMMABLE	393	3
479614	FUNNEL ELBOW 150 230V 3000K MAINS DIMMABLE	393	3
479615	FUNNEL ELBOW 150 230V 3000K MAINS DIMMABLE	393	3
479626	FUNNEL ELBOW 150 230V 2700K MAINS DIMMABLE	281	3
479636	FUNNEL ELBOW 150 230V 3000K MAINS DIMMABLE	281	3
479646	FUNNEL ELBOW 150 230V 4000K MAINS DIMMABLE	281	3
479647	FUNNEL ELBOW 150 230V 2700K MAINS DIMMABLE	281	3
479657	FUNNEL ELBOW 150 230V 3000K MAINS DIMMABLE	281	3
479667	FUNNEL ELBOW 150 230V 4000K MAINS DIMMABLE	281	3
479672	FUNNEL ELBOW 150 230V 4000K MAINS DIMMABLE	285	3
479676	FUNNEL ELBOW 150 230V 4000K MAINS DIMMABLE	285	3
479682	FUNNEL ELBOW 150 230V 2700K MAINS DIMMABLE	285	3
479686	FUNNEL ELBOW 150 230V 2700K MAINS DIMMABLE	285	3
479692	FUNNEL ELBOW 150 230V 3000K MAINS DIMMABLE	285	3
479696	FUNNEL ELBOW 150 230V 3000K MAINS DIMMABLE	285	3
479726	FUNNEL 150 SUSPENSION 230V 2700K MAINS DIMMABLE	329	3
479736	FUNNEL 150 SUSPENSION 230V 3000K MAINS DIMMABLE	329	3
479746	FUNNEL 150 SUSPENSION 230V 4000K MAINS DIMMABLE	329	3
479747	FUNNEL 150 SUSPENSION 230V 2700K MAINS DIMMABLE	329	3
479757	FUNNEL 150 SUSPENSION 230V 3000K MAINS DIMMABLE	329	3
479767	FUNNEL 150 SUSPENSION 230V 4000K MAINS DIMMABLE	329	3
479772	FUNNEL 150 SUSPENSION 230V 4000K MAINS DIMMABLE	335	3
479776	FUNNEL 150 SUSPENSION 230V 4000K MAINS DIMMABLE	335	3
479782	FUNNEL 150 SUSPENSION 230V 2700K MAINS DIMMABLE	335	3
479786	FUNNEL 150 SUSPENSION 230V 2700K MAINS DIMMABLE	335	3
479792	FUNNEL 150 SUSPENSION 230V 3000K MAINS DIMMABLE	335	3
479796	FUNNEL 150 SUSPENSION 230V 3000K MAINS DIMMABLE	335	3
479826	FUNNEL 240 SUSPENSION 230V 2700K MAINS DIMMABLE	348	3
479836	FUNNEL 240 SUSPENSION 230V 3000K MAINS DIMMABLE	348	3
479846	FUNNEL 240 SUSPENSION 230V 4000K MAINS DIMMABLE	348	3
479847	FUNNEL 240 SUSPENSION 230V 2700K MAINS DIMMABLE	348	3
479857	FUNNEL 240 SUSPENSION 230V 3000K MAINS DIMMABLE	348	3
479867	FUNNEL 240 SUSPENSION 230V 4000K MAINS DIMMABLE	348	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
479872	FUNNEL 240 SUSPENSION 230V 4000K MAINS DIMMABLE	356	3
479876	FUNNEL 240 SUSPENSION 230V 4000K MAINS DIMMABLE	356	3
479882	FUNNEL 240 SUSPENSION 230V 2700K MAINS DIMMABLE	356	3
479886	FUNNEL 240 SUSPENSION 230V 2700K MAINS DIMMABLE	356	3
479892	FUNNEL 240 SUSPENSION 230V 3000K MAINS DIMMABLE	356	3
479896	FUNNEL 240 SUSPENSION 230V 3000K MAINS DIMMABLE	356	3
479926	FUNNEL ELBOW 150 RECESSED LEAF 230V 2700K MAINS DIMMABLE	232	3
479927	FUNNEL ELBOW 150 RECESSED TORSION 230V 2700K MAINS DIMMABLE	232	3
479936	FUNNEL ELBOW 150 RECESSED LEAF 230V 3000K MAINS DIMMABLE	232	3
479937	FUNNEL ELBOW 150 RECESSED TORSION 230V 3000K MAINS DIMMABLE	232	3
479946	FUNNEL ELBOW 150 RECESSED LEAF 230V 4000K MAINS DIMMABLE	232	3
479947	FUNNEL ELBOW 150 RECESSED LEAF 230V 2700K MAINS DIMMABLE	232	3
479948	FUNNEL ELBOW 150 RECESSED TORSION 230V 2700K MAINS DIMMABLE	232	3
479949	FUNNEL ELBOW 150 RECESSED TORSION 230V 4000K MAINS DIMMABLE	232	3
479957	FUNNEL ELBOW 150 RECESSED LEAF 230V 3000K MAINS DIMMABLE	232	3
479958	FUNNEL ELBOW 150 RECESSED TORSION 230V 3000K MAINS DIMMABLE	232	3
479967	FUNNEL ELBOW 150 RECESSED LEAF 230V 4000K MAINS DIMMABLE	232	3
479968	FUNNEL ELBOW 150 RECESSED TORSION 230V 4000K MAINS DIMMABLE	232	3
479972	FUNNEL ELBOW 150 RECESSED LEAF 230V 4000K MAINS DIMMABLE	236	3
479973	FUNNEL ELBOW 150 RECESSED TORSION 230V 4000K MAINS DIMMABLE	236	3
479976	FUNNEL ELBOW 150 RECESSED LEAF 230V 4000K MAINS DIMMABLE	236	3
479977	FUNNEL ELBOW 150 RECESSED TORSION 230V 4000K MAINS DIMMABLE	236	3
479982	FUNNEL ELBOW 150 RECESSED LEAF 230V 2700K MAINS DIMMABLE	236	3
479983	FUNNEL ELBOW 150 RECESSED TORSION 230V 2700K MAINS DIMMABLE	236	3
479986	FUNNEL ELBOW 150 RECESSED LEAF 230V 2700K MAINS DIMMABLE	236	3
479987	FUNNEL ELBOW 150 RECESSED TORSION 230V 2700K MAINS DIMMABLE	236	3
479992	FUNNEL ELBOW 150 RECESSED LEAF 230V 3000K MAINS DIMMABLE	236	3
479993	FUNNEL ELBOW 150 RECESSED TORSION 230V 3000K MAINS DIMMABLE	236	3
479996	FUNNEL ELBOW 150 RECESSED LEAF 230V 3000K MAINS DIMMABLE	236	3
479997	FUNNEL ELBOW 150 RECESSED TORSION 230V 3000K MAINS DIMMABLE	236	3
480100	OLIIF SUSPENSION E27	485	3
480104	OLIIF SUSPENSION E27	498	3
480300	OLIIF SUSPENSION TRACK E27	485	3
480304	OLIIF SUSPENSION TRACK E27	498	3
481100	FABIAN Suspended MAINS DIMMABLE	602	3
481150	FABIAN Suspended DALI/TOUCH DIMM	663	3
482546	SIGMA NXT TRACK 3000lm 230V 17° 3000K	372	3
482556	SIGMA NXT TRACK 3000lm 230V 17° 4000K	372	3
482567	SIGMA NXT TRACK 3000lm 230V 17° 3000K	372	3
482577	SIGMA NXT TRACK 3000lm 230V 17° 4000K	372	3
482646	SIGMA NXT TRACK 3000lm 230V 24° 3000K	372	3
482656	SIGMA NXT TRACK 3000lm 230V 24° 4000K	372	3
482667	SIGMA NXT TRACK 3000lm 230V 24° 3000K	372	3
482677	SIGMA NXT TRACK 3000lm 230V 24° 4000K	372	3
482846	SIGMA NXT TRACK 3000lm 230V 40° 3000K	372	3
482856	SIGMA NXT TRACK 3000lm 230V 40° 4000K	372	3
482867	SIGMA NXT TRACK 3000lm 230V 40° 3000K	372	3
482877	SIGMA NXT TRACK 3000lm 230V 40° 4000K	372	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
483925	FUNNEL ELBOW TRACK 48V ST5 2700K DALI	313	3
483926	FUNNEL ELBOW TRACK 48V ST5 2700K	286	3
483935	FUNNEL ELBOW TRACK 48V ST5 3000K DALI	313	3
483936	FUNNEL ELBOW TRACK 48V ST5 3000K	286	3
483946	FUNNEL ELBOW TRACK 48V ST5 2700K DALI	313	3
483947	FUNNEL ELBOW TRACK 48V ST5 2700K	286	3
483956	FUNNEL ELBOW TRACK 48V ST5 3000K DALI	313	3
483957	FUNNEL ELBOW TRACK 48V ST5 3000K	286	3
483965	FUNNEL ELBOW 150 TRACK 48V ST5 2700K DALI	313	3
483966	FUNNEL ELBOW 150 TRACK 48V ST5 2700K	286	3
483975	FUNNEL ELBOW 150 TRACK 48V ST5 3000K DALI	313	3
483976	FUNNEL ELBOW 150 TRACK 48V ST5 3000K	286	3
483986	FUNNEL ELBOW 150 TRACK 48V ST5 2700K DALI	313	3
483987	FUNNEL ELBOW 150 TRACK 48V ST5 2700K	286	3
483996	FUNNEL ELBOW 150 TRACK 48V ST5 3000K DALI	313	3
483997	FUNNEL ELBOW 150 TRACK 48V ST5 3000K	286	3
484026	FUNNEL ELBOW TORSION 700mA 2700K	180	3
484047	FUNNEL ELBOW TORSION 700mA 2700K	180	3
484126	FUNNEL ELBOW TORSION 700mA 3000K	180	3
484147	FUNNEL ELBOW TORSION 700mA 3000K	180	3
484226	FUNNEL ELBOW LEAF 700mA 2700K	180	3
484247	FUNNEL ELBOW LEAF 700mA 2700K	180	3
484326	FUNNEL ELBOW LEAF 700mA 3000K	180	3
484347	FUNNEL ELBOW LEAF 700mA 3000K	180	3
484426	FUNNEL ELBOW M10 700mA 2700K	154	3
484447	FUNNEL ELBOW M10 700mA 2700K	154	3
484526	FUNNEL ELBOW M10 700mA 3000K	154	3
484547	FUNNEL ELBOW M10 700mA 3000K	154	3
484626	FUNNEL EXO LEAF 700mA 2700K	102	3
484627	FUNNEL EXO TORSION 700mA 2700K	102	3
484636	FUNNEL EXO LEAF 700mA 3000K	102	3
484637	FUNNEL EXO TORSION 700mA 3000K	102	3
484647	FUNNEL EXO LEAF 700mA 2700K	102	3
484648	FUNNEL EXO TORSION 700mA 2700K	102	3
484657	FUNNEL EXO LEAF 700mA 3000K	102	3
484658	FUNNEL EXO TORSION 700mA 3000K	102	3
484716	FUNNEL WALL SINGLE GU10 for wall box	197	3
484726	FUNNEL WALL SINGLE BEAM 500mA 2700K	236	3
484736	FUNNEL WALL SINGLE BEAM 500mA 3000K	236	3
484737	FUNNEL WALL SINGLE GU10 for wall box	197	3
484746	FUNNEL WALL SINGLE BEAM 500mA 4000K	236	3
484747	FUNNEL WALL SINGLE BEAM 500mA 2700K	236	3
484757	FUNNEL WALL SINGLE BEAM 500mA 3000K	236	3
484767	FUNNEL WALL SINGLE BEAM 500mA 4000K	236	3
484772	FUNNEL WALL SINGLE BEAM 500mA 4000K	242	3
484776	FUNNEL WALL SINGLE GU10 for wall box	201	3
484777	FUNNEL WALL SINGLE BEAM 500mA 4000K	242	3
484782	FUNNEL WALL SINGLE BEAM 500mA 2700K	242	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
484783	FUNNEL WALL SINGLE GU10 for wall box	201	3
484786	FUNNEL WALL SINGLE BEAM 500mA 2700K	242	3
484792	FUNNEL WALL SINGLE BEAM 500mA 3000K	242	3
484796	FUNNEL WALL SINGLE BEAM 500mA 3000K	242	3
484803	FUNNEL ELBOW 150 TRACK 48V 2700K DALI	345	3
484804	FUNNEL ELBOW 150 TRACK 48V 2700K DALI	345	3
484805	FUNNEL ELBOW 150 TRACK 48V 2700K DALI	345	3
484816	FUNNEL WALL SINGLE GU10	189	3
484826	FUNNEL WALL SINGLE BEAM 230V 2700K MAINS DIMMABLE	260	3
484836	FUNNEL WALL SINGLE BEAM 230V 3000K MAINS DIMMABLE	260	3
484837	FUNNEL WALL SINGLE GU10	189	3
484846	FUNNEL WALL SINGLE BEAM 230V 4000K MAINS DIMMABLE	260	3
484847	FUNNEL WALL SINGLE BEAM 230V 2700K MAINS DIMMABLE	260	3
484857	FUNNEL WALL SINGLE BEAM 230V 3000K MAINS DIMMABLE	260	3
484867	FUNNEL WALL SINGLE BEAM 230V 4000K MAINS DIMMABLE	260	3
484872	FUNNEL WALL SINGLE BEAM 230V 4000K MAINS DIMMABLE	265	3
484876	FUNNEL WALL SINGLE GU10	195	3
484877	FUNNEL WALL SINGLE BEAM 230V 4000K MAINS DIMMABLE	265	3
484882	FUNNEL WALL SINGLE BEAM 230V 2700K MAINS DIMMABLE	265	3
484883	FUNNEL WALL SINGLE GU10	195	3
484886	FUNNEL WALL SINGLE BEAM 230V 2700K MAINS DIMMABLE	265	3
484892	FUNNEL WALL SINGLE BEAM 230V 3000K MAINS DIMMABLE	265	3
484893	FUNNEL ELBOW 150 TRACK 48V 3000K DALI	345	3
484894	FUNNEL ELBOW 150 TRACK 48V 3000K DALI	345	3
484895	FUNNEL ELBOW 150 TRACK 48V 3000K DALI	345	3
484896	FUNNEL WALL SINGLE BEAM 230V 3000K MAINS DIMMABLE	265	3
484903	FUNNEL ELBOW 150 TRACK 48V 2700K	315	3
484904	FUNNEL ELBOW 150 TRACK 48V 2700K	315	3
484905	FUNNEL ELBOW 150 TRACK 48V 2700K	315	3
484925	FUNNEL ELBOW TRACK 48V 2700K DALI	288	3
484926	FUNNEL ELBOW TRACK 48V 2700K	262	3
484935	FUNNEL ELBOW TRACK 48V 3000K DALI	288	3
484936	FUNNEL ELBOW TRACK 48V 3000K	262	3
484946	FUNNEL ELBOW TRACK 48V 2700K DALI	288	3
484947	FUNNEL ELBOW TRACK 48V 2700K	262	3
484956	FUNNEL ELBOW TRACK 48V 3000K DALI	288	3
484957	FUNNEL ELBOW TRACK 48V 3000K	262	3
484965	FUNNEL ELBOW 150 TRACK 48V 2700K DALI	288	3
484966	FUNNEL ELBOW 150 TRACK 48V 2700K	262	3
484971	FUNNEL SUSPENSION 150 TRACK 48V 2700K	281	3
484972	FUNNEL SUSPENSION 150 TRACK 48V 3000K	281	3
484973	FUNNEL SUSPENSION 150 TRACK 48V 2700K	281	3
484974	FUNNEL SUSPENSION 150 TRACK 48V 3000K	281	3
484975	FUNNEL ELBOW 150 TRACK 48V 3000K DALI	288	3
484976	FUNNEL ELBOW 150 TRACK 48V 3000K	262	3
484981	FUNNEL SUSPENSION 150 TRACK 48V DALI 2700K	309	3
484982	FUNNEL SUSPENSION 150 TRACK 48V DALI 3000K	309	3
484983	FUNNEL SUSPENSION 150 TRACK 48V DALI 2700K	309	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
484984	FUNNEL SUSPENSION 150 TRACK 48V DALI 3000K	309	3
484986	FUNNEL ELBOW 150 TRACK 48V 2700K DALI	288	3
484987	FUNNEL ELBOW 150 TRACK 48V 2700K	262	3
484993	FUNNEL ELBOW 150 TRACK 48V 3000K	315	3
484994	FUNNEL ELBOW 150 TRACK 48V 3000K	315	3
484995	FUNNEL ELBOW 150 TRACK 48V 3000K	315	3
484996	FUNNEL ELBOW 150 TRACK 48V 3000K DALI	288	3
484997	FUNNEL ELBOW 150 TRACK 48V 3000K	262	3
485426	SNAKE LUX M 2700K DIMMER ON MAINSCORD	868	3
485447	SNAKE LUX M 2700K DIMMER ON MAINSCORD	868	3
485526	SNAKE LUX M 3000K DIMMER ON MAINSCORD	868	3
485547	SNAKE LUX M 3000K DIMMER ON MAINSCORD	868	3
485716	FUNNEL WALL DOUBLE GU10 for wall box	262	3
485726	FUNNEL WALL UP-DOWN 500mA 2700K	348	3
485736	FUNNEL WALL UP-DOWN 500mA 3000K	348	3
485737	FUNNEL WALL DOUBLE GU10 for wall box	262	3
485746	FUNNEL WALL UP-DOWN 500mA 4000K	348	3
485747	FUNNEL WALL UP-DOWN 500mA 2700K	348	3
485757	FUNNEL WALL UP-DOWN 500mA 3000K	348	3
485767	FUNNEL WALL UP-DOWN 500mA 4000K	348	3
485772	FUNNEL WALL UP-DOWN 500mA 4000K	360	3
485776	FUNNEL WALL DOUBLE GU10 for wall box	274	3
485777	FUNNEL WALL UP-DOWN 500mA 4000K	360	3
485782	FUNNEL WALL UP-DOWN 500mA 2700K	360	3
485783	FUNNEL WALL DOUBLE GU10 for wall box	274	3
485786	FUNNEL WALL UP-DOWN 500mA 2700K	360	3
485792	FUNNEL WALL UP-DOWN 500mA 3000K	360	3
485796	FUNNEL WALL UP-DOWN 500mA 3000K	360	3
485816	FUNNEL WALL DOUBLE GU10	256	3
485826	FUNNEL WALL UP-DOWN 230V 2700K MAINS DIMMABLE	369	3
485836	FUNNEL WALL UP-DOWN 230V 3000K MAINS DIMMABLE	369	3
485837	FUNNEL WALL DOUBLE GU10	256	3
485846	FUNNEL WALL UP-DOWN 230V 4000K MAINS DIMMABLE	369	3
485847	FUNNEL WALL UP-DOWN 230V 2700K MAINS DIMMABLE	369	3
485857	FUNNEL WALL UP-DOWN 230V 3000K MAINS DIMMABLE	369	3
485867	FUNNEL WALL UP-DOWN 230V 4000K MAINS DIMMABLE	369	3
485872	FUNNEL WALL UP-DOWN 230V 4000K MAINS DIMMABLE	379	3
485876	FUNNEL WALL DOUBLE GU10	265	3
485877	FUNNEL WALL UP-DOWN 230V 4000K MAINS DIMMABLE	379	3
485882	FUNNEL WALL UP-DOWN 230V 2700K MAINS DIMMABLE	379	3
485883	FUNNEL WALL DOUBLE GU10	265	3
485886	FUNNEL WALL UP-DOWN 230V 2700K MAINS DIMMABLE	379	3
485892	FUNNEL WALL UP-DOWN 230V 3000K MAINS DIMMABLE	379	3
485896	FUNNEL WALL UP-DOWN 230V 3000K MAINS DIMMABLE	379	3
487301	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K DALI	327	3
487302	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K	301	3
487304	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K	301	3
487305	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K	301	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
487311	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K DALI	327	3
487312	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K	301	3
487314	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K DALI	329	3
487315	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K DALI	329	3
487316	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K DALI	334	3
487323	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K DALI	327	3
487324	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K	301	3
487326	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K	306	3
487333	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K DALI	327	3
487334	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K	301	3
487336	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K DALI	329	3
487337	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K	481	3
487344	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K	301	3
487345	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K	301	3
487346	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K	301	3
487347	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K	481	3
487352	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K	301	3
487354	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K	301	3
487355	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K	301	3
487357	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K DALI	329	3
487362	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K	301	3
487364	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K DALI	329	3
487365	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K DALI	329	3
487367	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K	301	3
487372	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K DALI	329	3
487374	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K DALI	329	3
487375	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K DALI	329	3
487381	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K DALI	329	3
487384	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K DALI	329	3
487385	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K DALI	333	3
487386	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K	306	3
487387	BERRIER JUNIOR THIN WIRE TRACK 48V 3000K DALI	508	3
487391	BERRIER JUNIOR THIN WIRE TRACK 48V 4000K	301	3
487395	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K DALI	333	3
487396	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K	306	3
487397	BERRIER JUNIOR THIN WIRE TRACK 48V 2700K DALI	508	3
487903	ACCESSORY RAY	196	3
487926	ACCESSORY RAY	196	3
487947	ACCESSORY RAY	196	3
488015	KALEBAS E27	294	3
488025	KALEBAS E27	314	3
488026	KALEBAS E27	255	3
488036	KALEBAS E27	277	3
488047	KALEBAS E27	255	3
488050	KALEBAS E27	294	3
488060	KALEBAS E27	314	3
488115	KALEBAS E27 M10	271	3
488125	KALEBAS E27 M10	290	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
488126	KALEBAS E27 M10	231	3
488136	KALEBAS E27 M10	254	3
488147	KALEBAS E27 M10	231	3
488150	KALEBAS E27 M10	271	3
488160	KALEBAS E27 M10	290	3
488290	ACCESSORY KALEBAS GLASS SHELL	177	3
488291	ACCESSORY KALEBAS GLASS SHELL	177	3
488292	ACCESSORY KALEBAS GLASS SHELL	177	3
488293	ACCESSORY KALEBAS GLASS SHELL	177	3
488323	KALEBAS TABLE 2700K (excl. glass)	573	3
488333	KALEBAS TABLE 3000K (excl. glass)	573	3
488356	KALEBAS TABLE 2700K (excl. glass)	555	3
488366	KALEBAS TABLE 3000K (excl. glass)	555	3
488377	KALEBAS TABLE 2700K (excl. glass)	555	3
488387	KALEBAS TABLE 3000K (excl. glass)	555	3
488403	KALEBAS FLOOR 2700K (excl. glass)	740	3
488413	KALEBAS FLOOR 3000K (excl. glass)	740	3
488436	KALEBAS FLOOR 2700K (excl. glass)	720	3
488446	KALEBAS FLOOR 3000K (excl. glass)	720	3
488457	KALEBAS FLOOR 2700K (excl. glass)	720	3
488467	KALEBAS FLOOR 3000K (excl. glass)	720	3
488609	KALEBAS LED TRACK 48V DALI DIMM 4000K	548	3
488610	KALEBAS LED TRACK 48V 4000K	519	3
488614	KALEBAS LED TRACK 48V DALI DIMM 2700K	565	3
488615	KALEBAS LED TRACK 48V 2700K	535	3
488619	KALEBAS LED TRACK 48V DALI DIMM 3000K	565	3
488620	KALEBAS LED TRACK 48V 3000K	535	3
488625	KALEBAS LED TRACK 48V DALI DIMM 2700K	526	3
488626	KALEBAS LED TRACK 48V 2700K	494	3
488630	KALEBAS LED TRACK 48V DALI DIMM 3000K	526	3
488631	KALEBAS LED TRACK 48V 3000K	494	3
488635	KALEBAS LED TRACK 48V DALI DIMM 2700K	547	3
488636	KALEBAS LED TRACK 48V 2700K	518	3
488640	KALEBAS LED TRACK 48V DALI DIMM 3000K	547	3
488641	KALEBAS LED TRACK 48V 3000K	518	3
488646	KALEBAS LED TRACK 48V DALI DIMM 2700K	526	3
488647	KALEBAS LED TRACK 48V 2700K	494	3
488649	KALEBAS LED TRACK 48V DALI DIMM 2700K	565	3
488650	KALEBAS LED TRACK 48V 2700K	535	3
488651	KALEBAS LED TRACK 48V DALI DIMM 3000K	526	3
488652	KALEBAS LED TRACK 48V 3000K	494	3
488654	KALEBAS LED TRACK 48V DALI DIMM 3000K	565	3
488655	KALEBAS LED TRACK 48V 3000K	535	3
488664	KALEBAS LED TRACK 48V DALI DIMM 4000K	548	3
488665	KALEBAS LED TRACK 48V 4000K	519	3
488675	KALEBAS LED TRACK 48V DALI DIMM 4000K	510	3
488676	KALEBAS LED TRACK 48V 4000K	480	3
488685	KALEBAS LED TRACK 48V DALI DIMM 4000K	533	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
488686	KALEBAS LED TRACK 48V 4000K	503	3
488696	KALEBAS LED TRACK 48V DALI DIMM 4000K	510	3
488697	KALEBAS LED TRACK 48V 4000K	480	3
488810	KALEBAS LED 230V 4000K MAINS DIMMABLE	411	3
488815	KALEBAS LED 230V 2700K MAINS DIMMABLE	423	3
488820	KALEBAS LED 230V 3000K MAINS DIMMABLE	423	3
488826	KALEBAS LED 230V 2700K MAINS DIMMABLE	383	3
488831	KALEBAS LED 230V 3000K MAINS DIMMABLE	383	3
488836	KALEBAS LED 230V 2700K MAINS DIMMABLE	405	3
488841	KALEBAS LED 230V 3000K MAINS DIMMABLE	405	3
488847	KALEBAS LED 230V 2700K MAINS DIMMABLE	383	3
488850	KALEBAS LED 230V 2700K MAINS DIMMABLE	423	3
488852	KALEBAS LED 230V 3000K MAINS DIMMABLE	383	3
488855	KALEBAS LED 230V 3000K MAINS DIMMABLE	423	3
488865	KALEBAS LED 230V 4000K MAINS DIMMABLE	411	3
488876	KALEBAS LED 230V 4000K MAINS DIMMABLE	372	3
488886	KALEBAS LED 230V 4000K MAINS DIMMABLE	395	3
488897	KALEBAS LED 230V 4000K MAINS DIMMABLE	372	3
488910	KALEBAS LED M10 230V 4000K MAINS DIMMABLE	386	3
488915	KALEBAS LED M10 230V 2700K MAINS DIMMABLE	398	3
488920	KALEBAS LED M10 230V 3000K MAINS DIMMABLE	398	3
488926	KALEBAS LED M10 230V 2700K MAINS DIMMABLE	358	3
488931	KALEBAS LED M10 230V 3000K MAINS DIMMABLE	358	3
488936	KALEBAS LED M10 230V 2700K MAINS DIMMABLE	381	3
488941	KALEBAS LED M10 230V 3000K MAINS DIMMABLE	381	3
488947	KALEBAS LED M10 230V 2700K MAINS DIMMABLE	358	3
488950	KALEBAS LED M10 230V 2700K MAINS DIMMABLE	398	3
488952	KALEBAS LED M10 230V 3000K MAINS DIMMABLE	358	3
488955	KALEBAS LED M10 230V 3000K MAINS DIMMABLE	398	3
488965	KALEBAS LED M10 230V 4000K MAINS DIMMABLE	386	3
488976	KALEBAS LED M10 230V 4000K MAINS DIMMABLE	347	3
488986	KALEBAS LED M10 230V 4000K MAINS DIMMABLE	371	3
488997	KALEBAS LED M10 230V 4000K MAINS DIMMABLE	347	3
491050	NELSON Surface Mounted MAINS DIMM	741	3
491056	NELSON Surface Mounted MAINS DIMM	741	3
491057	NELSON Surface Mounted MAINS DIMM	741	3
491060	NELSON Surface Mounted MAINS DIMM	741	3
491066	NELSON Surface Mounted MAINS DIMM	741	3
491067	NELSON Surface Mounted MAINS DIMM	741	3
491170	NELSON SUSPENDED 2700K MAINS DIMM	622	3
491176	NELSON SUSPENDED 2700K MAINS DIMM	604	3
491177	NELSON SUSPENDED 2700K MAINS DIMM	604	3
491180	NELSON SUSPENDED 3000K MAINS DIMM	622	3
491186	NELSON SUSPENDED 3000K MAINS DIMM	604	3
491187	NELSON SUSPENDED 3000K MAINS DIMM	604	3
491270	NELSON SUSPENDED M10 2700K MAINS DIMM	572	3
491276	NELSON SUSPENDED M10 2700K MAINS DIMM	556	3
491277	NELSON SUSPENDED M10 2700K MAINS DIMM	556	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
491280	NELSON SUSPENDED M10 3000K MAINS DIMM	572	3
491286	NELSON SUSPENDED M10 3000K MAINS DIMM	556	3
491287	NELSON SUSPENDED M10 3000K MAINS DIMM	556	3
491426	TELESCOOP Surface Mounted	652	3
491436	TELESCOOP Surface Mounted	652	3
491447	TELESCOOP Surface Mounted	652	3
491457	TELESCOOP Surface Mounted	652	3
491541	TELESCOOP Suspended 2700K mains dimm	579	3
491551	TELESCOOP Suspended 3000K mains dimm	579	3
491562	TELESCOOP Suspended 2700K mains dimm	579	3
491572	TELESCOOP Suspended 3000K mains dimm	579	3
491641	TELESCOOP Suspended M10 2700K mains dimm	529	3
491651	TELESCOOP Suspended M10 3000K mains dimm	529	3
491662	TELESCOOP Suspended M10 2700K mains dimm	529	3
491672	TELESCOOP Suspended M10 3000K mains dimm	529	3
491826	HUBBLE 300 Surface Mounted MAINS DIMMABLE	574	3
491836	HUBBLE 300 Surface Mounted Touch/DALI DIMMABLE	603	3
491846	HUBBLE 400 Surface Mounted MAINS DIMMABLE	831	3
491847	HUBBLE 300 Surface Mounted MAINS DIMMABLE	574	3
491856	HUBBLE 400 Surface Mounted Touch/DALI DIMMABLE	860	3
491857	HUBBLE 300 Surface Mounted Touch/DALI DIMMABLE	602	3
491867	HUBBLE 400 Surface Mounted MAINS DIMMABLE	831	3
491877	HUBBLE 400 Surface Mounted Touch/DALI DIMMABLE	860	3
491926	HUBBLE 300 Suspended MAINS DIMMABLE	687	3
491936	HUBBLE 300 Suspended Touch/DALI DIMMABLE	725	3
491946	HUBBLE 400 Suspended MAINS DIMMABLE	966	3
491947	HUBBLE 300 Suspended MAINS DIMMABLE	687	3
491956	HUBBLE 400 Suspended Touch/DALI DIMMABLE	992	3
491957	HUBBLE 300 Suspended Touch/DALI DIMMABLE	725	3
491967	HUBBLE 400 Suspended MAINS DIMMABLE	966	3
491977	HUBBLE 400 Suspended Touch/DALI DIMMABLE	992	3
492050	ROLLO 300 Surface Mounted MAINS DIMMABLE	708	3
492056	ROLLO 300 Surface Mounted MAINS DIMMABLE	708	3
492057	ROLLO 300 Surface Mounted MAINS DIMMABLE	708	3
492060	ROLLO 300 Surface Mounted Touch/DALI DIMMABLE	727	3
492066	ROLLO 300 Surface Mounted Touch/DALI DIMMABLE	727	3
492067	ROLLO 300 Surface Mounted Touch/DALI DIMMABLE	727	3
492150	ROLLO 300 Suspended MAINS DIMMABLE	888	3
492156	ROLLO 300 Suspended MAINS DIMMABLE	888	3
492157	ROLLO 300 Suspended MAINS DIMMABLE	888	3
492160	ROLLO 300 Suspended Touch/DALI DIMMABLE	937	3
492166	ROLLO 300 Suspended Touch/DALI DIMMABLE	937	3
492167	ROLLO 300 Suspended Touch/DALI DIMMABLE	937	3
492250	ROLLO 400 Surface Mounted MAINS DIMMABLE	1034	3
492256	ROLLO 400 Surface Mounted MAINS DIMMABLE	1034	3
492257	ROLLO 400 Surface Mounted MAINS DIMMABLE	1034	3
492260	ROLLO 400 Surface Mounted Touch/DALI DIMMABLE	1079	3
492266	ROLLO 400 Surface Mounted Touch/DALI DIMMABLE	1079	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
492267	ROLLO 400 Surface Mounted Touch/DALI DIMMABLE	1079	3
492350	ROLLO 400 Suspended MAINS DIMMABLE	1208	3
492356	ROLLO 400 Suspended MAINS DIMMABLE	1208	3
492357	ROLLO 400 Suspended MAINS DIMMABLE	1208	3
492360	ROLLO 400 Suspended Touch/DALI DIMMABLE	1252	3
492366	ROLLO 400 Suspended Touch/DALI DIMMABLE	1252	3
492367	ROLLO 400 Suspended Touch/DALI DIMMABLE	1252	3
492916	M10 CLUSTERPLATE 11 230V	331	3
492917	M10 CLUSTERPLATE 11 230V	331	3
492976	M10 CLUSTERPLATE 7 230V	208	3
492977	M10 CLUSTERPLATE 7 230V	208	3
494001	BERRIER SUSPENSION 230V 2700K MAINS DIMMABLE	368	3
494016	BERRIER SUSPENSION 230V 2700K MAINS DIMMABLE	368	3
494019	BERRIER SUSPENSION 230V 2700K MAINS DIMMABLE	405	3
494020	BERRIER SUSPENSION 230V 2700K MAINS DIMMABLE	405	3
494056	BERRIER SUSPENSION 230V 2700K MAINS DIMMABLE	416	3
494096	BERRIER SUSPENSION 230V 2700K MAINS DIMMABLE	392	3
494101	BERRIER SUSPENSION M10 230V 2700K MAINS DIMMABLE	353	3
494116	BERRIER SUSPENSION M10 230V 2700K MAINS DIMMABLE	353	3
494119	BERRIER SUSPENSION M10 230V 2700K MAINS DIMMABLE	366	3
494120	BERRIER SUSPENSION M10 230V 2700K MAINS DIMMABLE	366	3
494156	BERRIER SUSPENSION M10 230V 2700K MAINS DIMMABLE	376	3
494196	BERRIER SUSPENSION M10 230V 2700K MAINS DIMMABLE	373	3
494219	BERRIER SURFACE MOUNTED NXT	489	3
494220	BERRIER SURFACE MOUNTED NXT	489	3
494226	BERRIER SURFACE MOUNTED NXT	478	3
494247	BERRIER SURFACE MOUNTED NXT	478	3
494256	BERRIER SURFACE MOUNTED NXT	503	3
494294	BERRIER SURFACE MOUNTED NXT	478	3
494295	BERRIER SURFACE MOUNTED NXT	478	3
494296	BERRIER SURFACE MOUNTED NXT	499	3
494419	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	491	3
494420	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	491	3
494426	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	466	3
494447	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	466	3
494456	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	500	3
494494	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	466	3
494495	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	466	3
494496	BERRIER SURFACE TRACK 230V 2700K MAINS DIMMABLE	487	3
494501	BERRIER SUSPENSION TRACK 230V 2700K MAINS DIMMABLE	399	3
494516	BERRIER SUSPENSION TRACK 230V 2700K MAINS DIMMABLE	399	3
494519	BERRIER SUSPENSION TRACK 230V 2700K MAINS DIMMABLE	442	3
494520	BERRIER SUSPENSION TRACK 230V 2700K MAINS DIMMABLE	442	3
494556	BERRIER SUSPENSION TRACK 230V 2700K MAINS DIMMABLE	452	3
494596	BERRIER SUSPENSION TRACK 230V 2700K MAINS DIMMABLE	420	3
496021	PARIS NXT LED MAINS DIMM	627	3
496026	PARIS NXT LED MAINS DIMM	519	3
496037	PARIS NXT LED MAINS DIMM	519	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
496056	PARIS NXT LED MAINS DIMM	567	3
496057	PARIS NXT LED MAINS DIMM	627	3
496091	PARIS NXT LED MAINS DIMM	567	3
496096	PARIS NXT LED MAINS DIMM	543	3
496521	PARIS SUSP NXT TRACK MAINS DIMM	627	3
496526	PARIS SUSP NXT TRACK MAINS DIMM	519	3
496537	PARIS SUSP NXT TRACK MAINS DIMM	519	3
496556	PARIS SUSP NXT TRACK MAINS DIMM	567	3
496557	PARIS SUSP NXT TRACK MAINS DIMM	627	3
496591	PARIS SUSP NXT TRACK MAINS DIMM	567	3
497106	NOBEL ECLIPS TORSION 250mA HALOSPHERE	135	3
497127	NOBEL ECLIPS TORSION 250mA HALOSPHERE	135	3
497172	NOBEL ECLIPS TORSION 250mA HALOSPHERE	140	3
497174	NOBEL ECLIPS TORSION 250mA HALOSPHERE	135	3
497175	NOBEL ECLIPS TORSION 250mA HALOSPHERE	135	3
497176	NOBEL ECLIPS TORSION 250mA HALOSPHERE	140	3
497406	NOBEL ECLIPS LEAF 250mA HALOSPHERE	135	3
497427	NOBEL ECLIPS LEAF 250mA HALOSPHERE	135	3
497472	NOBEL ECLIPS LEAF 250mA HALOSPHERE	140	3
497474	NOBEL ECLIPS LEAF 250mA HALOSPHERE	135	3
497475	NOBEL ECLIPS LEAF 250mA HALOSPHERE	135	3
497476	NOBEL ECLIPS LEAF 250mA HALOSPHERE	140	3
498100	NOBEL SFEROS-HELAX FRAME FOR PLASTER	13	3
498106	NOBEL SFEROS TORSION HALOSPHERE	194	3
498127	NOBEL SFEROS TORSION HALOSPHERE	194	3
498172	NOBEL SFEROS TORSION HALOSPHERE	198	3
498174	NOBEL SFEROS TORSION HALOSPHERE	194	3
498175	NOBEL SFEROS TORSION HALOSPHERE	194	3
498176	NOBEL SFEROS TORSION HALOSPHERE	198	3
498406	NOBEL SFEROS LEAF HALOSPHERE	194	3
498427	NOBEL SFEROS LEAF HALOSPHERE	194	3
498472	NOBEL SFEROS LEAF HALOSPHERE	198	3
498474	NOBEL SFEROS LEAF HALOSPHERE	194	3
498475	NOBEL SFEROS LEAF HALOSPHERE	194	3
498476	NOBEL SFEROS LEAF HALOSPHERE	198	3
498506	NOBEL SFEROS TRIMLESS HALOSPHERE	217	3
498527	NOBEL SFEROS TRIMLESS HALOSPHERE	217	3
498572	NOBEL SFEROS TRIMLESS HALOSPHERE	221	3
498574	NOBEL SFEROS TRIMLESS HALOSPHERE	217	3
498575	NOBEL SFEROS TRIMLESS HALOSPHERE	217	3
498576	NOBEL SFEROS TRIMLESS HALOSPHERE	221	3
499077	GUIDO FRAME FOR PLASTER	36	3
499097	GUIDO BOX FOR PLASTERED CONCRETE	61	3
499099	GUIDO BOX FOR VISIBLE CONCRETE	75	3
617026	NOBEL SINGLE BEAM WAVED GLASS EVO 350mA 2700K	262	3
617046	NOBEL SINGLE BEAM WAVED GLASS EVO 350mA 3000K	262	3
617047	NOBEL SINGLE BEAM WAVED GLASS EVO 350mA 2700K	262	3
617057	NOBEL SINGLE BEAM WAVED GLASS EVO 350mA 2700K	321	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
617067	NOBEL SINGLE BEAM WAVED GLASS EVO 350mA 3000K	262	3
617077	NOBEL SINGLE BEAM WAVED GLASS EVO 350mA 3000K	321	3
617099	NOBEL WALL WAVED GLASS EVO FOCUS ACCESSORY (1pc)	50	3
617126	NOBEL UP-DOWN WAVED GLASS EVO 350mA 2700K	295	3
617146	NOBEL UP-DOWN WAVED GLASS EVO 350mA 3000K	295	3
617147	NOBEL UP-DOWN WAVED GLASS EVO 350mA 2700K	295	3
617157	NOBEL UP-DOWN WAVED GLASS EVO 350mA 2700K	396	3
617167	NOBEL UP-DOWN WAVED GLASS EVO 350mA 3000K	295	3
617177	NOBEL UP-DOWN WAVED GLASS EVO 350mA 3000K	396	3
617217	NOBEL SINGLE BEAM WAVED GLASS EVO 230V 2700K MAINS DIMMABLE	273	3
617227	NOBEL SINGLE BEAM WAVED GLASS EVO 230V 3000K MAINS DIMMABLE	273	3
617228	NOBEL SINGLE BEAM WAVED GLASS EVO 230V 2700K MAINS DIMMABLE	332	3
617238	NOBEL SINGLE BEAM WAVED GLASS EVO 230V 3000K MAINS DIMMABLE	332	3
617256	NOBEL SINGLE BEAM WAVED GLASS EVO 230V 2700K MAINS DIMMABLE	273	3
617266	NOBEL SINGLE BEAM WAVED GLASS EVO 230V 3000K MAINS DIMMABLE	273	3
617317	NOBEL UP-DOWN WAVED GLASS EVO 230V 2700K MAINS DIMMABLE	353	3
617327	NOBEL UP-DOWN WAVED GLASS EVO 230V 3000K MAINS DIMMABLE	353	3
617328	NOBEL UP-DOWN WAVED GLASS EVO 230V 2700K MAINS DIMMABLE	414	3
617338	NOBEL UP-DOWN WAVED GLASS EVO 230V 3000K MAINS DIMMABLE	414	3
617356	NOBEL UP-DOWN WAVED GLASS EVO 230V 2700K MAINS DIMMABLE	353	3
617366	NOBEL UP-DOWN WAVED GLASS EVO 230V 3000K MAINS DIMMABLE	353	3
620146	FABIAN SM LED 300 MAINS DIMMABLE 3000K	483	3
620147	FABIAN SM LED 300 MAINS DIMMABLE 3000K	483	3
620156	FABIAN SM LED 300 Touch/DALI DIMMABLE 3000K	532	3
620157	FABIAN SM LED 300 Touch/DALI DIMMABLE 3000K	532	3
620166	FABIAN SM LED 300 MAINS DIMMABLE 4000K	483	3
620167	FABIAN SM LED 300 MAINS DIMMABLE 4000K	483	3
620176	FABIAN SM LED 300 Touch/DALI DIMMABLE 4000K	532	3
620177	FABIAN SM LED 300 Touch/DALI DIMMABLE 4000K	532	3
620346	FABIAN SUSP LED 300 MAINS DIMMABLE 3000K	571	3
620347	FABIAN SUSP LED 300 MAINS DIMMABLE 3000K	571	3
620356	FABIAN SUSP LED 300 Touch/DALI DIMMABLE 3000K	619	3
620357	FABIAN SUSP LED 300 Touch/DALI DIMMABLE 3000K	619	3
620366	FABIAN SUSP LED 300 MAINS DIMMABLE 4000K	571	3
620367	FABIAN SUSP LED 300 MAINS DIMMABLE 4000K	571	3
620376	FABIAN SUSP LED 300 Touch/DALI DIMMABLE 4000K	619	3
620377	FABIAN SUSP LED 300 Touch/DALI DIMMABLE 4000K	619	3
621146	FABIAN SM LED 400 MAINS DIMMABLE 3000K	584	3
621147	FABIAN SM LED 400 MAINS DIMMABLE 3000K	584	3
621156	FABIAN SM LED 400 Touch/DALI DIMMABLE 3000K	620	3
621157	FABIAN SM LED 400 Touch/DALI DIMMABLE 3000K	620	3
621166	FABIAN SM LED 400 MAINS DIMMABLE 4000K	584	3
621167	FABIAN SM LED 400 MAINS DIMMABLE 4000K	584	3
621176	FABIAN SM LED 400 Touch/DALI DIMMABLE 4000K	620	3
621177	FABIAN SM LED 400 Touch/DALI DIMMABLE 4000K	620	3
621346	FABIAN SUSP LED 400 MAINS DIMMABLE 3000K	672	3
621347	FABIAN SUSP LED 400 MAINS DIMMABLE 3000K	672	3
621356	FABIAN SUSP LED 400 Touch/DALI DIMMABLE 3000K	707	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
621357	FABIAN SUSP LED 400 Touch/DALI DIMMABLE 3000K	707	3
621366	FABIAN SUSP LED 400 MAINS DIMMABLE 4000K	672	3
621367	FABIAN SUSP LED 400 MAINS DIMMABLE 4000K	672	3
621376	FABIAN SUSP LED 400 Touch/DALI DIMMABLE 4000K	707	3
621377	FABIAN SUSP LED 400 Touch/DALI DIMMABLE 4000K	707	3
630146	FABIAN SM LED 500 3000K	707	3
630147	FABIAN SM LED 500 3000K	707	3
630156	FABIAN SM LED 500 Touch/DALI DIMMABLE 3000K	743	3
630157	FABIAN SM LED 500 Touch/DALI DIMMABLE 3000K	743	3
630166	FABIAN SM LED 500 4000K	707	3
630167	FABIAN SM LED 500 4000K	707	3
630176	FABIAN SM LED 500 Touch/DALI DIMMABLE 4000K	743	3
630177	FABIAN SM LED 500 Touch/DALI DIMMABLE 4000K	743	3
630346	FABIAN SUSP LED 500 3000K	795	3
630347	FABIAN SUSP LED 500 3000K	795	3
630356	FABIAN SUSP LED 500 Touch/DALI DIMMABLE 3000K	832	3
630357	FABIAN SUSP LED 500 Touch/DALI DIMMABLE 3000K	832	3
630366	FABIAN SUSP LED 500 4000K	795	3
630367	FABIAN SUSP LED 500 4000K	795	3
630376	FABIAN SUSP LED 500 Touch/DALI DIMMABLE 4000K	832	3
630377	FABIAN SUSP LED 500 Touch/DALI DIMMABLE 4000K	832	3
650042	ORBITAL TRIMLESS LIGHT ONLY - THROUGH FLOW LOOK 350mA 2700K	195	3
650044	ORBITAL TRIMLESS LIGHT ONLY - THROUGH FLOW LOOK 350mA 2700K	195	3
650046	ORBITAL TRIMLESS LIGHT ONLY - FLOW CONTROL LOOK 350mA 2700K	175	3
650047	ORBITAL TRIMLESS LIGHT ONLY - FLOW CONTROL LOOK 350mA 2700K	175	3
650062	ORBITAL TRIMLESS LIGHT ONLY - THROUGH FLOW LOOK 350mA 3000K	195	3
650064	ORBITAL TRIMLESS LIGHT ONLY - THROUGH FLOW LOOK 350mA 3000K	195	3
650066	ORBITAL TRIMLESS LIGHT ONLY - FLOW CONTROL LOOK 350mA 3000K	175	3
650067	ORBITAL TRIMLESS LIGHT ONLY - FLOW CONTROL LOOK 350mA 3000K	175	3
650082	ORBITAL TRIMLESS LIGHT ONLY - THROUGH FLOW LOOK 250mA HALOSPHE	224	3
650084	ORBITAL TRIMLESS LIGHT ONLY - THROUGH FLOW LOOK 250mA HALOSPHE	224	3
650086	ORBITAL TRIMLESS LIGHT ONLY - FLOW CONTROL LOOK 250mA HALOSPHE	205	3
650087	ORBITAL TRIMLESS LIGHT ONLY - FLOW CONTROL LOOK 250mA HALOSPHE	205	3
650106	ORBITAL BASIC TRIMLESS - THROUGH FLOW	133	3
650107	ORBITAL BASIC TRIMLESS - THROUGH FLOW	133	3
650146	ORBITAL TRIMLESS - THROUGH FLOW - 2700K	199	3
650147	ORBITAL TRIMLESS - THROUGH FLOW - 2700K	199	3
650166	ORBITAL TRIMLESS - THROUGH FLOW - 3000K	199	3
650167	ORBITAL TRIMLESS - THROUGH FLOW - 3000K	199	3
650186	ORBITAL TRIMLESS - THROUGH FLOW - HALOSPHERE	228	3
650187	ORBITAL TRIMLESS - THROUGH FLOW - HALOSPHERE	228	3
650206	ORBITAL BASIC TRIMLESS - FLOW CONTROL	159	3
650207	ORBITAL BASIC TRIMLESS - FLOW CONTROL	159	3
650246	ORBITAL TRIMLESS - FLOW CONTROL - 2700K	226	3
650247	ORBITAL TRIMLESS - FLOW CONTROL - 2700K	226	3
650266	ORBITAL TRIMLESS - FLOW CONTROL - 3000K	226	3
650267	ORBITAL TRIMLESS - FLOW CONTROL - 3000K	226	3
650286	ORBITAL TRIMLESS - FLOW CONTROL - HALOSPHERE	247	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
650287	ORBITAL TRIMLESS - FLOW CONTROL - HALOSPHERE	247	3
650346	ORBITAL TRIMLESS SOUND 350mA 2700K	309	3
650347	ORBITAL TRIMLESS SOUND 350mA 2700K	309	3
650366	ORBITAL TRIMLESS SOUND 350mA 3000K	309	3
650367	ORBITAL TRIMLESS SOUND 350mA 3000K	309	3
650386	ORBITAL TRIMLESS - SOUND 250mA HALOSPHERE	360	3
650387	ORBITAL TRIMLESS - SOUND 250mA HALOSPHERE	360	3
650446	ORBITAL TRIMLESS - SMOKE - 2700K	361	3
650447	ORBITAL TRIMLESS - SMOKE - 2700K	361	3
650466	ORBITAL TRIMLESS - SMOKE - 3000K	361	3
650467	ORBITAL TRIMLESS - SMOKE - 3000K	361	3
650486	ORBITAL TRIMLESS - SMOKE - HALOSPHERE	411	3
650487	ORBITAL TRIMLESS - SMOKE - HALOSPHERE	411	3
650542	ORBITAL LIGHT ONLY - THROUGH FLOW LOOK 350mA 2700K	210	3
650544	ORBITAL LIGHT ONLY - THROUGH FLOW LOOK 350mA 2700K	210	3
650546	ORBITAL LIGHT ONLY - FLOW CONTROL LOOK 350mA 2700K	193	3
650547	ORBITAL LIGHT ONLY - FLOW CONTROL LOOK 350mA 2700K	193	3
650562	ORBITAL LIGHT ONLY - THROUGH FLOW LOOK 350mA 3000K	210	3
650564	ORBITAL LIGHT ONLY - THROUGH FLOW LOOK 350mA 3000K	210	3
650566	ORBITAL LIGHT ONLY - FLOW CONTROL LOOK 350mA 3000K	193	3
650567	ORBITAL LIGHT ONLY - FLOW CONTROL LOOK 350mA 3000K	193	3
650582	ORBITAL LIGHT ONLY THROUGH FLOW LOOK 250mA HALOSPHERE	243	3
650584	ORBITAL LIGHT ONLY THROUGH FLOW LOOK 250mA HALOSPHERE	243	3
650586	ORBITAL LIGHT ONLY FLOW CONTROL LOOK 250mA HALOSPHERE	222	3
650587	ORBITAL LIGHT ONLY FLOW CONTROL LOOK 250mA HALOSPHERE	222	3
650606	ORBITAL BASIC LEAF - THROUGH FLOW	134	3
650607	ORBITAL BASIC LEAF - THROUGH FLOW	134	3
650646	ORBITAL THROUGH FLOW 350mA 2700K	224	3
650647	ORBITAL THROUGH FLOW 350mA 2700K	224	3
650666	ORBITAL THROUGH FLOW 350mA 3000K	224	3
650667	ORBITAL THROUGH FLOW 350mA 3000K	224	3
650686	ORBITAL THROUGH FLOW 250mA HALOSPHERE	242	3
650687	ORBITAL THROUGH FLOW 250mA HALOSPHERE	242	3
650706	ORBITAL BASIC LEAF - FLOW CONTROL	160	3
650707	ORBITAL BASIC LEAF - FLOW CONTROL	160	3
650746	ORBITAL FLOW CONTROL 350mA 2700K	243	3
650747	ORBITAL FLOW CONTROL 350mA 2700K	243	3
650766	ORBITAL FLOW CONTROL 350mA 3000K	243	3
650767	ORBITAL FLOW CONTROL 350mA 3000K	243	3
650786	ORBITAL FLOW CONTROL 250mA HALOSPHERE	255	3
650787	ORBITAL FLOW CONTROL 250mA HALOSPHERE	255	3
650846	ORBITAL SOUND 350mA 2700K	360	3
650847	ORBITAL SOUND 350mA 2700K	360	3
650866	ORBITAL SOUND 350mA 3000K	360	3
650867	ORBITAL SOUND 350mA 3000K	360	3
650886	ORBITAL SOUND 250mA HALOSPHERE	375	3
650887	ORBITAL SOUND 250mA HALOSPHERE	375	3
650946	ORBITAL SMOKE 350mA 2700K	381	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
650947	ORBITAL SMOKE 350mA 2700K	381	3
650966	ORBITAL SMOKE 350mA 3000K	381	3
650967	ORBITAL SMOKE 350mA 3000K	381	3
650986	ORBITAL SMOKE 250mA HALOSPHERE	428	3
650987	ORBITAL SMOKE 250mA HALOSPHERE	428	3
680026	LUDO PROFILE /M	133	3
680047	LUDO PROFILE /M	133	3
680226	LUDO ENDCAP	66	3
680247	LUDO ENDCAP	66	3
681700	LUDO LEDSYSTEM DOWN HE 10x650lm 2700K DALI/TOUCH DIMM	571	3
681702	LUDO LEDSYSTEM DOWN HO 10x1100lm 2700K DALI/TOUCH DIMM	678	3
681704	LUDO LEDSYSTEM DOWN HE 10x650lm 2700K	540	3
681706	LUDO LEDSYSTEM DOWN HO 10x1100lm 2700K	570	3
681720	LUDO LEDSYSTEM DOWN HE 2x650lm 2700K DALI/TOUCH DIMM	313	3
681722	LUDO LEDSYSTEM DOWN HO 2x1100lm 2700K DALI/TOUCH DIMM	318	3
681724	LUDO LEDSYSTEM DOWN HE 2x650lm 2700K	295	3
681726	LUDO LEDSYSTEM DOWN HO 2x1100lm 2700K	300	3
681730	LUDO LEDSYSTEM DOWN HE 3x650lm 2700K DALI/TOUCH DIMM	338	3
681732	LUDO LEDSYSTEM DOWN HO 3x1100lm 2700K DALI/TOUCH DIMM	342	3
681734	LUDO LEDSYSTEM DOWN HE 3x650lm 2700K	319	3
681736	LUDO LEDSYSTEM DOWN HO 3x1100lm 2700K	322	3
681740	LUDO LEDSYSTEM DOWN HE 4x650lm 2700K DALI/TOUCH DIMM	374	3
681742	LUDO LEDSYSTEM DOWN HO 4x1100lm 2700K DALI/TOUCH DIMM	378	3
681744	LUDO LEDSYSTEM DOWN HE 4x650lm 2700K	355	3
681746	LUDO LEDSYSTEM DOWN HO 4x1100lm 2700K	358	3
681750	LUDO LEDSYSTEM DOWN HE 5x650lm 2700K DALI/TOUCH DIMM	400	3
681752	LUDO LEDSYSTEM DOWN HO 5x1100lm 2700K DALI/TOUCH DIMM	419	3
681754	LUDO LEDSYSTEM DOWN HE 5x650lm 2700K	380	3
681756	LUDO LEDSYSTEM DOWN HO 5x1100lm 2700K	398	3
681760	LUDO LEDSYSTEM DOWN HE 6x650lm 2700K DALI/TOUCH DIMM	436	3
681762	LUDO LEDSYSTEM DOWN HO 6x1100lm 2700K DALI/TOUCH DIMM	454	3
681764	LUDO LEDSYSTEM DOWN HE 6x650lm 2700K	416	3
681766	LUDO LEDSYSTEM DOWN HO 6x1100lm 2700K	432	3
681770	LUDO LEDSYSTEM DOWN HE 7x650lm 2700K DALI/TOUCH DIMM	482	3
681772	LUDO LEDSYSTEM DOWN HO 7x1100lm 2700K DALI/TOUCH DIMM	485	3
681774	LUDO LEDSYSTEM DOWN HE 7x650lm 2700K	459	3
681776	LUDO LEDSYSTEM DOWN HO 7x1100lm 2700K	462	3
681780	LUDO LEDSYSTEM DOWN HE 8x650lm 2700K DALI/TOUCH DIMM	510	3
681782	LUDO LEDSYSTEM DOWN HO 8x1100lm 2700K DALI/TOUCH DIMM	514	3
681784	LUDO LEDSYSTEM DOWN HE 8x650lm 2700K	486	3
681786	LUDO LEDSYSTEM DOWN HO 8x1100lm 2700K	491	3
681790	LUDO LEDSYSTEM DOWN HE 9x650lm 2700K DALI/TOUCH DIMM	526	3
681792	LUDO LEDSYSTEM DOWN HO 9x1100lm 2700K DALI/TOUCH DIMM	628	3
681794	LUDO LEDSYSTEM DOWN HE 9x650lm 2700K	502	3
681796	LUDO LEDSYSTEM DOWN HO 9x1100lm 2700K	532	3
681800	LUDO LEDSYSTEM DOWN HE 10x650lm 3000K DALI/TOUCH DIMM	571	3
681802	LUDO LEDSYSTEM DOWN HO 10x1100lm 3000K DALI/TOUCH DIMM	678	3
681804	LUDO LEDSYSTEM DOWN HE 10x650lm 3000K	540	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
681806	LUDO LEDSYSTEM DOWN HO 10x1100lm 3000K	570	3
681820	LUDO LEDSYSTEM DOWN HE 2x650lm 3000K DALI/TOUCH DIMM	313	3
681822	LUDO LEDSYSTEM DOWN HO 2x1100lm 3000K DALI/TOUCH DIMM	318	3
681824	LUDO LEDSYSTEM DOWN HE 2x650lm 3000K	295	3
681826	LUDO LEDSYSTEM DOWN HO 2x1100lm 3000K	300	3
681830	LUDO LEDSYSTEM DOWN HE 3x650lm 3000K DALI/TOUCH DIMM	338	3
681832	LUDO LEDSYSTEM DOWN HO 3x1100lm 3000K DALI/TOUCH DIMM	342	3
681834	LUDO LEDSYSTEM DOWN HE 3x650lm 3000K	319	3
681836	LUDO LEDSYSTEM DOWN HO 3x1100lm 3000K	322	3
681840	LUDO LEDSYSTEM DOWN HE 4x650lm 3000K DALI/TOUCH DIMM	374	3
681842	LUDO LEDSYSTEM DOWN HO 4x1100lm 3000K DALI/TOUCH DIMM	378	3
681844	LUDO LEDSYSTEM DOWN HE 4x650lm 3000K	355	3
681846	LUDO LEDSYSTEM DOWN HO 4x1100lm 3000K	358	3
681850	LUDO LEDSYSTEM DOWN HE 5x650lm 3000K DALI/TOUCH DIMM	400	3
681852	LUDO LEDSYSTEM DOWN HO 5x1100lm 3000K DALI/TOUCH DIMM	419	3
681854	LUDO LEDSYSTEM DOWN HE 5x650lm 3000K	380	3
681856	LUDO LEDSYSTEM DOWN HO 5x1100lm 3000K	398	3
681860	LUDO LEDSYSTEM DOWN HE 6x650lm 3000K DALI/TOUCH DIMM	436	3
681862	LUDO LEDSYSTEM DOWN HO 6x1100lm 3000K DALI/TOUCH DIMM	454	3
681864	LUDO LEDSYSTEM DOWN HE 6x650lm 3000K	416	3
681866	LUDO LEDSYSTEM DOWN HO 6x1100lm 3000K	432	3
681870	LUDO LEDSYSTEM DOWN HE 7x650lm 3000K DALI/TOUCH DIMM	482	3
681872	LUDO LEDSYSTEM DOWN HO 7x1100lm 3000K DALI/TOUCH DIMM	485	3
681874	LUDO LEDSYSTEM DOWN HE 7x650lm 3000K	459	3
681876	LUDO LEDSYSTEM DOWN HO 7x1100lm 3000K	462	3
681880	LUDO LEDSYSTEM DOWN HE 8x650lm 3000K DALI/TOUCH DIMM	510	3
681882	LUDO LEDSYSTEM DOWN HO 8x1100lm 3000K DALI/TOUCH DIMM	514	3
681884	LUDO LEDSYSTEM DOWN HE 8x650lm 3000K	486	3
681886	LUDO LEDSYSTEM DOWN HO 8x1100lm 3000K	491	3
681890	LUDO LEDSYSTEM DOWN HE 9x650lm 3000K DALI/TOUCH DIMM	526	3
681892	LUDO LEDSYSTEM DOWN HO 9x1100lm 3000K DALI/TOUCH DIMM	628	3
681894	LUDO LEDSYSTEM DOWN HE 9x650lm 3000K	502	3
681896	LUDO LEDSYSTEM DOWN HO 9x1100lm 3000K	532	3
681900	LUDO LEDSYSTEM DOWN HE 10x650lm 4000K DALI/TOUCH DIMM	571	3
681902	LUDO LEDSYSTEM DOWN HO 10x1100lm 4000K DALI/TOUCH DIMM	678	3
681904	LUDO LEDSYSTEM DOWN HE 10x650lm 4000K	540	3
681906	LUDO LEDSYSTEM DOWN HO 10x1100lm 4000K	570	3
681920	LUDO LEDSYSTEM DOWN HE 2x650lm 4000K DALI/TOUCH DIMM	313	3
681922	LUDO LEDSYSTEM DOWN HO 2x1100lm 4000K DALI/TOUCH DIMM	318	3
681924	LUDO LEDSYSTEM DOWN HE 2x650lm 4000K	295	3
681926	LUDO LEDSYSTEM DOWN HO 2x1100lm 4000K	300	3
681930	LUDO LEDSYSTEM DOWN HE 3x650lm 4000K DALI/TOUCH DIMM	338	3
681932	LUDO LEDSYSTEM DOWN HO 3x1100lm 4000K DALI/TOUCH DIMM	342	3
681934	LUDO LEDSYSTEM DOWN HE 3x650lm 4000K	319	3
681936	LUDO LEDSYSTEM DOWN HO 3x1100lm 4000K	322	3
681940	LUDO LEDSYSTEM DOWN HE 4x650lm 4000K DALI/TOUCH DIMM	374	3
681942	LUDO LEDSYSTEM DOWN HO 4x1100lm 4000K DALI/TOUCH DIMM	378	3
681944	LUDO LEDSYSTEM DOWN HE 4x650lm 4000K	355	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
681946	LUDO LEDSYSTEM DOWN HO 4x1100lm 4000K	358	3
681950	LUDO LEDSYSTEM DOWN HE 5x650lm 4000K DALI/TOUCH DIMM	400	3
681952	LUDO LEDSYSTEM DOWN HO 5x1100lm 4000K DALI/TOUCH DIMM	419	3
681954	LUDO LEDSYSTEM DOWN HE 5x650lm 4000K	380	3
681956	LUDO LEDSYSTEM DOWN HO 5x1100lm 4000K	398	3
681960	LUDO LEDSYSTEM DOWN HE 6x650lm 4000K DALI/TOUCH DIMM	436	3
681962	LUDO LEDSYSTEM DOWN HO 6x1100lm 4000K DALI/TOUCH DIMM	454	3
681964	LUDO LEDSYSTEM DOWN HE 6x650lm 4000K	416	3
681966	LUDO LEDSYSTEM DOWN HO 6x1100lm 4000K	432	3
681970	LUDO LEDSYSTEM DOWN HE 7x650lm 4000K DALI/TOUCH DIMM	482	3
681972	LUDO LEDSYSTEM DOWN HO 7x1100lm 4000K DALI/TOUCH DIMM	485	3
681974	LUDO LEDSYSTEM DOWN HE 7x650lm 4000K	459	3
681976	LUDO LEDSYSTEM DOWN HO 7x1100lm 4000K	462	3
681980	LUDO LEDSYSTEM DOWN HE 8x650lm 4000K DALI/TOUCH DIMM	510	3
681982	LUDO LEDSYSTEM DOWN HO 8x1100lm 4000K DALI/TOUCH DIMM	514	3
681984	LUDO LEDSYSTEM DOWN HE 8x650lm 4000K	486	3
681986	LUDO LEDSYSTEM DOWN HO 8x1100lm 4000K	491	3
681990	LUDO LEDSYSTEM DOWN HE 9x650lm 4000K DALI/TOUCH DIMM	526	3
681992	LUDO LEDSYSTEM DOWN HO 9x1100lm 4000K DALI/TOUCH DIMM	628	3
681994	LUDO LEDSYSTEM DOWN HE 9x650lm 4000K	502	3
681996	LUDO LEDSYSTEM DOWN HO 9x1100lm 4000K	532	3
682070	LUDO MODULE UP LEDLINE CR 9.6W 4000K + H DIFFUSER /M	115	3
682072	LUDO MODULE UP LEDLINE CR 9.6W 3000K + H DIFFUSER /M	115	3
682073	LUDO MODULE UP LEDLINE CR 14.4W 2700K + H DIFFUSER /m	125	3
682074	LUDO MODULE UP LEDLINE CR 14.4W 4000K + H DIFFUSER /M	125	3
682075	LUDO MODULE UP LEDLINE CR 14.4W 3000K + H DIFFUSER /M	125	3
682076	LUDO MODULE UP LEDLINE CR 19,2W 2700K + H DIFFUSER /M	133	3
682077	LUDO MODULE UP LEDLINE CR 19,2W 3000K + H DIFFUSER /M	133	3
682078	LUDO MODULE UP LEDLINE CR 19,2W 4000K + H DIFFUSER /M	133	3
682079	LUDO MODULE UP LEDLINE CR 9.6W 2700K + H DIFFUSER /M	115	3
682170	LUDO MODULE DOWN LEDLINE CR 9.6W 4000K + S DIFFUSER /M	115	3
682172	LUDO MODULE DOWN LEDLINE CR 9.6W 3000K + S DIFFUSER /M	115	3
682173	LUDO MODULE DOWN LEDLINE CR 14.4W 2700K + S DIFFUSER /M	125	3
682174	LUDO MODULE DOWN LEDLINE CR 14.4W 4000K + S DIFFUSER /M	125	3
682175	LUDO MODULE DOWN LEDLINE CR 14.4W 3000K + S DIFFUSER /M	125	3
682176	LUDO MODULE DOWN LEDLINE CR 19,2W 2700K + S DIFFUSER /M	133	3
682177	LUDO MODULE DOWN LEDLINE CR 19,2W 3000K + S DIFFUSER /M	133	3
682178	LUDO MODULE DOWN LEDLINE CR 19,2W 4000K + S DIFFUSER /M	133	3
682179	LUDO MODULE DOWN LEDLINE CR 9.6W 2700K + S DIFFUSER /M	115	3
682700	LUDO LEDSYSTEM UP HE 10x650lm 2700K DALI/TOUCH DIMM	571	3
682702	LUDO LEDSYSTEM UP HO 10x1100lm 2700K DALI/TOUCH DIMM	678	3
682704	LUDO LEDSYSTEM UP HE 10x650lm 2700K	540	3
682706	LUDO LEDSYSTEM UP HO 10x1100lm 2700K	570	3
682720	LUDO LEDSYSTEM UP HE 2x650lm 2700K DALI/TOUCH DIMM	313	3
682722	LUDO LEDSYSTEM UP HO 2x1100lm 2700K DALI/TOUCH DIMM	317	3
682724	LUDO LEDSYSTEM UP HE 2x650lm 2700K	295	3
682726	LUDO LEDSYSTEM UP HO 2x1100lm 2700K	300	3
682730	LUDO LEDSYSTEM UP HE 3x650lm 2700K DALI/TOUCH DIMM	338	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
682732	LUDO LEDSYSTEM UP HO 3x1100lm 2700K DALI/TOUCH DIMM	342	3
682734	LUDO LEDSYSTEM UP HE 3x650lm 2700K	319	3
682736	LUDO LEDSYSTEM UP HO 3x1100lm 2700K	322	3
682740	LUDO LEDSYSTEM UP HE 4x650lm 2700K DALI/TOUCH DIMM	374	3
682742	LUDO LEDSYSTEM UP HO 4x1100lm 2700K DALI/TOUCH DIMM	378	3
682744	LUDO LEDSYSTEM UP HE 4x650lm 2700K	355	3
682746	LUDO LEDSYSTEM UP HO 4x1100lm 2700K	358	3
682750	LUDO LEDSYSTEM UP HE 5x650lm 2700K DALI/TOUCH DIMM	400	3
682752	LUDO LEDSYSTEM UP HO 5x1100lm 2700K DALI/TOUCH DIMM	419	3
682754	LUDO LEDSYSTEM UP HE 5x650lm 2700K	380	3
682756	LUDO LEDSYSTEM UP HO 5x1100lm 2700K	398	3
682760	LUDO LEDSYSTEM UP HE 6x650lm 2700K DALI/TOUCH DIMM	436	3
682762	LUDO LEDSYSTEM UP HO 6x1100lm 2700K DALI/TOUCH DIMM	455	3
682764	LUDO LEDSYSTEM UP HE 6x650lm 2700K	416	3
682766	LUDO LEDSYSTEM UP HO 6x1100lm 2700K	432	3
682770	LUDO LEDSYSTEM UP HE 7x650lm 2700K DALI/TOUCH DIMM	481	3
682772	LUDO LEDSYSTEM UP HO 7x1100lm 2700K DALI/TOUCH DIMM	485	3
682774	LUDO LEDSYSTEM UP HE 7x650lm 2700K	459	3
682776	LUDO LEDSYSTEM UP HO 7x1100lm 2700K	462	3
682780	LUDO LEDSYSTEM UP HE 8x650lm 2700K DALI/TOUCH DIMM	510	3
682782	LUDO LEDSYSTEM UP HO 8x1100lm 2700K DALI/TOUCH DIMM	514	3
682784	LUDO LEDSYSTEM UP HE 8x650lm 2700K	486	3
682786	LUDO LEDSYSTEM UP HO 8x1100lm 2700K	532	3
682790	LUDO LEDSYSTEM UP HE 9x650lm 2700K DALI/TOUCH DIMM	526	3
682792	LUDO LEDSYSTEM UP HO 9x1100lm 2700K DALI/TOUCH DIMM	628	3
682794	LUDO LEDSYSTEM UP HE 9x650lm 2700K	502	3
682796	LUDO LEDSYSTEM UP HO 9x1100lm 2700K	570	3
682800	LUDO LEDSYSTEM UP HE 10x650lm 3000K DALI/TOUCH DIMM	571	3
682802	LUDO LEDSYSTEM UP HO 10x1100lm 3000K DALI/TOUCH DIMM	678	3
682804	LUDO LEDSYSTEM UP HE 10x650lm 3000K	540	3
682806	LUDO LEDSYSTEM UP HO 10x1100lm 3000K	570	3
682820	LUDO LEDSYSTEM UP HE 2x650lm 3000K DALI/TOUCH DIMM	313	3
682822	LUDO LEDSYSTEM UP HO 2x1100lm 3000K DALI/TOUCH DIMM	317	3
682824	LUDO LEDSYSTEM UP HE 2x650lm 3000K	295	3
682826	LUDO LEDSYSTEM UP HO 2x1100lm 3000K	300	3
682830	LUDO LEDSYSTEM UP HE 3x650lm 3000K DALI/TOUCH DIMM	338	3
682832	LUDO LEDSYSTEM UP HO 3x1100lm 3000K DALI/TOUCH DIMM	342	3
682834	LUDO LEDSYSTEM UP HE 3x650lm 3000K	319	3
682836	LUDO LEDSYSTEM UP HO 3x1100lm 3000K	322	3
682840	LUDO LEDSYSTEM UP HE 4x650lm 3000K DALI/TOUCH DIMM	374	3
682842	LUDO LEDSYSTEM UP HO 4x1100lm 3000K DALI/TOUCH DIMM	378	3
682844	LUDO LEDSYSTEM UP HE 4x650lm 3000K	355	3
682846	LUDO LEDSYSTEM UP HO 4x1100lm 3000K	358	3
682850	LUDO LEDSYSTEM UP HE 5x650lm 3000K DALI/TOUCH DIMM	400	3
682852	LUDO LEDSYSTEM UP HO 5x1100lm 3000K DALI/TOUCH DIMM	419	3
682854	LUDO LEDSYSTEM UP HE 5x650lm 3000K	380	3
682856	LUDO LEDSYSTEM UP HO 5x1100lm 3000K	398	3
682860	LUDO LEDSYSTEM UP HE 6x650lm 3000K DALI/TOUCH DIMM	436	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
682862	LUDO LEDSYSTEM UP HO 6x1100lm 3000K DALI/TOUCH DIMM	455	3
682864	LUDO LEDSYSTEM UP HE 6x650lm 3000K	416	3
682866	LUDO LEDSYSTEM UP HO 6x1100lm 3000K	432	3
682870	LUDO LEDSYSTEM UP HE 7x650lm 3000K DALI/TOUCH DIMM	481	3
682872	LUDO LEDSYSTEM UP HO 7x1100lm 3000K DALI/TOUCH DIMM	485	3
682874	LUDO LEDSYSTEM UP HE 7x650lm 3000K	459	3
682876	LUDO LEDSYSTEM UP HO 7x1100lm 3000K	462	3
682880	LUDO LEDSYSTEM UP HE 8x650lm 3000K DALI/TOUCH DIMM	510	3
682882	LUDO LEDSYSTEM UP HO 8x1100lm 3000K DALI/TOUCH DIMM	514	3
682884	LUDO LEDSYSTEM UP HE 8x650lm 3000K	486	3
682886	LUDO LEDSYSTEM UP HO 8x1100lm 3000K	532	3
682890	LUDO LEDSYSTEM UP HE 9x650lm 3000K DALI/TOUCH DIMM	526	3
682892	LUDO LEDSYSTEM UP HO 9x1100lm 3000K DALI/TOUCH DIMM	628	3
682894	LUDO LEDSYSTEM UP HE 9x650lm 3000K	502	3
682896	LUDO LEDSYSTEM UP HO 9x1100lm 3000K	570	3
682900	LUDO LEDSYSTEM UP HE 10x650lm 4000K DALI/TOUCH DIMM	571	3
682902	LUDO LEDSYSTEM UP HO 10x1100lm 4000K DALI/TOUCH DIMM	678	3
682904	LUDO LEDSYSTEM UP HE 10x650lm 4000K	540	3
682906	LUDO LEDSYSTEM UP HO 10x1100lm 4000K	570	3
682920	LUDO LEDSYSTEM UP HE 2x650lm 4000K DALI/TOUCH DIMM	313	3
682922	LUDO LEDSYSTEM UP HO 2x1100lm 4000K DALI/TOUCH DIMM	317	3
682924	LUDO LEDSYSTEM UP HE 2x650lm 4000K	295	3
682926	LUDO LEDSYSTEM UP HO 2x1100lm 4000K	300	3
682930	LUDO LEDSYSTEM UP HE 3x650lm 4000K DALI/TOUCH DIMM	338	3
682932	LUDO LEDSYSTEM UP HO 3x1100lm 4000K DALI/TOUCH DIMM	342	3
682934	LUDO LEDSYSTEM UP HE 3x650lm 4000K	319	3
682936	LUDO LEDSYSTEM UP HO 3x1100lm 4000K	322	3
682940	LUDO LEDSYSTEM UP HE 4x650lm 4000K DALI/TOUCH DIMM	374	3
682942	LUDO LEDSYSTEM UP HO 4x1100lm 4000K DALI/TOUCH DIMM	378	3
682944	LUDO LEDSYSTEM UP HE 4x650lm 4000K	355	3
682946	LUDO LEDSYSTEM UP HO 4x1100lm 4000K	358	3
682950	LUDO LEDSYSTEM UP HE 5x650lm 4000K DALI/TOUCH DIMM	400	3
682952	LUDO LEDSYSTEM UP HO 5x1100lm 4000K DALI/TOUCH DIMM	419	3
682954	LUDO LEDSYSTEM UP HE 5x650lm 4000K	380	3
682956	LUDO LEDSYSTEM UP HO 5x1100lm 4000K	398	3
682960	LUDO LEDSYSTEM UP HE 6x650lm 4000K DALI/TOUCH DIMM	436	3
682962	LUDO LEDSYSTEM UP HO 6x1100lm 4000K DALI/TOUCH DIMM	455	3
682964	LUDO LEDSYSTEM UP HE 6x650lm 4000K	459	3
682966	LUDO LEDSYSTEM UP HO 6x1100lm 4000K	432	3
682970	LUDO LEDSYSTEM UP HE 7x650lm 4000K DALI/TOUCH DIMM	481	3
682972	LUDO LEDSYSTEM UP HO 7x1100lm 4000K DALI/TOUCH DIMM	485	3
682974	LUDO LEDSYSTEM UP HE 7x650lm 4000K	459	3
682976	LUDO LEDSYSTEM UP HO 7x1100lm 4000K	462	3
682980	LUDO LEDSYSTEM UP HE 8x650lm 4000K DALI/TOUCH DIMM	510	3
682982	LUDO LEDSYSTEM UP HO 8x1100lm 4000K DALI/TOUCH DIMM	514	3
682984	LUDO LEDSYSTEM UP HE 8x650lm 4000K	486	3
682986	LUDO LEDSYSTEM UP HO 8x1100lm 4000K	532	3
682990	LUDO LEDSYSTEM UP HE 9x650lm 4000K DALI/TOUCH DIMM	526	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
682992	LUDO LEDSYSTEM UP HO 9x1100lm 4000K DALI/TOUCH DIMM	628	3
682994	LUDO LEDSYSTEM UP HE 9x650lm 4000K	502	3
682996	LUDO LEDSYSTEM UP HO 9x1100lm 4000K	570	3
683202	LUDO 1-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	143	3
683203	LUDO 1-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	143	3
683205	LUDO 1-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	147	3
683206	LUDO 2-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	227	3
683207	LUDO 2-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	227	3
683209	LUDO 2-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	237	3
683212	LUDO 3-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	346	3
683213	LUDO 3-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	346	3
683215	LUDO 3-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	362	3
683216	LUDO 4-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	434	3
683217	LUDO 4-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	434	3
683219	LUDO 4-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	455	3
683242	LUDO 1-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED WHITE MAIN	158	3
683243	LUDO 1-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED BLACK MAIN:	158	3
683245	LUDO 1-LAMPS MODULE SPOTLED CI HALOSPHERE GOLD MAINS DIMM	162	3
683246	LUDO 2-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED WHITE MAIN	257	3
683247	LUDO 2-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED BLACK MAIN:	257	3
683248	LUDO 2-LAMPS MODULE SPOTLED CI HALOSPHERE GOLD MAINS DIMM	267	3
683252	LUDO 3-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED WHITE MAIN	393	3
683253	LUDO 3-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED BLACK MAIN:	393	3
683255	LUDO 3-LAMPS MODULE SPOTLED CI HALOSPHERE GOLD MAINS DIMM	406	3
683256	LUDO 4-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED WHITE MAIN	494	3
683257	LUDO 4-LAMPS MODULE SPOTLED CI HALOSPHERE TEXTURED BLACK MAIN:	494	3
683259	LUDO 4-LAMPS MODULE SPOTLED CI HALOSPHERE GOLD MAINS DIMM	514	3
683262	LUDO 1-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	143	3
683263	LUDO 1-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	143	3
683265	LUDO 1-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	147	3
683266	LUDO 2-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	227	3
683267	LUDO 2-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	227	3
683268	LUDO 2-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	237	3
683272	LUDO 3-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	346	3
683273	LUDO 3-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	346	3
683275	LUDO 3-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	362	3
683276	LUDO 4-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	434	3
683277	LUDO 4-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	434	3
683279	LUDO 4-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	455	3
684202	LUDO 1-LAMPS MODULE BULLED CI 2700K MAINS DIMM	222	3
684203	LUDO 1-LAMPS MODULE BULLED CI 2700K MAINS DIMM	222	3
684205	LUDO 1-LAMPS MODULE BULLED CI 2700K MAINS DIMM	226	3
684206	LUDO 2-LAMPS MODULE BULLED CI 2700K MAINS DIMM	366	3
684207	LUDO 2-LAMPS MODULE BULLED CI 2700K MAINS DIMM	366	3
684209	LUDO 2-LAMPS MODULE BULLED CI 2700K MAINS DIMM	376	3
684212	LUDO 3-LAMPS MODULE BULLED CI 2700K MAINS DIMM	516	3
684213	LUDO 3-LAMPS MODULE BULLED CI 2700K MAINS DIMM	516	3
684215	LUDO 3-LAMPS MODULE BULLED CI 2700K MAINS DIMM	531	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
684216	LUDO 4-LAMPS MODULE BULLED CI 2700K MAINS DIMM	671	3
684217	LUDO 4-LAMPS MODULE BULLED CI 2700K MAINS DIMM	671	3
684219	LUDO 4-LAMPS MODULE BULLED CI 2700K MAINS DIMM	691	3
684242	LUDO 1-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED WHITE MAINS	237	3
684243	LUDO 1-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED BLACK MAINS	237	3
684245	LUDO 1-LAMPS MODULE BULLED CI HALOSPHERE BLACK+GOLD MAINS DIM	243	3
684246	LUDO 2-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED WHITE MAINS	397	3
684247	LUDO 2-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED BLACK MAINS	397	3
684248	LUDO 2-LAMPS MODULE BULLED CI HALOSPHERE BLACK+GOLD MAINS DIM	403	3
684252	LUDO 3-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED WHITE MAINS	560	3
684253	LUDO 3-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED BLACK MAINS	560	3
684255	LUDO 3-LAMPS MODULE BULLED CI HALOSPHERE BLACK+GOLD MAINS DIM	574	3
684256	LUDO 4-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED WHITE MAINS	731	3
684257	LUDO 4-LAMPS MODULE BULLED CI HALOSPHERE TEXTURED BLACK MAINS	731	3
684259	LUDO 4-LAMPS MODULE BULLED CI HALOSPHERE BLACK+GOLD MAINS DIM	752	3
684262	LUDO 1-LAMPS MODULE BULLED CI 3000K MAINS DIMM	222	3
684263	LUDO 1-LAMPS MODULE BULLED CI 3000K MAINS DIMM	222	3
684265	LUDO 1-LAMPS MODULE BULLED CI 3000K MAINS DIMM	226	3
684266	LUDO 2-LAMPS MODULE BULLED CI 3000K MAINS DIMM	366	3
684267	LUDO 2-LAMPS MODULE BULLED CI 3000K MAINS DIMM	366	3
684268	LUDO 2-LAMPS MODULE BULLED CI 3000K MAINS DIMM	376	3
684272	LUDO 3-LAMPS MODULE BULLED CI 3000K MAINS DIMM	516	3
684273	LUDO 3-LAMPS MODULE BULLED CI 3000K MAINS DIMM	516	3
684275	LUDO 3-LAMPS MODULE BULLED CI 3000K MAINS DIMM	531	3
684276	LUDO 4-LAMPS MODULE BULLED CI 3000K MAINS DIMM	671	3
684277	LUDO 4-LAMPS MODULE BULLED CI 3000K MAINS DIMM	671	3
684279	LUDO 4-LAMPS MODULE BULLED CI 3000K MAINS DIMM	691	3
685026	SUSPENSION SET LUDO 2.25 M	73	3
685047	SUSPENSION SET LUDO 2.25 M	73	3
685126	SUSPENSION SET LUDO 4 M	75	3
685147	SUSPENSION SET LUDO 4 M	75	3
685226	SUSPENSION SET LUDO 6 M	77	3
685247	SUSPENSION SET LUDO 6 M	77	3
689026	LUDO WALL FIXATION	49	3
689047	LUDO WALL FIXATION	49	3
689101	3U R / DORMENT / LUDO STRAIGHT CONNECTION	72	3
690026	OSCAR PROFILE BASE & COVER /M	124	3
690047	OSCAR PROFILE BASE & COVER /M	124	3
690926	OSCAR ENDCAP RIGHT	76	3
690936	OSCAR ENDCAP LEFT	76	3
690947	OSCAR ENDCAP RIGHT	76	3
690957	OSCAR ENDCAP LEFT	76	3
691026	CONNECTION SET ROUND SM 3x0,75MM2 2,25 M	75	3
691036	CONNECTION SET KOSMOS 3x0.75MM2 2.25M	86	3
691037	CONNECTION SET KOSMOS 2x0.75MM2 2.25M	83	3
691038	CONNECTION SET ROUND SM 2x0,75MM2 2,25M	67	3
691039	CONNECTION SET SQUARE SM 2x0.75MM2 2.25M	57	3
691047	CONNECTION SET ROUND SM 3x0,75MM2 2,25 M	75	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
691048	CONNECTION SET KOSMOS 2x0.75MM2 2.25M	83	3
691049	CONNECTION SET ROUND SM 2x0,75MM2 2,25M	67	3
691050	CONNECTION SET SQUARE SM 2x0.75MM2 2.25M	57	3
691057	CONNECTION SET KOSMOS 3x0.75MM2 2.25M	86	3
691126	CONNECTION SET ROUND SM 3x0,75MM2 4M	78	3
691136	CONNECTION SET KOSMOS 3x0.75MM2 4M	90	3
691137	CONNECTION SET KOSMOS 2x0.75MM2 4M	95	3
691138	CONNECTION SET ROUND SM 2x0,75MM2 4M	82	3
691139	CONNECTION SET SQUARE SM 2x0.75MM2 4M	67	3
691147	CONNECTION SET ROUND SM 3x0,75MM2 4M	78	3
691148	CONNECTION SET KOSMOS 2x0.75MM2 4M	95	3
691149	CONNECTION SET ROUND SM 2x0,75MM2 4M	82	3
691150	CONNECTION SET SQUARE SM 2x0.75MM2 4M	67	3
691157	CONNECTION SET KOSMOS 3x0.75MM2 4M	90	3
691226	CONNECTION SET ROUND SM 3x0,75MM2 6M	83	3
691236	CONNECTION SET KOSMOS 3x0.75MM2 6M	92	3
691237	CONNECTION SET KOSMOS 2x0.75MM2 6M	111	3
691238	CONNECTION SET ROUND SM 2x0,75MM2 6M	96	3
691239	CONNECTION SET SQUARE SM 2x0.75MM2 6M	84	3
691247	CONNECTION SET ROUND SM 3x0,75MM2 6M	83	3
691248	CONNECTION SET KOSMOS 2x0.75MM2 6M	111	3
691249	CONNECTION SET ROUND SM 2x0,75MM2 6M	96	3
691250	CONNECTION SET SQUARE SM 2x0.75MM2 6M	84	3
691257	CONNECTION SET KOSMOS 3x0.75MM2 6M	92	3
691326	CONNECTION SET ROUND SM 5x0,75MM2 2,25M	85	3
691336	CONNECTION SET KOSMOS 5x0.75MM2 2.25M	103	3
691347	CONNECTION SET ROUND SM 5x0,75MM2 2,25M	85	3
691357	CONNECTION SET KOSMOS 5x0.75MM2 2.25M	103	3
691426	CONNECTION SET ROUND SM 5x0,75MM2 4M	88	3
691436	CONNECTION SET KOSMOS 5x0.75MM2 4M	107	3
691447	CONNECTION SET ROUND SM 5x0,75MM2 4M	88	3
691457	CONNECTION SET KOSMOS 5x0.75MM2 4M	107	3
691526	CONNECTION SET ROUND SM 5x0,75MM2 6M	92	3
691536	CONNECTION SET KOSMOS 5x0.75MM2 6M	111	3
691547	CONNECTION SET ROUND SM 5x0,75MM2 6M	92	3
691557	CONNECTION SET KOSMOS 5x0.75MM2 6M	111	3
691700	OSCAR LEDSYSTEM HE 10x650lm 2700K DALI/TOUCH DIMM	532	3
691702	OSCAR LEDSYSTEM HO 10x1100lm 2700K DALI/TOUCH DIMM	544	3
691704	OSCAR LEDSYSTEM HE 10x650lm 2700K	457	3
691706	OSCAR LEDSYSTEM HO 10x1100lm 2700K	466	3
691720	OSCAR LEDSYSTEM HE 2x650lm 2700K DALI/TOUCH DIMM	268	3
691722	OSCAR LEDSYSTEM HO 2x1100lm 2700K DALI/TOUCH DIMM	276	3
691724	OSCAR LEDSYSTEM HE 2x650lm 2700K	213	3
691726	OSCAR LEDSYSTEM HO 2x1100lm 2700K	219	3
691730	OSCAR LEDSYSTEM HE 3x650lm 2700K DALI/TOUCH DIMM	294	3
691732	OSCAR LEDSYSTEM HO 3x1100lm 2700K DALI/TOUCH DIMM	302	3
691734	OSCAR LEDSYSTEM HE 3x650lm 2700K	238	3
691736	OSCAR LEDSYSTEM HO 3x1100lm 2700K	245	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
691740	OSCAR LEDSYSTEM HE 4x650lm 2700K DALI/TOUCH DIMM	329	3
691742	OSCAR LEDSYSTEM HO 4x1100lm 2700K DALI/TOUCH DIMM	337	3
691744	OSCAR LEDSYSTEM HE 4x650lm 2700K	273	3
691746	OSCAR LEDSYSTEM HO 4x1100lm 2700K	279	3
691750	OSCAR LEDSYSTEM HE 5x650lm 2700K DALI/TOUCH DIMM	362	3
691752	OSCAR LEDSYSTEM HO 5x1100lm 2700K DALI/TOUCH DIMM	372	3
691754	OSCAR LEDSYSTEM HE 5x650lm 2700K	306	3
691756	OSCAR LEDSYSTEM HO 5x1100lm 2700K	313	3
691760	OSCAR LEDSYSTEM HE 6x650lm 2700K DALI/TOUCH DIMM	383	3
691762	OSCAR LEDSYSTEM HO 6x1100lm 2700K DALI/TOUCH DIMM	413	3
691764	OSCAR LEDSYSTEM HE 6x650lm 2700K	326	3
691766	OSCAR LEDSYSTEM HO 6x1100lm 2700K	337	3
691770	OSCAR LEDSYSTEM HE 7x650lm 2700K DALI/TOUCH DIMM	428	3
691772	OSCAR LEDSYSTEM HO 7x1100lm 2700K DALI/TOUCH DIMM	458	3
691774	OSCAR LEDSYSTEM HE 7x650lm 2700K	371	3
691776	OSCAR LEDSYSTEM HO 7x1100lm 2700K	380	3
691780	OSCAR LEDSYSTEM HE 8x650lm 2700K DALI/TOUCH DIMM	442	3
691782	OSCAR LEDSYSTEM HO 8x1100lm 2700K DALI/TOUCH DIMM	473	3
691784	OSCAR LEDSYSTEM HE 8x650lm 2700K	385	3
691786	OSCAR LEDSYSTEM HO 8x1100lm 2700K	396	3
691790	OSCAR LEDSYSTEM HE 9x650lm 2700K DALI/TOUCH DIMM	491	3
691792	OSCAR LEDSYSTEM HO 9x1100lm 2700K DALI/TOUCH DIMM	521	3
691794	OSCAR LEDSYSTEM HE 9x650lm 2700K	434	3
691796	OSCAR LEDSYSTEM HO 9x1100lm 2700K	444	3
691800	OSCAR LEDSYSTEM HE 10x650lm 3000K DALI/TOUCH DIMM	532	3
691802	OSCAR LEDSYSTEM HO 10x1100lm 3000K DALI/TOUCH DIMM	544	3
691804	OSCAR LEDSYSTEM HE 10x650lm 3000K	457	3
691806	OSCAR LEDSYSTEM HO 10x1100lm 3000K	466	3
691820	OSCAR LEDSYSTEM HE 2x650lm 3000K DALI/TOUCH DIMM	268	3
691822	OSCAR LEDSYSTEM HO 2x1100lm 3000K DALI/TOUCH DIMM	276	3
691824	OSCAR LEDSYSTEM HE 2x650lm 3000K	213	3
691826	OSCAR LEDSYSTEM HO 2x1100lm 3000K	219	3
691830	OSCAR LEDSYSTEM HE 3x650lm 3000K DALI/TOUCH DIMM	294	3
691832	OSCAR LEDSYSTEM HO 3x1100lm 3000K DALI/TOUCH DIMM	302	3
691834	OSCAR LEDSYSTEM HE 3x650lm 3000K	238	3
691836	OSCAR LEDSYSTEM HO 3x1100lm 3000K	245	3
691840	OSCAR LEDSYSTEM HE 4x650lm 3000K DALI/TOUCH DIMM	329	3
691842	OSCAR LEDSYSTEM HO 4x1100lm 3000K DALI/TOUCH DIMM	337	3
691844	OSCAR LEDSYSTEM HE 4x650lm 3000K	273	3
691846	OSCAR LEDSYSTEM HO 4x1100lm 3000K	279	3
691850	OSCAR LEDSYSTEM HE 5x650lm 3000K DALI/TOUCH DIMM	362	3
691852	OSCAR LEDSYSTEM HO 5x1100lm 3000K DALI/TOUCH DIMM	372	3
691854	OSCAR LEDSYSTEM HE 5x650lm 3000K	306	3
691856	OSCAR LEDSYSTEM HO 5x1100lm 3000K	313	3
691860	OSCAR LEDSYSTEM HE 6x650lm 3000K DALI/TOUCH DIMM	383	3
691862	OSCAR LEDSYSTEM HO 6x1100lm 3000K DALI/TOUCH DIMM	413	3
691864	OSCAR LEDSYSTEM HE 6x650lm 3000K	326	3
691866	OSCAR LEDSYSTEM HO 6x1100lm 3000K	337	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
691870	OSCAR LEDSYSTEM HE 7x650lm 3000K DALI/TOUCH DIMM	428	3
691872	OSCAR LEDSYSTEM HO 7x1100lm 3000K DALI/TOUCH DIMM	458	3
691874	OSCAR LEDSYSTEM HE 7x650lm 3000K	371	3
691876	OSCAR LEDSYSTEM HO 7x1100lm 3000K	380	3
691880	OSCAR LEDSYSTEM HE 8x650lm 3000K DALI/TOUCH DIMM	442	3
691882	OSCAR LEDSYSTEM HO 8x1100lm 3000K DALI/TOUCH DIMM	473	3
691884	OSCAR LEDSYSTEM HE 8x650lm 3000K	385	3
691886	OSCAR LEDSYSTEM HO 8x1100lm 3000K	396	3
691890	OSCAR LEDSYSTEM HE 9x650lm 3000K DALI/TOUCH DIMM	491	3
691892	OSCAR LEDSYSTEM HO 9x1100lm 3000K DALI/TOUCH DIMM	521	3
691894	OSCAR LEDSYSTEM HE 9x650lm 3000K	434	3
691896	OSCAR LEDSYSTEM HO 9x1100lm 3000K	444	3
691900	OSCAR LEDSYSTEM HE 10x650lm 4000K DALI/TOUCH DIMM	532	3
691902	OSCAR LEDSYSTEM HO 10x1100lm 4000K DALI/TOUCH DIMM	544	3
691904	OSCAR LEDSYSTEM HE 10x650lm 4000K	457	3
691906	OSCAR LEDSYSTEM HO 10x1100lm 4000K	466	3
691920	OSCAR LEDSYSTEM HE 2x650lm 4000K DALI/TOUCH DIMM	268	3
691922	OSCAR LEDSYSTEM HO 2x1100lm 4000K DALI/TOUCH DIMM	276	3
691924	OSCAR LEDSYSTEM HE 2x650lm 4000K	213	3
691926	OSCAR LEDSYSTEM HO 2x1100lm 4000K	219	3
691930	OSCAR LEDSYSTEM HE 3x650lm 4000K DALI/TOUCH DIMM	294	3
691932	OSCAR LEDSYSTEM HO 3x1100lm 4000K DALI/TOUCH DIMM	302	3
691934	OSCAR LEDSYSTEM HE 3x650lm 4000K	238	3
691936	OSCAR LEDSYSTEM HO 3x1100lm 4000K	245	3
691940	OSCAR LEDSYSTEM HE 4x650lm 4000K DALI/TOUCH DIMM	329	3
691942	OSCAR LEDSYSTEM HO 4x1100lm 4000K DALI/TOUCH DIMM	337	3
691944	OSCAR LEDSYSTEM HE 4x650lm 4000K	273	3
691946	OSCAR LEDSYSTEM HO 4x1100lm 4000K	279	3
691950	OSCAR LEDSYSTEM HE 5x650lm 4000K DALI/TOUCH DIMM	362	3
691952	OSCAR LEDSYSTEM HO 5x1100lm 4000K DALI/TOUCH DIMM	372	3
691954	OSCAR LEDSYSTEM HE 5x650lm 4000K	306	3
691956	OSCAR LEDSYSTEM HO 5x1100lm 4000K	313	3
691960	OSCAR LEDSYSTEM HE 6x650lm 4000K DALI/TOUCH DIMM	383	3
691962	OSCAR LEDSYSTEM HO 6x1100lm 4000K DALI/TOUCH DIMM	413	3
691964	OSCAR LEDSYSTEM HE 6x650lm 4000K	326	3
691966	OSCAR LEDSYSTEM HO 6x1100lm 4000K	337	3
691970	OSCAR LEDSYSTEM HE 7x650lm 4000K DALI/TOUCH DIMM	428	3
691972	OSCAR LEDSYSTEM HO 7x1100lm 4000K DALI/TOUCH DIMM	458	3
691974	OSCAR LEDSYSTEM HE 7x650lm 4000K	371	3
691976	OSCAR LEDSYSTEM HO 7x1100lm 4000K	380	3
691980	OSCAR LEDSYSTEM HE 8x650lm 4000K DALI/TOUCH DIMM	442	3
691982	OSCAR LEDSYSTEM HO 8x1100lm 4000K DALI/TOUCH DIMM	473	3
691984	OSCAR LEDSYSTEM HE 8x650lm 4000K	385	3
691986	OSCAR LEDSYSTEM HO 8x1100lm 4000K	396	3
691990	OSCAR LEDSYSTEM HE 9x650lm 4000K DALI/TOUCH DIMM	491	3
691992	OSCAR LEDSYSTEM HO 9x1100lm 4000K DALI/TOUCH DIMM	521	3
691994	OSCAR LEDSYSTEM HE 9x650lm 4000K	434	3
691996	OSCAR LEDSYSTEM HO 9x1100lm 4000K	444	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
692170	OSCAR MODULE LEDLINE 9.6W 4000K CRI92 + DIFFUSER /M	101	3
692172	OSCAR MODULE LEDLINE 9.6W 3000K CRI92 + DIFFUSER /M	101	3
692173	OSCAR MODULE LEDLINE 14.4W 2700K CRI92 + DIFFUSER /M	107	3
692174	OSCAR MODULE LEDLINE 14.4W 4000K CRI92 + DIFFUSER /M	107	3
692175	OSCAR MODULE LEDLINE 14.4W 3000K CRI92 + DIFFUSER /M	107	3
692176	OSCAR MODULE LEDLINE 19,2W 2700K CRI92 + DIFFUSER /M	113	3
692177	OSCAR MODULE LEDLINE 19,2W 3000K CRI92 + DIFFUSER /M	113	3
692178	OSCAR MODULE LEDLINE 19,2W 4000K CRI92 + DIFFUSER /M	113	3
692179	OSCAR MODULE LEDLINE 9.6W 2700K CRI92 + DIFFUSER /M	101	3
692910	2U / OSCAR / LUDO CONV.MOD. 230V LED 24V 20W 1-10V DIMM	119	3
692930	2U / OSCAR / LUDO CONV.MOD. 230V LED 24V 60W	129	3
692940	2U / OSCAR / LUDO CONV.MOD. 230V LED 24V 60W 1-10V DIMM	139	3
692950	2U / OSCAR / LUDO CONV.MOD. 230V LED 24V 60W DALI DIMM	152	3
693202	OSCAR 1-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	143	3
693203	OSCAR 1-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	143	3
693205	OSCAR 1-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	147	3
693206	OSCAR 2-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	227	3
693207	OSCAR 2-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	227	3
693209	OSCAR 2-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	237	3
693212	OSCAR 3-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	346	3
693213	OSCAR 3-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	346	3
693215	OSCAR 3-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	362	3
693216	OSCAR 4-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	434	3
693217	OSCAR 4-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	434	3
693219	OSCAR 4-LAMPS MODULE POWERLED CI 2700K MAINS DIMM	455	3
693242	OSCAR 1-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	159	3
693243	OSCAR 1-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	159	3
693245	OSCAR 1-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	163	3
693246	OSCAR 2-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	258	3
693247	OSCAR 2-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	258	3
693249	OSCAR 2-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	268	3
693252	OSCAR 3-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	394	3
693253	OSCAR 3-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	394	3
693255	OSCAR 3-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	407	3
693256	OSCAR 4-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	496	3
693257	OSCAR 4-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	496	3
693259	OSCAR 4-LAMPS MODULE SPOT CI HALOSPHERE MAINS DIMM	517	3
693262	OSCAR 1-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	143	3
693263	OSCAR 1-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	143	3
693265	OSCAR 1-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	147	3
693266	OSCAR 2-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	227	3
693267	OSCAR 2-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	227	3
693269	OSCAR 2-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	237	3
693272	OSCAR 3-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	346	3
693273	OSCAR 3-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	346	3
693275	OSCAR 3-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	362	3
693276	OSCAR 4-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	434	3
693277	OSCAR 4-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	434	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
693279	OSCAR 4-LAMPS MODULE POWERLED CI 3000K MAINS DIMM	455	3
695026	SUSPENSION SET OSCAR 2.25 M	83	3
695047	SUSPENSION SET OSCAR 2.25 M	83	3
695126	SUSPENSION SET OSCAR 4 M	85	3
695147	SUSPENSION SET OSCAR 4 M	85	3
695226	SUSPENSION SET OSCAR 6 M	88	3
695247	SUSPENSION SET OSCAR 6 M	88	3
700138	MINI TOMMY 1 HALOLED installation box for plaster	49	3
700139	MINI TOMMY 1 HALOLED installation frame for plaster	20	3
700238	MINI TOMMY 2 HALOLED installation box for plaster	55	3
700239	MINI TOMMY 2 HALOLED installation frame for plaster	23	3
701111	INTANA FRAME	65	3
701112	ORBITAL TRIMLESS FRAME	69	3
701113	NOBEL SFEROS installation frame for plaster	48	3
701116	UNIVERSAL MINI TRIMLESS FRAME (4)	58	3
701117	BOA TRIMLESS FRAME FOR PLASTER	69	3
701118	MICRO TOMMY TRIMLESS FRAME FOR PLASTER	90	3
701122	FUNNEL SFEROS installation frame for plaster	69	3
701177	BOA TRIMLESS FRAME + BOX FOR PLASTER	152	3
701178	MICRO TOMMY TRIMLESS FRAME + BOX FOR PLASTER	160	3
701187	BOA TRIMLESS FRAME FOR PLASTERED CONCRETE SLABS	120	3
701188	MICRO TOMMY TRIMLESS FRAME FOR PLASTERED CONCRETE SLABS	140	3
750138	QUAD Installation box for plaster	27	3
750160	QUAD 1 GU10 TORSION	48	3
750161	QUAD 1 GU10 TORSION	48	3
750162	QUAD 1 GU10 TORSION	48	3
750165	QUAD 1 GU10 TORSION	67	3
750170	QUAD 1 ORIENTABLE GU10 TORSION	55	3
750171	QUAD 1 ORIENTABLE GU10 TORSION	55	3
750172	QUAD 1 ORIENTABLE GU10 TORSION	55	3
750175	QUAD 1 ORIENTABLE GU10 TORSION	76	3
750431	QUAD 1 BEAUFORT TORSION 2700K	100	3
750441	QUAD 1 BEAUFORT TORSION 3000K	100	3
750450	QUAD 1 BEAUFORT TORSION 2700K	100	3
750460	QUAD 1 BEAUFORT TORSION 3000K	100	3
750826	QUAD ASYMMETRIC TORSION BEAUFORT 2700K	159	3
750836	QUAD ASYMMETRIC TORSION BEAUFORT 3000K	159	3
750847	QUAD ASYMMETRIC TORSION BEAUFORT 2700K	159	3
750857	QUAD ASYMMETRIC TORSION BEAUFORT 3000K	159	3
810012	2U PROFILE /M	50	3
810026	2U PROFILE /M	50	3
810047	2U PROFILE /M	50	3
810104	2U W DIFFUSER /M	35	3
810105	2U H DIFFUSER /M	35	3
810106	2U S DIFFUSER /M	35	3
810126	2U COVER S & OSCAR /m ALU COVER	80	3
810147	2U COVER S & OSCAR /m ALU COVER	80	3
810312	2U ENDCAP H	25	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
810326	2U ENDCAP H	25	3
810347	2U ENDCAP H	25	3
810700	2U/2UR S LEDSYSTEM HE 10x650lm 3000K DALI/TOUCH DIMM	500	3
810701	2U/2UR S LEDSYSTEM HE 10x650lm 4000K DALI/TOUCH DIMM	500	3
810702	2U/2UR S LEDSYSTEM HO 10x1100lm 3000K DALI/TOUCH DIMM	500	3
810703	2U/2UR S LEDSYSTEM HO 10x1100lm 4000K DALI/TOUCH DIMM	500	3
810704	2U/2UR S LEDSYSTEM HE 10x650lm 3000K	450	3
810705	2U/2UR S LEDSYSTEM HE 10x650lm 4000K	450	3
810706	2U/2UR S LEDSYSTEM HO 10x1100lm 3000K	450	3
810708	2U/2UR S LEDSYSTEM HO 10x1100lm 4000K	450	3
810710	2U/2UR S LEDSYSTEM HE 3x650lm 3000K DALI/TOUCH DIMM	325	3
810711	2U/2UR S LEDSYSTEM HE 3x650lm 4000K DALI/TOUCH DIMM	325	3
810714	2U/2UR S LEDSYSTEM HE 3x650lm 3000K	275	3
810715	2U/2UR S LEDSYSTEM HE 3x650lm 4000K	275	3
810720	2U/2UR S LEDSYSTEM HE 2x650lm 3000K DALI/TOUCH DIMM	300	3
810721	2U/2UR S LEDSYSTEM HE 2x650lm 4000K DALI/TOUCH DIMM	300	3
810722	2U/2UR S LEDSYSTEM HO 2x1100lm 3000K DALI/TOUCH DIMM	300	3
810723	2U/2UR S LEDSYSTEM HO 2x1100lm 4000K DALI/TOUCH DIMM	300	3
810724	2U/2UR S LEDSYSTEM HE 2x650lm 3000K	250	3
810725	2U/2UR S LEDSYSTEM HE 2x650lm 4000K	250	3
810726	2U/2UR S LEDSYSTEM HO 2x1100lm 3000K	250	3
810728	2U/2UR S LEDSYSTEM HO 2x1100lm 4000K	250	3
810732	2U/2UR S LEDSYSTEM HO 3x1100lm 3000K DALI/TOUCH DIMM	325	3
810733	2U/2UR S LEDSYSTEM HO 3x1100lm 4000K DALI/TOUCH DIMM	325	3
810736	2U/2UR S LEDSYSTEM HO 3x1100lm 3000K	275	3
810738	2U/2UR S LEDSYSTEM HO 3x1100lm 4000K	275	3
810740	2U/2UR S LEDSYSTEM HE 4x650lm 3000K DALI/TOUCH DIMM	350	3
810741	2U/2UR S LEDSYSTEM HE 4x650lm 4000K DALI/TOUCH DIMM	350	3
810742	2U/2UR S LEDSYSTEM HO 4x1100lm 3000K DALI/TOUCH DIMM	350	3
810743	2U/2UR S LEDSYSTEM HO 4x1100lm 4000K DALI/TOUCH DIMM	350	3
810744	2U/2UR S LEDSYSTEM HE 4x650lm 3000K	300	3
810745	2U/2UR S LEDSYSTEM HE 4x650lm 4000K	300	3
810746	2U/2UR S LEDSYSTEM HO 4x1100lm 3000K	300	3
810748	2U/2UR S LEDSYSTEM HO 4x1100lm 4000K	300	3
810750	2U/2UR S LEDSYSTEM HE 5x650lm 3000K DALI/TOUCH DIMM	375	3
810751	2U/2UR S LEDSYSTEM HE 5x650lm 4000K DALI/TOUCH DIMM	375	3
810752	2U/2UR S LEDSYSTEM HO 5x1100lm 3000K DALI/TOUCH DIMM	375	3
810753	2U/2UR S LEDSYSTEM HO 5x1100lm 4000K DALI/TOUCH DIMM	375	3
810754	2U/2UR S LEDSYSTEM HE 5x650lm 3000K	325	3
810755	2U/2UR S LEDSYSTEM HE 5x650lm 4000K	325	3
810756	2U/2UR S LEDSYSTEM HO 5x1100lm 3000K	325	3
810758	2U/2UR S LEDSYSTEM HO 5x1100lm 4000K	325	3
810760	2U/2UR S LEDSYSTEM HE 6x650lm 3000K DALI/TOUCH DIMM	400	3
810761	2U/2UR S LEDSYSTEM HE 6x650lm 4000K DALI/TOUCH DIMM	400	3
810762	2U/2UR S LEDSYSTEM HO 6x1100lm 3000K DALI/TOUCH DIMM	400	3
810763	2U/2UR S LEDSYSTEM HO 6x1100lm 4000K DALI/TOUCH DIMM	400	3
810764	2U/2UR S LEDSYSTEM HE 6x650lm 3000K	350	3
810765	2U/2UR S LEDSYSTEM HE 6x650lm 4000K	350	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
810766	2U/2UR S LEDSYSTEM HO 6x1100lm 3000K	350	3
810768	2U/2UR S LEDSYSTEM HO 6x1100lm 4000K	350	3
810770	2U/2UR S LEDSYSTEM HE 7x650lm 3000K DALI/TOUCH DIMM	425	3
810771	2U/2UR S LEDSYSTEM HE 7x650lm 4000K DALI/TOUCH DIMM	425	3
810772	2U/2UR S LEDSYSTEM HO 7x1100lm 3000K DALI/TOUCH DIMM	425	3
810773	2U/2UR S LEDSYSTEM HO 7x1100lm 4000K DALI/TOUCH DIMM	425	3
810774	2U/2UR S LEDSYSTEM HE 7x650lm 3000K	375	3
810775	2U/2UR S LEDSYSTEM HE 7x650lm 4000K	375	3
810776	2U/2UR S LEDSYSTEM HO 7x1100lm 3000K	375	3
810778	2U/2UR S LEDSYSTEM HO 7x1100lm 4000K	375	3
810780	2U/2UR S LEDSYSTEM HE 8x650lm 3000K DALI/TOUCH DIMM	450	3
810781	2U/2UR S LEDSYSTEM HE 8x650lm 4000K DALI/TOUCH DIMM	450	3
810782	2U/2UR S LEDSYSTEM HO 8x1100lm 3000K DALI/TOUCH DIMM	450	3
810783	2U/2UR S LEDSYSTEM HO 8x1100lm 4000K DALI/TOUCH DIMM	450	3
810784	2U/2UR S LEDSYSTEM HE 8x650lm 3000K	400	3
810785	2U/2UR S LEDSYSTEM HE 8x650lm 4000K	400	3
810786	2U/2UR S LEDSYSTEM HO 8x1100lm 3000K	400	3
810788	2U/2UR S LEDSYSTEM HO 8x1100lm 4000K	400	3
810790	2U/2UR S LEDSYSTEM HE 9x650lm 3000K DALI/TOUCH DIMM	475	3
810791	2U/2UR S LEDSYSTEM HE 9x650lm 4000K DALI/TOUCH DIMM	475	3
810792	2U/2UR S LEDSYSTEM HO 9x1100lm 3000K DALI/TOUCH DIMM	475	3
810793	2U/2UR S LEDSYSTEM HO 9x1100lm 4000K DALI/TOUCH DIMM	475	3
810794	2U/2UR S LEDSYSTEM HE 9x650lm 3000K	425	3
810795	2U/2UR S LEDSYSTEM HE 9x650lm 4000K	425	3
810796	2U/2UR S LEDSYSTEM HO 9x1100lm 3000K	425	3
810798	2U/2UR S LEDSYSTEM HO 9x1100lm 4000K	425	3
810812	2U W ALU COVER /M	80	3
810826	2U W ALU COVER /M	80	3
810847	2U W ALU COVER /M	80	3
810900	2U W LEDSYSTEM HE 10x650lm 3000K DALI/TOUCH DIMM	500	3
810901	2U W LEDSYSTEM HE 10x650lm 4000K DALI/TOUCH DIMM	500	3
810902	2U W LEDSYSTEM HO 10x1100lm 3000K DALI/TOUCH DIMM	500	3
810903	2U W LEDSYSTEM HO 10x1100lm 4000K DALI/TOUCH DIMM	500	3
810904	2U W LEDSYSTEM HE 10x650lm 3000K	450	3
810905	2U W LEDSYSTEM HE 10x650lm 4000K	450	3
810906	2U W LEDSYSTEM HO 10x1100lm 3000K	450	3
810908	2U W LEDSYSTEM HO 10x1100lm 4000K	450	3
810910	2U W LEDSYSTEM HE 3x650lm 3000K DALI/TOUCH DIMM	325	3
810911	2U W LEDSYSTEM HE 3x650lm 4000K DALI/TOUCH dimm	325	3
810912	2U W LEDSYSTEM HO 3x1100lm 3000K DALI/TOUCH DIMM	325	3
810913	2U W LEDSYSTEM HO 3x1100lm 4000K DALI/TOUCH DIMM	325	3
810914	2U W LEDSYSTEM HE 3x650lm 3000K	275	3
810915	2U W LEDSYSTEM HE 3x650lm 4000K	275	3
810916	2U W LEDSYSTEM HO 3x1100lm 3000K	275	3
810918	2U W LEDSYSTEM HO 3x1100lm 4000K	275	3
810920	2U W LEDSYSTEM HE 2x650lm 3000K DALI/TOUCH DIMM	300	3
810921	2U W LEDSYSTEM HE 2x650lm 4000K DALI/TOUCH DIMM	300	3
810922	2U W LEDSYSTEM HO 2x1100lm 3000K DALI/TOUCH DIMM	300	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
810923	2U W LEDSYSTEM HO 2x1100lm 4000K DALI/TOUCH DIMM	300	3
810924	2U W LEDSYSTEM HE 2x650lm 3000K	250	3
810925	2U W LEDSYSTEM HE 2x650lm 4000K	250	3
810926	2U W LEDSYSTEM HO 2x1100lm 3000K	250	3
810928	2U W LEDSYSTEM HO 2x1100lm 4000K	250	3
810929	2U W ENDCAP	25	3
810940	2U W LEDSYSTEM HE 4x650lm 3000K DALI/TOUCH DIMM	350	3
810941	2U W LEDSYSTEM HE 4x650lm 4000K DALI/TOUCH DIMM	350	3
810942	2U W LEDSYSTEM HO 4x1100lm 3000K DALI/TOUCH DIMM	350	3
810943	2U W LEDSYSTEM HO 4x1100lm 4000K DALI/TOUCH DIMM	350	3
810944	2U W LEDSYSTEM HE 4x650lm 3000K	300	3
810945	2U W LEDSYSTEM HE 4x650lm 4000K	300	3
810946	2U W LEDSYSTEM HO 4x1100lm 3000K	300	3
810948	2U W LEDSYSTEM HO 4x1100lm 4000K	300	3
810949	2U W ENDCAP	25	3
810950	2U W LEDSYSTEM HE 5x650lm 3000K DALI/TOUCH DIMM	375	3
810951	2U W LEDSYSTEM HE 5x650lm 4000K DALI/TOUCH DIMM	375	3
810952	2U W LEDSYSTEM HO 5x1100lm 3000K DALI/TOUCH DIMM	375	3
810953	2U W LEDSYSTEM HO 5x1100lm 4000K DALI/TOUCH DIMM	375	3
810954	2U W LEDSYSTEM HE 5x650lm 3000K	325	3
810955	2U W LEDSYSTEM HE 5x650lm 4000K	325	3
810956	2U W LEDSYSTEM HO 5x1100lm 3000K	325	3
810958	2U W LEDSYSTEM HO 5x1100lm 4000K	325	3
810960	2U W LEDSYSTEM HE 6x650lm 3000K DALI/TOUCH DIMM	400	3
810961	2U W LEDSYSTEM HE 6x650lm 4000K DALI/TOUCH DIMM	400	3
810962	2U W LEDSYSTEM HO 6x1100lm 3000K DALI/TOUCH DIMM	400	3
810963	2U W LEDSYSTEM HO 6x1100lm 4000K DALI/TOUCH DIMM	400	3
810964	2U W LEDSYSTEM HE 6x650lm 3000K	350	3
810965	2U W LEDSYSTEM HE 6x650lm 4000K	350	3
810966	2U W LEDSYSTEM HO 6x1100lm 3000K	350	3
810968	2U W LEDSYSTEM HO 6x1100lm 4000K	350	3
810969	2U W ENDCAP	25	3
810970	2U W LEDSYSTEM HE 7x650lm 3000K DALI/TOUCH DIMM	425	3
810971	2U W LEDSYSTEM HE 7x650lm 4000K DALI/TOUCH DIMM	425	3
810972	2U W LEDSYSTEM HO 7x1100lm 3000K DALI/TOUCH DIMM	425	3
810973	2U W LEDSYSTEM HO 7x1100lm 4000K DALI/TOUCH DIMM	425	3
810974	2U W LEDSYSTEM HE 7x650lm 3000K	375	3
810975	2U W LEDSYSTEM HE 7x650lm 4000K	375	3
810976	2U W LEDSYSTEM HO 7x1100lm 3000K	375	3
810978	2U W LEDSYSTEM HO 7x1100lm 4000K	375	3
810980	2U W LEDSYSTEM HE 8x650lm 3000K DALI/TOUCH DIMM	450	3
810981	2U W LEDSYSTEM HE 8x650lm 4000K DALI/TOUCH DIMM	450	3
810982	2U W LEDSYSTEM HO 8x1100lm 3000K DALI/TOUCH DIMM	450	3
810983	2U W LEDSYSTEM HO 8x1100lm 4000K DALI/TOUCH DIMM	450	3
810984	2U W LEDSYSTEM HE 8x650lm 3000K	400	3
810985	2U W LEDSYSTEM HE 8x650lm 4000K	400	3
810986	2U W LEDSYSTEM HO 8x1100lm 3000K	400	3
810988	2U W LEDSYSTEM HO 8x1100lm 4000K	400	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
810990	2U W LEDSYSTEM HE 9x650lm 3000K DALI/TOUCH DIMM	475	3
810991	2U W LEDSYSTEM HE 9x650lm 4000K DALI/TOUCH DIMM	475	3
810992	2U W LEDSYSTEM HO 9x1100lm 3000K DALI/TOUCH DIMM	475	3
810993	2U W LEDSYSTEM HO 9x1100lm 4000K DALI/TOUCH DIMM	475	3
810994	2U W LEDSYSTEM HE 9x650lm 3000K	425	3
810995	2U W LEDSYSTEM HE 9x650lm 4000K	425	3
810996	2U W LEDSYSTEM HO 9x1100lm 3000K	425	3
810998	2U W LEDSYSTEM HO 9x1100lm 4000K	425	3
811700	2U/2UR H LEDSYSTEM HE 10x650lm 3000K DALI/TOUCH DIMM	500	3
811701	2U/2UR H LEDSYSTEM HE 10x650lm 4000K DALI/TOUCH DIMM	500	3
811704	2U/2UR H LEDSYSTEM HE 10x650lm 3000K	450	3
811705	2U/2UR H LEDSYSTEM HE 10x650lm 4000K	450	3
811710	2U/2UR H LEDSYSTEM HE 3x650lm 3000K DALI/TOUCH DIMM	325	3
811711	2U/2UR H LEDSYSTEM HE 3x650lm 4000K DALI/TOUCH DIMM	325	3
811714	2U/2UR H LEDSYSTEM HE 3x650lm 3000K	275	3
811715	2U/2UR H LEDSYSTEM HE 3x650lm 4000K	275	3
811720	2U/2UR H LEDSYSTEM HE 2x650lm 3000K DALI/TOUCH DIMM	300	3
811721	2U/2UR H LEDSYSTEM HE 2x650lm 4000K DALI/TOUCH DIMM	300	3
811724	2U/2UR H LEDSYSTEM HE 2x650lm 3000K	250	3
811725	2U/2UR H LEDSYSTEM HE 2x650lm 4000K	250	3
811740	2U/2UR H LEDSYSTEM HE 4x650lm 3000K DALI/TOUCH DIMM	350	3
811741	2U/2UR H LEDSYSTEM HE 4x650lm 4000K DALI/TOUCH DIMM	350	3
811744	2U/2UR H LEDSYSTEM HE 4x650lm 3000K	300	3
811745	2U/2UR H LEDSYSTEM HE 4x650lm 4000K	300	3
811750	2U/2UR H LEDSYSTEM HE 5x650lm 3000K DALI/TOUCH DIMM	375	3
811751	2U/2UR H LEDSYSTEM HE 5x650lm 4000K DALI/TOUCH DIMM	375	3
811754	2U/2UR H LEDSYSTEM HE 5x650lm 3000K	325	3
811755	2U/2UR H LEDSYSTEM HE 5x650lm 4000K	325	3
811760	2U/2UR H LEDSYSTEM HE 6x650lm 3000K DALI/TOUCH DIMM	400	3
811761	2U/2UR H LEDSYSTEM HE 6x650lm 4000K DALI/TOUCH DIMM	400	3
811764	2U/2UR H LEDSYSTEM HE 6x650lm 3000K	350	3
811765	2U/2UR H LEDSYSTEM HE 6x650lm 4000K	350	3
811770	2U/2UR H LEDSYSTEM HE 7x650lm 3000K DALI/TOUCH DIMM	425	3
811771	2U/2UR H LEDSYSTEM HE 7x650lm 4000K DALI/TOUCH DIMM	425	3
811774	2U/2UR H LEDSYSTEM HE 7x650lm 3000K	375	3
811775	2U/2UR H LEDSYSTEM HE 7x650lm 4000K	375	3
811780	2U/2UR H LEDSYSTEM HE 8x650lm 3000K DALI/TOUCH DIMM	450	3
811781	2U/2UR H LEDSYSTEM HE 8x650lm 4000K DALI/TOUCH DIMM	450	3
811784	2U/2UR H LEDSYSTEM HE 8x650lm 3000K	400	3
811785	2U/2UR H LEDSYSTEM HE 8x650lm 4000K	400	3
811790	2U/2UR H LEDSYSTEM HE 9x650lm 3000K DALI/TOUCH DIMM	475	3
811791	2U/2UR H LEDSYSTEM HE 9x650lm 4000K DALI/TOUCH DIMM	475	3
811794	2U/2UR H LEDSYSTEM HE 9x650lm 3000K	425	3
811795	2U/2UR H LEDSYSTEM HE 9x650lm 4000K	425	3
812700	2U/2UR S LEDSYSTEM HE 10x650lm 2700K DALI/TOUCH DIMM	500	3
812702	2U/2UR S LEDSYSTEM HO 10x1100lm 2700K DALI/TOUCH DIMM	500	3
812704	2U/2UR S LEDSYSTEM HE 10x650lm 2700K	450	3
812706	2U/2UR S LEDSYSTEM HO 10x1100lm 2700K	450	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
812710	2U/2UR S LEDSYSTEM HE 3x650lm 2700K DALI/TOUCH DIMM	325	3
812714	2U/2UR S LEDSYSTEM HE 3x650lm 2700K	275	3
812720	2U/2UR S LEDSYSTEM HE 2x650lm 2700K DALI/TOUCH DIMM	300	3
812722	2U/2UR S LEDSYSTEM HO 2x1100lm 2700K DALI/TOUCH DIMM	300	3
812724	2U/2UR S LEDSYSTEM HE 2x650lm 2700K	250	3
812726	2U/2UR S LEDSYSTEM HO 2x1100lm 2700K	250	3
812732	2U/2UR S LEDSYSTEM HO 3x1100lm 2700K DALI/TOUCH DIMM	325	3
812736	2U/2UR S LEDSYSTEM HO 3x1100lm 2700K	275	3
812740	2U/2UR S LEDSYSTEM HE 4x650lm 2700K DALI/TOUCH DIMM	350	3
812742	2U/2UR S LEDSYSTEM HO 4x1100lm 2700K DALI/TOUCH DIMM	350	3
812744	2U/2UR S LEDSYSTEM HE 4x650lm 2700K	300	3
812746	2U/2UR S LEDSYSTEM HO 4x1100lm 2700K	300	3
812750	2U/2UR S LEDSYSTEM HE 5x650lm 2700K DALI/TOUCH DIMM	375	3
812752	2U/2UR S LEDSYSTEM HO 5x1100lm 2700K DALI/TOUCH DIMM	375	3
812754	2U/2UR S LEDSYSTEM HE 5x650lm 2700K	325	3
812756	2U/2UR S LEDSYSTEM HO 5x1100lm 2700K	325	3
812760	2U/2UR S LEDSYSTEM HE 6x650lm 2700K DALI/TOUCH DIMM	400	3
812762	2U/2UR S LEDSYSTEM HO 6x1100lm 2700K DALI/TOUCH DIMM	400	3
812764	2U/2UR S LEDSYSTEM HE 6x650lm 2700K	350	3
812766	2U/2UR S LEDSYSTEM HO 6x1100lm 2700K	350	3
812770	2U/2UR S LEDSYSTEM HE 7x650lm 2700K DALI/TOUCH DIMM	425	3
812772	2U/2UR S LEDSYSTEM HO 7x1100lm 2700K DALI/TOUCH DIMM	425	3
812774	2U/2UR S LEDSYSTEM HE 7x650lm 2700K	375	3
812776	2U/2UR S LEDSYSTEM HO 7x1100lm 2700K	375	3
812780	2U/2UR S LEDSYSTEM HE 8x650lm 2700K DALI/TOUCH DIMM	450	3
812782	2U/2UR S LEDSYSTEM HO 8x1100lm 2700K DALI/TOUCH DIMM	450	3
812784	2U/2UR S LEDSYSTEM HE 8x650lm 2700K	400	3
812786	2U/2UR S LEDSYSTEM HO 8x1100lm 2700K	400	3
812790	2U/2UR S LEDSYSTEM HE 9x650lm 2700K DALI/TOUCH DIMM	475	3
812792	2U/2UR S LEDSYSTEM HO 9x1100lm 2700K DALI/TOUCH DIMM	475	3
812794	2U/2UR S LEDSYSTEM HE 9x650lm 2700K	425	3
812796	2U/2UR S LEDSYSTEM HO 9x1100lm 2700K	425	3
812900	2U W LEDSYSTEM HE 10x650lm 2700K DALI/TOUCH DIMM	500	3
812902	2U W LEDSYSTEM HO 10x1100lm 2700K DALI/TOUCH DIMM	500	3
812904	2U W LEDSYSTEM HE 10x650lm 2700K	450	3
812906	2U W LEDSYSTEM HO 10x1100lm 2700K	450	3
812910	2U W LEDSYSTEM HE 3x650lm 2700K DALI/TOUCH DIMM	325	3
812912	2U W LEDSYSTEM HO 3x1100lm 2700K DALI/TOUCH DIMM	325	3
812914	2U W LEDSYSTEM HE 3x650lm 2700K	275	3
812916	2U W LEDSYSTEM HO 3x1100lm 2700K	275	3
812920	2U W LEDSYSTEM HE 2x650lm 2700K DALI/TOUCH DIMM	300	3
812922	2U W LEDSYSTEM HO 2x1100lm 2700K DALI/TOUCH DIMM	300	3
812924	2U W LEDSYSTEM HE 2x650lm 2700K	250	3
812926	2U W LEDSYSTEM HO 2x1100lm 2700K	250	3
812940	2U W LEDSYSTEM HE 4x650lm 2700K DALI/TOUCH DIMM	350	3
812942	2U W LEDSYSTEM HO 4x1100lm 2700K DALI/TOUCH DIMM	350	3
812944	2U W LEDSYSTEM HE 4x650lm 2700K	300	3
812946	2U W LEDSYSTEM HO 4x1100lm 2700K	300	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
812950	2U W LEDSYSTEM HE 5x650lm 2700K DALI/TOUCH DIMM	375	3
812952	2U W LEDSYSTEM HO 5x1100lm 2700K DALI/TOUCH DIMM	375	3
812954	2U W LEDSYSTEM HE 5x650lm 2700K	325	3
812956	2U W LEDSYSTEM HO 5x1100lm 2700K	325	3
812960	2U W LEDSYSTEM HE 6x650lm 2700K DALI/TOUCH DIMM	400	3
812962	2U W LEDSYSTEM HO 6x1100lm 2700K DALI/TOUCH DIMM	400	3
812964	2U W LEDSYSTEM HE 6x650lm 2700K	350	3
812966	2U W LEDSYSTEM HO 6x1100lm 2700K	350	3
812970	2U W LEDSYSTEM HE 7x650lm 2700K DALI/TOUCH DIMM	425	3
812972	2U W LEDSYSTEM HO 7x1100lm 2700K DALI/TOUCH DIMM	425	3
812974	2U W LEDSYSTEM HE 7x650lm 2700K	375	3
812976	2U W LEDSYSTEM HO 7x1100lm 2700K	375	3
812980	2U W LEDSYSTEM HE 8x650lm 2700K DALI/TOUCH DIMM	450	3
812982	2U W LEDSYSTEM HO 8x1100lm 2700K DALI/TOUCH DIMM	450	3
812984	2U W LEDSYSTEM HE 8x650lm 2700K	400	3
812986	2U W LEDSYSTEM HO 8x1100lm 2700K	400	3
812990	2U W LEDSYSTEM HE 9x650lm 2700K DALI/TOUCH DIMM	475	3
812992	2U W LEDSYSTEM HO 9x1100lm 2700K DALI/TOUCH DIMM	475	3
812994	2U W LEDSYSTEM HE 9x650lm 2700K	425	3
812996	2U W LEDSYSTEM HO 9x1100lm 2700K	425	3
813700	2U/2UR H LEDSYSTEM HE 10x650lm 2700K DALI/TOUCH DIMM	500	3
813704	2U/2UR H LEDSYSTEM HE 10x650lm 2700K	450	3
813710	2U/2UR H LEDSYSTEM HE 3x650lm 2700K DALI/TOUCH DIMM	325	3
813714	2U/2UR H LEDSYSTEM HE 3x650lm 2700K	275	3
813720	2U/2UR H LEDSYSTEM HE 2x650lm 2700K DALI/TOUCH DIMM	300	3
813724	2U/2UR H LEDSYSTEM HE 2x650lm 2700K	250	3
813740	2U/2UR H LEDSYSTEM HE 4x650lm 2700K DALI/TOUCH DIMM	350	3
813744	2U/2UR H LEDSYSTEM HE 4x650lm 2700K	300	3
813750	2U/2UR H LEDSYSTEM HE 5x650lm 2700K DALI/TOUCH DIMM	375	3
813754	2U/2UR H LEDSYSTEM HE 5x650lm 2700K	325	3
813760	2U/2UR H LEDSYSTEM HE 6x650lm 2700K DALI/TOUCH DIMM	400	3
813764	2U/2UR H LEDSYSTEM HE 6x650lm 2700K	350	3
813770	2U/2UR H LEDSYSTEM HE 7x650lm 2700K DALI/TOUCH DIMM	425	3
813774	2U/2UR H LEDSYSTEM HE 7x650lm 2700K	375	3
813780	2U/2UR H LEDSYSTEM HE 8x650lm 2700K DALI/TOUCH DIMM	450	3
813784	2U/2UR H LEDSYSTEM HE 8x650lm 2700K	400	3
813790	2U/2UR H LEDSYSTEM HE 9x650lm 2700K DALI/TOUCH DIMM	475	3
813794	2U/2UR H LEDSYSTEM HE 9x650lm 2700K	425	3
814700	2U W LEDSYSTEM 2x500lm 2700K UGR 25°	325	3
814701	2U W LEDSYSTEM 3x500lm 2700K UGR 25°	425	3
814702	2U W LEDSYSTEM 4x500lm 2700K UGR 25°	500	3
814703	2U W LEDSYSTEM 5x500lm 2700K UGR 25°	575	3
814705	2U W LEDSYSTEM 2x500lm 2700K UGR 25°	325	3
814706	2U W LEDSYSTEM 3x500lm 2700K UGR 25°	425	3
814707	2U W LEDSYSTEM 4x500lm 2700K UGR 25°	500	3
814708	2U W LEDSYSTEM 5x500lm 2700K UGR 25°	575	3
814710	2U W LEDSYSTEM 2x500lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
814711	2U W LEDSYSTEM 3x500lm 2700K UGR 25° DALI/TOUCH DIMM	475	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
814712	2U W LEDSYSTEM 4x500lm 2700K UGR 25° DALI/TOUCH DIMM	550	3
814713	2U W LEDSYSTEM 5x500lm 2700K UGR 25° DALI/TOUCH DIMM	625	3
814715	2U W LEDSYSTEM 2x500lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
814716	2U W LEDSYSTEM 3x500lm 2700K UGR 25° DALI/TOUCH DIMM	475	3
814717	2U W LEDSYSTEM 4x500lm 2700K UGR 25° DALI/TOUCH DIMM	550	3
814718	2U W LEDSYSTEM 5x500lm 2700K UGR 25° DALI/TOUCH DIMM	625	3
814720	2U W LEDSYSTEM 2x500lm 2700K UGR 46°	325	3
814721	2U W LEDSYSTEM 3x500lm 2700K UGR 46°	425	3
814722	2U W LEDSYSTEM 4x500lm 2700K UGR 46°	500	3
814723	2U W LEDSYSTEM 5x500lm 2700K UGR 46°	575	3
814725	2U W LEDSYSTEM 2x500lm 2700K UGR 46°	325	3
814726	2U W LEDSYSTEM 3x500lm 2700K UGR 46°	425	3
814727	2U W LEDSYSTEM 4x500lm 2700K UGR 46°	500	3
814728	2U W LEDSYSTEM 5x500lm 2700K UGR 46°	575	3
814730	2U W LEDSYSTEM 2x500lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
814731	2U W LEDSYSTEM 3x500lm 2700K UGR 46° DALI/TOUCH DIMM	475	3
814732	2U W LEDSYSTEM 4x500lm 2700K UGR 46° DALI/TOUCH DIMM	550	3
814733	2U W LEDSYSTEM 5x500lm 2700K UGR 46° DALI/TOUCH DIMM	625	3
814735	2U W LEDSYSTEM 2x500lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
814736	2U W LEDSYSTEM 3x500lm 2700K UGR 46° DALI/TOUCH DIMM	475	3
814737	2U W LEDSYSTEM 4x500lm 2700K UGR 46° DALI/TOUCH DIMM	550	3
814738	2U W LEDSYSTEM 5x500lm 2700K UGR 46° DALI/TOUCH DIMM	625	3
814740	2U W LEDSYSTEM 2x780lm 2700K UGR 25°	325	3
814741	2U W LEDSYSTEM 3x780lm 2700K UGR 25°	425	3
814742	2U W LEDSYSTEM 4x780lm 2700K UGR 25°	500	3
814743	2U W LEDSYSTEM 5x780lm 2700K UGR 25°	575	3
814745	2U W LEDSYSTEM 2x780lm 2700K UGR 25°	325	3
814746	2U W LEDSYSTEM 3x780lm 2700K UGR 25°	425	3
814747	2U W LEDSYSTEM 4x780lm 2700K UGR 25°	500	3
814748	2U W LEDSYSTEM 5x780lm 2700K UGR 25°	575	3
814750	2U W LEDSYSTEM 2x780lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
814751	2U W LEDSYSTEM 3x780lm 2700K UGR 25° DALI/TOUCH DIMM	475	3
814752	2U W LEDSYSTEM 4x780lm 2700K UGR 25° DALI/TOUCH DIMM	550	3
814753	2U W LEDSYSTEM 5x780lm 2700K UGR 25° DALI/TOUCH DIMM	625	3
814755	2U W LEDSYSTEM 2x780lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
814756	2U W LEDSYSTEM 3x780lm 2700K UGR 25° DALI/TOUCH DIMM	475	3
814757	2U W LEDSYSTEM 4x780lm 2700K UGR 25° DALI/TOUCH DIMM	550	3
814758	2U W LEDSYSTEM 5x780lm 2700K UGR 25° DALI/TOUCH DIMM	625	3
814760	2U W LEDSYSTEM 2x780lm 2700K UGR 46°	325	3
814761	2U W LEDSYSTEM 3x780lm 2700K UGR 46°	425	3
814762	2U W LEDSYSTEM 4x780lm 2700K UGR 46°	500	3
814763	2U W LEDSYSTEM 5x780lm 2700K UGR 46°	575	3
814765	2U W LEDSYSTEM 2x780lm 2700K UGR 46°	325	3
814766	2U W LEDSYSTEM 3x780lm 2700K UGR 46°	425	3
814767	2U W LEDSYSTEM 4x780lm 2700K UGR 46°	500	3
814768	2U W LEDSYSTEM 5x780lm 2700K UGR 46°	575	3
814770	2U W LEDSYSTEM 2x780lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
814771	2U W LEDSYSTEM 3x780lm 2700K UGR 46° DALI/TOUCH DIMM	475	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
814772	2U W LEDSYSTEM 4x780lm 2700K UGR 46° DALI/TOUCH DIMM	550	3
814773	2U W LEDSYSTEM 5x780lm 2700K UGR 46° DALI/TOUCH DIMM	625	3
814775	2U W LEDSYSTEM 2x780lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
814776	2U W LEDSYSTEM 3x780lm 2700K UGR 46° DALI/TOUCH DIMM	475	3
814777	2U W LEDSYSTEM 4x780lm 2700K UGR 46° DALI/TOUCH DIMM	550	3
814778	2U W LEDSYSTEM 5x780lm 2700K UGR 46° DALI/TOUCH DIMM	625	3
814800	2U W LEDSYSTEM 2x500lm 3000K UGR 25°	325	3
814801	2U W LEDSYSTEM 3x500lm 3000K UGR 25°	425	3
814802	2U W LEDSYSTEM 4x500lm 3000K UGR 25°	500	3
814803	2U W LEDSYSTEM 5x500lm 3000K UGR 25°	575	3
814805	2U W LEDSYSTEM 2x500lm 3000K UGR 25°	325	3
814806	2U W LEDSYSTEM 3x500lm 3000K UGR 25°	425	3
814807	2U W LEDSYSTEM 4x500lm 3000K UGR 25°	500	3
814808	2U W LEDSYSTEM 5x500lm 3000K UGR 25°	575	3
814810	2U W LEDSYSTEM 2x500lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
814811	2U W LEDSYSTEM 3x500lm 3000K UGR 25° DALI/TOUCH DIMM	475	3
814812	2U W LEDSYSTEM 4x500lm 3000K UGR 25° DALI/TOUCH DIMM	550	3
814813	2U W LEDSYSTEM 5x500lm 3000K UGR 25° DALI/TOUCH DIMM	625	3
814815	2U W LEDSYSTEM 2x500lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
814816	2U W LEDSYSTEM 3x500lm 3000K UGR 25° DALI/TOUCH DIMM	475	3
814817	2U W LEDSYSTEM 4x500lm 3000K UGR 25° DALI/TOUCH DIMM	550	3
814818	2U W LEDSYSTEM 5x500lm 3000K UGR 25° DALI/TOUCH DIMM	625	3
814820	2U W LEDSYSTEM 2x500lm 3000K UGR 46°	325	3
814821	2U W LEDSYSTEM 3x500lm 3000K UGR 46°	425	3
814822	2U W LEDSYSTEM 4x500lm 3000K UGR 46°	500	3
814823	2U W LEDSYSTEM 5x500lm 3000K UGR 46°	575	3
814825	2U W LEDSYSTEM 2x500lm 3000K UGR 46°	325	3
814826	2U W LEDSYSTEM 3x500lm 3000K UGR 46°	425	3
814827	2U W LEDSYSTEM 4x500lm 3000K UGR 46°	500	3
814828	2U W LEDSYSTEM 5x500lm 3000K UGR 46°	575	3
814830	2U W LEDSYSTEM 2x500lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
814831	2U W LEDSYSTEM 3x500lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
814832	2U W LEDSYSTEM 4x500lm 3000K UGR 46° DALI/TOUCH DIMM	550	3
814833	2U W LEDSYSTEM 5x500lm 3000K UGR 46° DALI/TOUCH DIMM	625	3
814835	2U W LEDSYSTEM 2x500lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
814836	2U W LEDSYSTEM 3x500lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
814837	2U W LEDSYSTEM 4x500lm 3000K UGR 46° DALI/TOUCH DIMM	550	3
814838	2U W LEDSYSTEM 5x500lm 3000K UGR 46° DALI/TOUCH DIMM	625	3
814840	2U W LEDSYSTEM 2x780lm 3000K UGR 25°	325	3
814841	2U W LEDSYSTEM 3x780lm 3000K UGR 25°	425	3
814842	2U W LEDSYSTEM 4x780lm 3000K UGR 25°	500	3
814843	2U W LEDSYSTEM 5x780lm 3000K UGR 25°	575	3
814845	2U W LEDSYSTEM 2x780lm 3000K UGR 25°	325	3
814846	2U W LEDSYSTEM 3x780lm 3000K UGR 25°	425	3
814847	2U W LEDSYSTEM 4x780lm 3000K UGR 25°	500	3
814848	2U W LEDSYSTEM 5x780lm 3000K UGR 25°	575	3
814850	2U W LEDSYSTEM 2x780lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
814851	2U W LEDSYSTEM 3x780lm 3000K UGR 25° DALI/TOUCH DIMM	475	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
814852	2U W LEDSYSTEM 4x780lm 3000K UGR 25° DALI/TOUCH DIMM	550	3
814853	2U W LEDSYSTEM 5x780lm 3000K UGR 25° DALI/TOUCH DIMM	625	3
814855	2U W LEDSYSTEM 2x780lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
814856	2U W LEDSYSTEM 3x780lm 3000K UGR 25° DALI/TOUCH DIMM	475	3
814857	2U W LEDSYSTEM 4x780lm 3000K UGR 25° DALI/TOUCH DIMM	550	3
814858	2U W LEDSYSTEM 5x780lm 3000K UGR 25° DALI/TOUCH DIMM	625	3
814860	2U W LEDSYSTEM 2x780lm 3000K UGR 46°	325	3
814861	2U W LEDSYSTEM 3x780lm 3000K UGR 46°	425	3
814862	2U W LEDSYSTEM 4x780lm 3000K UGR 46°	500	3
814863	2U W LEDSYSTEM 5x780lm 3000K UGR 46°	575	3
814865	2U W LEDSYSTEM 2x780lm 3000K UGR 46°	325	3
814866	2U W LEDSYSTEM 3x780lm 3000K UGR 46°	425	3
814867	2U W LEDSYSTEM 4x780lm 3000K UGR 46°	500	3
814868	2U W LEDSYSTEM 5x780lm 3000K UGR 46°	575	3
814870	2U W LEDSYSTEM 2x780lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
814871	2U W LEDSYSTEM 3x780lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
814872	2U W LEDSYSTEM 4x780lm 3000K UGR 46° DALI/TOUCH DIMM	550	3
814873	2U W LEDSYSTEM 5x780lm 3000K UGR 46° DALI/TOUCH DIMM	625	3
814875	2U W LEDSYSTEM 2x780lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
814876	2U W LEDSYSTEM 3x780lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
814877	2U W LEDSYSTEM 4x780lm 3000K UGR 46° DALI/TOUCH DIMM	550	3
814878	2U W LEDSYSTEM 5x780lm 3000K UGR 46° DALI/TOUCH DIMM	625	3
814900	2U W LEDSYSTEM 2x500lm 4000K UGR 25°	325	3
814901	2U W LEDSYSTEM 3x500lm 4000K UGR 25°	425	3
814902	2U W LEDSYSTEM 4x500lm 4000K UGR 25°	500	3
814903	2U W LEDSYSTEM 5x500lm 4000K UGR 25°	575	3
814905	2U W LEDSYSTEM 2x500lm 4000K UGR 25°	325	3
814906	2U W LEDSYSTEM 3x500lm 4000K UGR 25°	425	3
814907	2U W LEDSYSTEM 4x500lm 4000K UGR 25°	500	3
814908	2U W LEDSYSTEM 5x500lm 4000K UGR 25°	575	3
814910	2U W LEDSYSTEM 2x500lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
814911	2U W LEDSYSTEM 3x500lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
814912	2U W LEDSYSTEM 4x500lm 4000K UGR 25° DALI/TOUCH DIMM	550	3
814913	2U W LEDSYSTEM 5x500lm 4000K UGR 25° DALI/TOUCH DIMM	625	3
814915	2U W LEDSYSTEM 2x500lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
814916	2U W LEDSYSTEM 3x500lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
814917	2U W LEDSYSTEM 4x500lm 4000K UGR 25° DALI/TOUCH DIMM	550	3
814918	2U W LEDSYSTEM 5x500lm 4000K UGR 25° DALI/TOUCH DIMM	625	3
814920	2U W LEDSYSTEM 2x500lm 4000K UGR 46°	325	3
814921	2U W LEDSYSTEM 3x500lm 4000K UGR 46°	425	3
814922	2U W LEDSYSTEM 4x500lm 4000K UGR 46°	500	3
814923	2U W LEDSYSTEM 5x500lm 4000K UGR 46°	575	3
814925	2U W LEDSYSTEM 2x500lm 4000K UGR 46°	325	3
814926	2U W LEDSYSTEM 3x500lm 4000K UGR 46°	425	3
814927	2U W LEDSYSTEM 4x500lm 4000K UGR 46°	500	3
814928	2U W LEDSYSTEM 5x500lm 4000K UGR 46°	575	3
814930	2U W LEDSYSTEM 2x500lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
814931	2U W LEDSYSTEM 3x500lm 4000K UGR 46° DALI/TOUCH DIMM	475	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
814932	2U W LEDSYSTEM 4x500lm 4000K UGR 46° DALI/TOUCH DIMM	550	3
814933	2U W LEDSYSTEM 5x500lm 4000K UGR 46° DALI/TOUCH DIMM	625	3
814935	2U W LEDSYSTEM 2x500lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
814936	2U W LEDSYSTEM 3x500lm 4000K UGR 46° DALI/TOUCH DIMM	475	3
814937	2U W LEDSYSTEM 4x500lm 4000K UGR 46° DALI/TOUCH DIMM	550	3
814938	2U W LEDSYSTEM 5x500lm 4000K UGR 46° DALI/TOUCH DIMM	625	3
814940	2U W LEDSYSTEM 2x780lm 4000K UGR 25°	325	3
814941	2U W LEDSYSTEM 3x780lm 4000K UGR 25°	425	3
814942	2U W LEDSYSTEM 4x780lm 4000K UGR 25°	500	3
814943	2U W LEDSYSTEM 5x780lm 4000K UGR 25°	575	3
814945	2U W LEDSYSTEM 2x780lm 4000K UGR 25°	325	3
814946	2U W LEDSYSTEM 3x780lm 4000K UGR 25°	425	3
814947	2U W LEDSYSTEM 4x780lm 4000K UGR 25°	500	3
814948	2U W LEDSYSTEM 5x780lm 4000K UGR 25°	575	3
814950	2U W LEDSYSTEM 2x780lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
814951	2U W LEDSYSTEM 3x780lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
814952	2U W LEDSYSTEM 4x780lm 4000K UGR 25° DALI/TOUCH DIMM	550	3
814953	2U W LEDSYSTEM 5x780lm 4000K UGR 25° DALI/TOUCH DIMM	625	3
814955	2U W LEDSYSTEM 2x780lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
814956	2U W LEDSYSTEM 3x780lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
814957	2U W LEDSYSTEM 4x780lm 4000K UGR 25° DALI/TOUCH DIMM	550	3
814958	2U W LEDSYSTEM 5x780lm 4000K UGR 25° DALI/TOUCH DIMM	625	3
814960	2U W LEDSYSTEM 2x780lm 4000K UGR 46°	325	3
814961	2U W LEDSYSTEM 3x780lm 4000K UGR 46°	425	3
814962	2U W LEDSYSTEM 4x780lm 4000K UGR 46°	500	3
814963	2U W LEDSYSTEM 5x780lm 4000K UGR 46°	575	3
814965	2U W LEDSYSTEM 2x780lm 4000K UGR 46°	325	3
814966	2U W LEDSYSTEM 3x780lm 4000K UGR 46°	425	3
814967	2U W LEDSYSTEM 4x780lm 4000K UGR 46°	500	3
814968	2U W LEDSYSTEM 5x780lm 4000K UGR 46°	575	3
814970	2U W LEDSYSTEM 2x780lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
814971	2U W LEDSYSTEM 3x780lm 4000K UGR 46° DALI/TOUCH DIMM	475	3
814972	2U W LEDSYSTEM 4x780lm 4000K UGR 46° DALI/TOUCH DIMM	550	3
814973	2U W LEDSYSTEM 5x780lm 4000K UGR 46° DALI/TOUCH DIMM	625	3
814975	2U W LEDSYSTEM 2x780lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
814976	2U W LEDSYSTEM 3x780lm 4000K UGR 46° DALI/TOUCH DIMM	475	3
814977	2U W LEDSYSTEM 4x780lm 4000K UGR 46° DALI/TOUCH DIMM	550	3
814978	2U W LEDSYSTEM 5x780lm 4000K UGR 46° DALI/TOUCH DIMM	625	3
815202	2U MODULE 1x LUXEON M 230V 2700K MAINS DIMMABLE	140	3
815203	2U MODULE 1x LUXEON M 230V 2700K MAINS DIMMABLE	140	3
815205	2U MODULE 1x LUXEON M 230V 2700K MAINS DIMMABLE	140	3
815206	2U MODULE 2x LUXEON M 230V 2700K MAINS DIMMABLE	280	3
815207	2U MODULE 2x LUXEON M 230V 2700K MAINS DIMMABLE	280	3
815209	2U MODULE 2x LUXEON M 230V 2700K MAINS DIMMABLE	280	3
815212	2U MODULE 3x LUXEON M 230V 2700K MAINS DIMMABLE	380	3
815213	2U MODULE 3x LUXEON M 230V 2700K MAINS DIMMABLE	380	3
815215	2U MODULE 3x LUXEON M 230V 2700K MAINS DIMMABLE	380	3
815216	2U MODULE 4x LUXEON M 230V 2700K MAINS DIMMABLE	500	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
815217	2U MODULE 4x LUXEON M 230V 2700K MAINS DIMMABLE	500	3
815219	2U MODULE 4x LUXEON M 230V 2700K MAINS DIMMABLE	500	3
815222	2UR MODULE 1x LUXEON M 230V 2700K MAINS DIMMABLE	140	3
815223	2UR MODULE 1x LUXEON M 230V 2700K MAINS DIMMABLE	140	3
815225	2UR MODULE 1x LUXEON M 230V 2700K MAINS DIMMABLE	140	3
815226	2UR MODULE 2x LUXEON M 230V 2700K MAINS DIMMABLE	280	3
815227	2UR MODULE 2x LUXEON M 230V 2700K MAINS DIMMABLE	280	3
815229	2UR MODULE 2x LUXEON M 230V 2700K MAINS DIMMABLE	280	3
815232	2UR MODULE 3x LUXEON M 230V 2700K MAINS DIMMABLE	380	3
815233	2UR MODULE 3x LUXEON M 230V 2700K MAINS DIMMABLE	380	3
815235	2UR MODULE 3x LUXEON M 230V 2700K MAINS DIMMABLE	380	3
815236	2UR MODULE 4x LUXEON M 230V 2700K MAINS DIMMABLE	500	3
815237	2UR MODULE 4x LUXEON M 230V 2700K MAINS DIMMABLE	500	3
815239	2UR MODULE 4x LUXEON M 230V 2700K MAINS DIMMABLE	500	3
815242	2UR MODULE 1x LUXEON M 230V 3000K MAINS DIMMABLE	140	3
815243	2UR MODULE 1x LUXEON M 230V 3000K MAINS DIMMABLE	140	3
815245	2UR MODULE 1x LUXEON M 230V 3000K MAINS DIMMABLE	140	3
815246	2UR MODULE 2x LUXEON M 230V 3000K MAINS DIMMABLE	280	3
815247	2UR MODULE 2x LUXEON M 230V 3000K MAINS DIMMABLE	280	3
815249	2UR MODULE 2x LUXEON M 230V 3000K MAINS DIMMABLE	280	3
815252	2UR MODULE 3x LUXEON M 230V 3000K MAINS DIMMABLE	380	3
815253	2UR MODULE 3x LUXEON M 230V 3000K MAINS DIMMABLE	380	3
815255	2UR MODULE 3x LUXEON M 230V 3000K MAINS DIMMABLE	380	3
815256	2UR MODULE 4x LUXEON M 230V 3000K MAINS DIMMABLE	500	3
815257	2UR MODULE 4x LUXEON M 230V 3000K MAINS DIMMABLE	500	3
815259	2UR MODULE 4x LUXEON M 230V 3000K MAINS DIMMABLE	500	3
815262	2U MODULE 1x LUXEON M 230V 3000K MAINS DIMMABLE	140	3
815263	2U MODULE 1x LUXEON M 230V 3000K MAINS DIMMABLE	140	3
815265	2U MODULE 1x LUXEON M 230V 3000K MAINS DIMMABLE	140	3
815266	2U MODULE 2x LUXEON M 230V 3000K MAINS DIMMABLE	280	3
815267	2U MODULE 2x LUXEON M 230V 3000K MAINS DIMMABLE	280	3
815269	2U MODULE 2x LUXEON M 230V 3000K MAINS DIMMABLE	280	3
815272	2U MODULE 3x LUXEON M 230V 3000K MAINS DIMMABLE	380	3
815273	2U MODULE 3x LUXEON M 230V 3000K MAINS DIMMABLE	380	3
815275	2U MODULE 3x LUXEON M 230V 3000K MAINS DIMMABLE	380	3
815276	2U MODULE 4x LUXEON M 230V 3000K MAINS DIMMABLE	500	3
815277	2U MODULE 4x LUXEON M 230V 3000K MAINS DIMMABLE	500	3
815279	2U MODULE 4x LUXEON M 230V 3000K MAINS DIMMABLE	500	3
815290	2U MODULE M10 SINGLE 250mA MAINS DIMM	90	3
815291	2U MODULE M10 SINGLE 350mA MAINS DIMM	90	3
815292	2U MODULE M10 SINGLE 700mA MAINS DIMM	90	3
815295	2U COVER FALL PROTECTION FOR M10	25	3
815299	2U MODULE M10 SINGLE 230V	40	3
815342	2UR MODULE 1x HALOSPHERE 230V MAINS DIMMABLE	154	3
815343	2UR MODULE 1x HALOSPHERE 230V MAINS DIMMABLE	154	3
815345	2UR MODULE 1x HALOSPHERE 230V MAINS DIMMABLE	154	3
815346	2UR MODULE 2x HALOSPHERE 230V MAINS DIMMABLE	308	3
815347	2UR MODULE 2x HALOSPHERE 230V MAINS DIMMABLE	308	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
815349	2UR MODULE 2x HALOSPHERE 230V MAINS DIMMABLE	308	3
815352	2UR MODULE 3x HALOSPHERE 230V MAINS DIMMABLE	418	3
815353	2UR MODULE 3x HALOSPHERE 230V MAINS DIMMABLE	418	3
815355	2UR MODULE 3x HALOSPHERE 230V MAINS DIMMABLE	418	3
815356	2UR MODULE 4x HALOSPHERE 230V MAINS DIMMABLE	550	3
815357	2UR MODULE 4x HALOSPHERE 230V MAINS DIMMABLE	550	3
815359	2UR MODULE 4x HALOSPHERE 230V MAINS DIMMABLE	550	3
815362	2U MODULE 1x HALOSPHERE 230V MAINS DIMMABLE	154	3
815363	2U MODULE 1x HALOSPHERE 230V MAINS DIMMABLE	154	3
815365	2U MODULE 1x HALOSPHERE 230V MAINS DIMMABLE	154	3
815366	2U MODULE 2x HALOSPHERE 230V MAINS DIMMABLE	308	3
815367	2U MODULE 2x HALOSPHERE 230V MAINS DIMMABLE	308	3
815369	2U MODULE 2x HALOSPHERE 230V MAINS DIMMABLE	308	3
815372	2U MODULE 3x HALOSPHERE 230V MAINS DIMMABLE	418	3
815373	2U MODULE 3x HALOSPHERE 230V MAINS DIMMABLE	418	3
815375	2U MODULE 3x HALOSPHERE 230V MAINS DIMMABLE	418	3
815376	2U MODULE 4x HALOSPHERE 230V MAINS DIMMABLE	550	3
815377	2U MODULE 4x HALOSPHERE 230V MAINS DIMMABLE	550	3
815379	2U MODULE 4x HALOSPHERE 230V MAINS DIMMABLE	550	3
819211	2U/2UR S MODULE LEDLINE 9,6W 2700K /M	70	3
819212	2U/2UR S MODULE LEDLINE 19,2W 2700K /M	100	3
819216	2U/2UR H / DORMENT (UP) MODULE LEDLINE 9.6W 2700K /M	70	3
819217	2U/2UR H MODULE LEDLINE 19,2W 2700K /M	100	3
819221	2U/2UR S MODULE LEDLINE 9.6W 3000K /M	70	3
819222	2U/2UR S MODULE LEDLINE 19,2W 3000K /M	100	3
819226	2U/2UR H / DORMENT (UP) MODULE LEDLINE 9.6W 3000K /M	70	3
819227	2U/2UR H MODULE LEDLINE 19,2W 3000K /M	100	3
819231	2U/2UR S MODULE LEDLINE 9.6W 4000K /M	70	3
819232	2U/2UR S MODULE LEDLINE 19,2W 4000K /M	100	3
819236	2U/2UR H / DORMENT (UP) MODULE LEDLINE 9.6W 4000K /M	70	3
819237	2U/2UR H MODULE LEDLINE 19,2W 4000K /M	100	3
819251	2U/2UR S MODULE LEDLINE 14.4W 2700K /M	85	3
819256	2U/2UR H MODULE LEDLINE 14.4W 2700K /M	85	3
819261	2U/2UR S MODULE LEDLINE 14.4W 3000K /M	85	3
819266	2U/2UR H MODULE LEDLINE 14.4W 3000K /M	85	3
819271	2U/2UR S MODULE LEDLINE 14.4W 4000K /M	85	3
819276	2U/2UR H MODULE LEDLINE 14.4W 4000K /M	85	3
819410	2UR S MODULE LEDLINE CR 9.6W 2700K CRI92 /M	100	3
819411	2UR S MODULE LEDLINE CR 19,2W 2700K /M	130	3
819420	2UR S MODULE LEDLINE CR 9.6W 3000K CRI92 /M	100	3
819421	2UR S MODULE LEDLINE CR 19,2W 3000K /M	130	3
819430	2UR S MODULE LEDLINE CR 9.6W 4000K CRI92 /M	100	3
819431	2UR S MODULE LEDLINE CR 19,2W 4000K /M	130	3
819450	2UR S MODULE LEDLINE CR 14.4W 2700K CRI92 /M	115	3
819460	2UR S MODULE LEDLINE CR 14.4W 3000K CRI92 /M	115	3
819470	2UR S MODULE LEDLINE CR 14.4W 4000K CRI92 /M	115	3
819610	2U W MODULE LEDLINE CR 9.6W 2700K /M	100	3
819611	2U W MODULE LEDLINE CR 19,2W 2700K /M	130	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
819620	2U W MODULE LEDLINE CR 9.6W 3000K /M	100	3
819621	2U W MODULE LEDLINE CR 19,2W 3000K /M	130	3
819630	2U W MODULE LEDLINE CR 9.6W 4000K /M	100	3
819631	2U W MODULE LEDLINE CR 19,2W 4000K /M	130	3
819650	2U W MODULE LEDLINE CR 14.4W 2700K /M	115	3
819660	2U W MODULE LEDLINE CR 14.4W 3000K CRI92 /M	115	3
819670	2U W MODULE LEDLINE CR 14.4W 4000K /M	115	3
819710	2U W MODULE LEDLINE 9.6W 2700K /M	70	3
819711	2U W MODULE LEDLINE 19,2W 2700K /M	100	3
819720	2U W MODULE LEDLINE 9.6W 3000K /M	70	3
819721	2U W MODULE LEDLINE 19,2W 3000K /M	100	3
819730	2U W MODULE LEDLINE 9.6W 4000K /M	70	3
819731	2U W MODULE LEDLINE 19,2W 4000K /M	100	3
819750	2U W MODULE LEDLINE 14.4W 2700K /M	85	3
819760	2U W MODULE LEDLINE 14.4W 3000K CRI92 /M	85	3
819770	2U W MODULE LEDLINE 14.4W 4000K /M	85	3
840026	2UR PROFILE /M	50	3
840047	2UR PROFILE /M	50	3
840226	2UR ENDCAP S+H	25	3
840247	2UR ENDCAP S+H	25	3
860106	BORITI COVER DIFFUSER /M	62	3
860107	BORITI COVER DIFFUSER /M	62	3
860112	BORITI COVER /m ALU COVER	30	3
860126	BORITI COVER /m ALU COVER	30	3
860147	BORITI COVER /m ALU COVER	30	3
890826	CONNECTION SET SQUARE SM 3x0.75MM2 2.25M	66	3
890847	CONNECTION SET SQUARE SM 3x0.75MM2 2.25M	66	3
890926	CONNECTION SET SQUARE SM 3x0.75MM2 4M	78	3
890947	CONNECTION SET SQUARE SM 3x0.75MM2 4M	78	3
891026	CONNECTION SET SQUARE SM 3x0.75MM2 6M	91	3
891047	CONNECTION SET SQUARE SM 3x0.75MM2 6M	91	3
891126	CONNECTION SET SQUARE SM 5x0.75MM2 2.25M	84	3
891147	CONNECTION SET SQUARE SM 5x0.75MM2 2.25M	84	3
891226	CONNECTION SET SQUARE SM 5x0.75MM2 4M	106	3
891247	CONNECTION SET SQUARE SM 5x0.75MM2 4M	106	3
891326	CONNECTION SET SQUARE SM 5x0.75MM2 6M	132	3
891347	CONNECTION SET SQUARE SM 5x0.75MM2 6M	132	3
891800	2U WALL FIXATION	35	3
891826	2U WALL FIXATION	35	3
891847	2U WALL FIXATION	35	3
891900	2U STRAIGHT CONNECTION	30	3
891910	2UR STRAIGHT CONNECTION	30	3
892000	2U CORNER 135°	30	3
892091	UNIVERSAL PROFILE CASAMBI MODULE DALI 4CH	384	3
892100	2U CORNER 90°	30	3
892110	2UR CORNER 90°	30	3
892200	2U CORNER OTHER ANGLE	200	3
892326	2U SUSPENSION SINGLE 2.25 M	30	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
892330	2U SUSPENSION SINGLE 2.25 M	30	3
892347	2U SUSPENSION SINGLE 2.25 M	30	3
892426	2U SUSPENSION SINGLE 4 M	40	3
892430	2U SUSPENSION SINGLE 4 M	40	3
892447	2U SUSPENSION SINGLE 4 M	40	3
892526	2U SUSPENSION SINGLE 6 M	50	3
892530	2U SUSPENSION SINGLE 6 M	50	3
892547	2U SUSPENSION SINGLE 6 M	50	3
892630	EXTRA CIRCUIT / M COMMON NEUTRAL	18	3
892631	EXTRA CIRCUIT / M NO COMMON NEUTRAL	36	3
894512	2U WALLBEAM	90	3
894526	2U WALLBEAM	90	3
894547	2U WALLBEAM	90	3
894900	2UR MOUNTING BRACKET	20	3
895026	BORITI SUSPENSION SET 2.25 M	35	3
895030	BORITI SUSPENSION SET 2.25 M	35	3
895047	BORITI SUSPENSION SET 2.25 M	35	3
895126	BORITI SUSPENSION SET 4 M	37	3
895130	BORITI SUSPENSION SET 4 M	37	3
895147	BORITI SUSPENSION SET 4 M	37	3
895226	BORITI SUSPENSION SET 6 M	39	3
895230	BORITI SUSPENSION SET 6 M	39	3
895247	BORITI SUSPENSION SET 6 M	39	3
930511	TEV_POWERLED CONVERTER 18W 350mA MAINS DIM LC REM 10%	30	3
930512	POWERLED CONVERTER 4W 350mA IP65 MAINS DIM LC	33	3
930537	POWERLED CONV. INVENTR 26W 350mA + WIRES	64	3
930541	POWERLED CONVERTER 9W 350mA 230V IP20	36	3
930544	POWERLED CONVERTER REMOTE 7,2W 180mA SMALL M DIMM C	54	3
930545	POWERLED CONVERTER REMOTE 1x 180mA (DIP)	41	3
930546	POWERLED CONVERTER REMOTE 8W 180mA 1-10V DIMM	75	3
930553	POWERLED CONVERTER 22W 500mA DIMMABLE 1-10V	73	3
930556	POWERLED CONVERTER REMOTE 2x 1-20W 500mA 1-10V DIMM	114	3
930557	POWERLED CONVERTER REMOTE 2x 1-20W 500mA T/DALI/1-10V DIMM	126	3
930559	POWERLED CONVERTER 16W 500 mA MAINS DIMM L/C REM.	33	3
930560	POWERLED CONVERTER 15W 350mA DIMMABLE 1-10V	58	3
930561	POWERLED CONVERTER 350/(700mA) 12W SMALL MAINS DIMM C	58	3
930562	POWERLED CONVERTER 13.5W 350 mA MAINS DIMM LC 10%	39	3
930565	POWERLED CONVERT REMOTE 10W 1x180mA DIMM LC / 1-10V	35	3
930573	POWERLED CONVERTER 8W 350 mA IP54 ACC	41	3
930578	POWERLED CONVERTER REMOTE 30W 700mA 1-10V DIMM	58	3
930581	POWERLED REMOTE CONVERTER (15W) TOUCH DALI DIM 350mA	67	3
930582	POWERLED REMOTE CONVERTER (35W) TOUCH DALI DIM 700mA	83	3
930585	POWERLED REMOTE CONVERTER (35W) TOUCH DALI DIM 500mA	83	3
930587	POWERLED REMOTE CONVERTER (15W) TOUCH DALI DIM 700mA	67	3
930588	POWERLED REMOTE CONVERTER (15W) TOUCH DALI DIM 180mA	67	3
930589	POWERLED CONVERTER REMOTE 25W 700mA MAINS DIMM LC	49	3
930591	POWERLED CONVERT REMOTE 6W 350mA 1-10V DIMM	45	3
930592	POWERLED CONVERTER 10W 700mA 230V IP20 MAINS DIM LC (REMOTE)	33	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
930594	POWERLED CONVERTER 12W 700mA 230V IP65 + WIRES LC DIMM	35	3
930595	POWERLED CONVERTER 12W 350mA 230V IP65 + WIRES LC DIMM	45	3
930596	POWERLED CONVERTER 12W 500mA 230V IP65 + WIRES LC DIMM	34	3
930598	POWERLED CONVERTER 5W 250mA IP65 MAINS DIM LC	40	3
930599	POWERLED REMOTE CONVERTER 12W 250mA 1-10V DIMM	66	3
930601	POWERLED REMOTE CONVERTER (15W) TOUCH DALI DIM 250mA	72	3
930602	POWERLED CONVERTER 21W 500 mA MAINS DIMM L/C REM.	59	3
930603	POWERLED CONVERTER 12W 260mA 230V IP65 + WIRES MAINS DIMM LC	34	3
930604	POWERLED REMOTE CONVERTER 20W 260mA 230V IP20 MAINS DIMM	49	3
930605	POWERLED REMOTE CONVERTER 18W 2x180mA MAINS DIMM LC IP20	52	3
930606	POWERLED REMOTE CONVERTER 8W 180mA CASAMBI IP20	166	3
930607	POWERLED REMOTE CONVERTER 10W 250mA CASAMBI IP20	166	3
930608	POWERLED REMOTE CONVERTER 19W 350mA CASAMBI IP20	151	3
930609	POWERLED REMOTE CONVERTER 27W 500mA CASAMBI IP20	151	3
930618	POWERLED REMOTE CONVERTER 36W 700mA CASAMBI IP20	151	3
930620	POWERLED CONVERTER 6,5W 500mA IP20 MAINS DIMM RC	37	3
930621	POWERLED CONVERTER REMOTE 30W 700mA MAINS DIMM LC	45	3
930622	POWERLED CONVERTER REMOTE 18W 350mA MAINS DIMM LC	33	3
930623	POWERLED REMOTE CONVERTER (18.2W) TOUCH DALI DIM 350mA	47	3
930624	Powerled Converter 10W 350mA 230V + wires mains dim RC	39	3
950070	DORMENT / LUDO CORNER 90°	54	3
950080	DORMENT / LUDO CORNER 135°	51	3
950090	DORMENT / LUDO CORNER OTHER ANGLE	255	3
952006	1U/TAGLIO COVER DIFFUSER /M	40	3
952012	1U PROFILE /M	40	3
952016	1U/TAGLIO COVER DIFFUSER /M	35	3
952020	1U SUSPENSION SINGLE 4 M	40	3
952021	1U SUSPENSION SINGLE 4 M	40	3
952022	1U SUSPENSION SINGLE 4 M	40	3
952026	1U PROFILE /M	40	3
952035	1U PROFILE FOR PLASTER /M	30	3
952040	1U SUSPENSION SINGLE 2.25 M	30	3
952041	1U SUSPENSION SINGLE 2.25 M	30	3
952042	1U SUSPENSION SINGLE 2.25 M	30	3
952047	1U PROFILE /M	40	3
952050	1U SUSPENSION SINGLE 6 M	50	3
952051	1U SUSPENSION SINGLE 6 M	50	3
952052	1U SUSPENSION SINGLE 6 M	50	3
952060	1U STRAIGHT CONNECTION	30	3
952070	1U CORNER 90°	30	3
952080	1U CORNER 135°	30	3
952090	1U CORNER OTHER ANGLE	200	3
952211	1U MODULE LEDLINE 9.6W 2700K 672lm CRI92 /M	70	3
952212	1U ENDCAP	25	3
952221	1U MODULE LEDLINE 9.6W 3000K 710lm CRI92 /M	70	3
952226	1U ENDCAP	25	3
952231	1U MODULE LEDLINE 9.6W 4000K 740lm CRI92 /M	70	3
952235	1U ENDCAP FOR PLASTER	8	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
952247	1U ENDCAP	25	3
952251	1U MODULE LEDLINE 14.4W 2700K 1010lm CRI92 /M	85	3
952254	1U MODULE LEDLINE 14.4W 2700K 1010lm CRI92 /M	85	3
952261	1U MODULE LEDLINE 14.4W 3000K 1060lm CRI92 /M.	85	3
952264	1U MODULE LEDLINE 14.4W 3000K 1060lm CRI92 /M	85	3
952271	1U MODULE LEDLINE 14.4W 4000K 1100lm CRI92 /M	85	3
952274	1U MODULE LEDLINE 14.4W 4000K 1100lm CRI92 /M	85	3
952311	1U MODULE LEDLINE 19.2W 2700K 2208lm CRI92 /M	100	3
952314	1U MODULE LEDLINE 19.2W 2700K 2208lm CRI92 /M	100	3
952321	1U MODULE LEDLINE 19.2W 3000K 2208lm CRI92 /M	100	3
952324	1U MODULE LEDLINE 19.2W 3000K 2208lm CRI92 /M	100	3
952331	1U MODULE LEDLINE 19.2W 4000K 2323lm CRI92 /M	100	3
952334	1U MODULE LEDLINE 19.2W 4000K 2323lm CRI92 /M	100	3
952420	1U MODULE LEDLINE SLEEVED 9.6W 2700K 672lm CRI92 /M IP65	75	3
952425	1U MODULE LEDLINE SLEEVED 14.4W 2700K 1010lm CRI92 /M IP65	90	3
952430	1U MODULE LEDLINE SLEEVED 9.6W 3000K 672lm CRI92 /M IP65	75	3
952435	1U MODULE LEDLINE SLEEVED 14.4W 3000K 1010lm CRI92 /M IP65	90	3
952440	1U MODULE LEDLINE SLEEVED 9.6W 4000K 710lm CRI92 /M IP65	75	3
952445	1U MODULE LEDLINE SLEEVED 14.4W 4000K 1060lm CRI92 /M IP65	90	3
952900	1U MOUNTING BRACKET 9.5	20	3
952901	1U MOUNTING BRACKET 12.5	20	3
952902	1U MOUNTING BRACKET 15	20	3
952903	1U MOUNTING BRACKET 18	20	3
952905	1U MOUNTING SPRING	3	3
954012	1U SLIM PROFILE /M	40	3
954026	1U SLIM PROFILE /M	40	3
954047	1U SLIM PROFILE /M	40	3
954212	1U SLIM ENDCAP	25	3
954226	1U SLIM ENDCAP	25	3
954247	1U SLIM ENDCAP	25	3
954312	1U SLIM ENDCAP SIDE ENTRY	25	3
954326	1U SLIM ENDCAP SIDE ENTRY	25	3
954347	1U SLIM ENDCAP SIDE ENTRY	25	3
954905	1U SLIM MOUNTING SPRING	3	3
955012	1U WALL PROFILE /M	40	3
955026	1U WALL PROFILE /M	40	3
955047	1U WALL PROFILE /M	40	3
955212	1U WALL ENDCAP RIGHT	25	3
955213	1U WALL ENDCAP LEFT	25	3
955226	1U WALL ENDCAP RIGHT	25	3
955227	1U WALL ENDCAP LEFT	25	3
955247	1U WALL ENDCAP RIGHT	25	3
955248	1U WALL ENDCAP LEFT	25	3
957026	TAGLIO PROFILE /M	59	3
957047	TAGLIO PROFILE /M	59	3
957060	TAGLIO STRAIGHT CONNECTION	28	3
957070	TAGLIO CORNER 90°	35	3
957080	TAGLIO CORNER 135°	36	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
957090	TAGLIO CORNER OTHER ANGLE	226	3
957226	TAGLIO ENDCAP	44	3
957247	TAGLIO ENDCAP	44	3
957905	TAGLIO MOUNTING SPRING	17	3
960006	PROTUT COVER PC SATINE BLEND /m	35	3
960007	PROTUT COVER ALU /m	40	3
960008	PROTUT COVER ALU /m	40	3
960021	PROTUT SUSPENSION SINGLE 6 M	50	3
960022	PROTUT SUSPENSION SINGLE 6 M	50	3
960026	PROTUT PROFILE /M	40	3
960030	PROTUT SUSPENSION SINGLE 4 M	40	3
960031	PROTUT SUSPENSION SINGLE 4 M	40	3
960032	PROTUT SUSPENSION SINGLE 4 M	40	3
960040	PROTUT SUSPENSION SINGLE 2.25 M	30	3
960041	PROTUT SUSPENSION SINGLE 2.25 M	30	3
960042	PROTUT SUSPENSION SINGLE 2.25 M	30	3
960047	PROTUT PROFILE /M	40	3
960055	PROTUT MOUNTING SPRING (for M10)	4	3
960060	PROTUT STRAIGHT CONNECTION	30	3
960065	PROTUT COVER FALL PROTECTION FOR M10	25	3
960070	PROTUT CORNER 90	30	3
960080	PROTUT CORNER 135	30	3
960090	PROTUT CORNER ON REQUEST	200	3
960110	PROTUT LEDSYSTEM 3x1100lm 3000K DALI/TOUCH DIMM	270	3
960115	PROTUT LEDSYSTEM 3x1100lm 3000K	220	3
960120	PROTUT LEDSYSTEM 4x1100lm 3000K DALI/TOUCH DIMM	295	3
960125	PROTUT LEDSYSTEM 4x1100lm 3000K	245	3
960127	PROTUT ENDCAP FOR COVER	25	3
960130	PROTUT LEDSYSTEM 5x1100lm 3000K DALI/TOUCH DIMM	320	3
960135	PROTUT LEDSYSTEM 5x1100lm 3000K	270	3
960140	PROTUT LEDSYSTEM 6x1100lm 3000K DALI/TOUCH DIMM	345	3
960145	PROTUT LEDSYSTEM 6x1100lm 3000K	295	3
960148	PROTUT ENDCAP FOR COVER	25	3
960150	PROTUT LEDSYSTEM 7x1100lm 3000K DALI/TOUCH DIMM	370	3
960155	PROTUT LEDSYSTEM 7x1100lm 3000K	320	3
960160	PROTUT LEDSYSTEM 8x1100lm 3000K DALI/TOUCH DIMM	395	3
960165	PROTUT LEDSYSTEM 8x1100lm 3000K	345	3
960170	PROTUT LEDSYSTEM 9x1100lm 3000K DALI/TOUCH DIMM	420	3
960175	PROTUT LEDSYSTEM 9x1100lm 3000K	370	3
960180	PROTUT LEDSYSTEM 10x1100lm 3000K DALI/TOUCH DIMM	445	3
960185	PROTUT LEDSYSTEM 10x1100lm 3000K	395	3
960210	PROTUT LEDSYSTEM 3x1100lm 4000K DALI/TOUCH DIMM	270	3
960215	PROTUT LEDSYSTEM 3x1100lm 4000K	220	3
960220	PROTUT LEDSYSTEM 4x1100lm 4000K DALI/TOUCH DIMM	295	3
960225	PROTUT LEDSYSTEM 4x1100lm 4000K	245	3
960230	PROTUT LEDSYSTEM 5x1100lm 4000K DALI/TOUCH DIMM	320	3
960235	PROTUT LEDSYSTEM 5x1100lm 4000K	270	3
960240	PROTUT LEDSYSTEM 6x1100lm 4000K DALI/TOUCH DIMM	345	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
960245	PROTUT LEDSYSTEM 6x1100lm 4000K	295	3
960250	PROTUT LEDSYSTEM 7x1100lm 4000K DALI/TOUCH DIMM	370	3
960255	PROTUT LEDSYSTEM 7x1100lm 4000K	320	3
960260	PROTUT LEDSYSTEM 8x1100lm 4000K DALI/TOUCH DIMM	395	3
960265	PROTUT LEDSYSTEM 8x1100lm 4000K	345	3
960270	PROTUT LEDSYSTEM 9x1100lm 4000K DALI/TOUCH DIMM	420	3
960275	PROTUT LEDSYSTEM 9x1100lm 4000K	370	3
960280	PROTUT LEDSYSTEM 10x1100lm 4000K DALI/TOUCH DIMM	445	3
960285	PROTUT LEDSYSTEM 10x1100lm 4000K	395	3
960310	PROTUT LEDSYSTEM 3x650lm 3000K DALI/TOUCH DIMM	270	3
960315	PROTUT LEDSYSTEM 3x650lm 3000K	220	3
960320	PROTUT LEDSYSTEM 4x650lm 3000K DALI/TOUCH DIMM	295	3
960325	PROTUT LEDSYSTEM 4x650lm 3000K	245	3
960330	PROTUT LEDSYSTEM 5x650lm 3000K DALI/TOUCH DIMM	320	3
960335	PROTUT LEDSYSTEM 5x650lm 3000K	270	3
960340	PROTUT LEDSYSTEM 6x650lm 3000K DALI/TOUCH DIMM	345	3
960345	PROTUT LEDSYSTEM 6x650lm 3000K	295	3
960350	PROTUT LEDSYSTEM 7x650lm 3000K DALI/TOUCH DIMM	370	3
960355	PROTUT LEDSYSTEM 7x650lm 3000K	320	3
960360	PROTUT LEDSYSTEM 8x650lm 3000K DALI/TOUCH DIMM	395	3
960365	PROTUT LEDSYSTEM 8x650lm 3000K	345	3
960370	PROTUT LEDSYSTEM 9x650lm 3000K DALI/TOUCH DIMM	420	3
960375	PROTUT LEDSYSTEM 9x650lm 3000K	370	3
960380	PROTUT LEDSYSTEM 10x650lm 3000K DALI/TOUCH DIMM	445	3
960385	PROTUT LEDSYSTEM 10x650lm 3000K	395	3
960410	PROTUT LEDSYSTEM 3x650lm 4000K DALI/TOUCH DIMM	270	3
960415	PROTUT LEDSYSTEM 3x650lm 4000K	220	3
960420	PROTUT LEDSYSTEM 4x650lm 4000K DALI/TOUCH DIMM	295	3
960425	PROTUT LEDSYSTEM 4x650lm 4000K	245	3
960430	PROTUT LEDSYSTEM 5x650lm 4000K DALI/TOUCH DIMM	320	3
960435	PROTUT LEDSYSTEM 5x650lm 4000K	270	3
960440	PROTUT LEDSYSTEM 6x650lm 4000K DALI/TOUCH DIMM	345	3
960445	PROTUT LEDSYSTEM 6x650lm 4000K	295	3
960450	PROTUT LEDSYSTEM 7x650lm 4000K DALI/TOUCH DIMM	370	3
960455	PROTUT LEDSYSTEM 7x650lm 4000K	320	3
960460	PROTUT LEDSYSTEM 8x650lm 4000K DALI/TOUCH DIMM	395	3
960465	PROTUT LEDSYSTEM 8x650lm 4000K	345	3
960470	PROTUT LEDSYSTEM 9x650lm 4000K DALI/TOUCH DIMM	420	3
960475	PROTUT LEDSYSTEM 9x650lm 4000K	370	3
960480	PROTUT LEDSYSTEM 10x650lm 4000K DALI/TOUCH DIMM	445	3
960485	PROTUT LEDSYSTEM 10x650lm 4000K	395	3
960510	PROTUT LEDSYSTEM 3x1100lm 2700K DALI/TOUCH DIMM	270	3
960515	PROTUT LEDSYSTEM 3x1100lm 2700K	220	3
960520	PROTUT LEDSYSTEM 4x1100lm 2700K DALI/TOUCH DIMM	295	3
960525	PROTUT LEDSYSTEM 4x1100lm 2700K	245	3
960530	PROTUT LEDSYSTEM 5x1100lm 2700K DALI/TOUCH DIMM	320	3
960535	PROTUT LEDSYSTEM 5x1100lm 2700K	270	3
960540	PROTUT LEDSYSTEM 6x1100lm 2700K DALI/TOUCH DIMM	345	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
960545	PROTUT LEDSYSTEM 6x1100lm 2700K	295	3
960550	PROTUT LEDSYSTEM 7x1100lm 2700K DALI/TOUCH DIMM	370	3
960555	PROTUT LEDSYSTEM 7x1100lm 2700K	320	3
960560	PROTUT LEDSYSTEM 8x1100lm 2700K DALI/TOUCH DIMM	395	3
960565	PROTUT LEDSYSTEM 8x1100lm 2700K	345	3
960570	PROTUT LEDSYSTEM 9x1100lm 2700K DALI/TOUCH DIMM	420	3
960575	PROTUT LEDSYSTEM 9x1100lm 2700K	370	3
960580	PROTUT LEDSYSTEM 10x1100lm 2700K DALI/TOUCH DIMM	445	3
960585	PROTUT LEDSYSTEM 10x1100lm 2700K	395	3
960610	PROTUT LEDSYSTEM 3x650lm 2700K DALI/TOUCH DIMM	270	3
960615	PROTUT LEDSYSTEM 3x650lm 2700K	220	3
960620	PROTUT LEDSYSTEM 4x650lm 2700K DALI/TOUCH DIMM	295	3
960625	PROTUT LEDSYSTEM 4x650lm 2700K	245	3
960630	PROTUT LEDSYSTEM 5x650lm 2700K DALI/TOUCH DIMM	320	3
960635	PROTUT LEDSYSTEM 5x650lm 2700K	270	3
960640	PROTUT LEDSYSTEM 6x650lm 2700K DALI/TOUCH DIMM	345	3
960645	PROTUT LEDSYSTEM 6x650lm 2700K	295	3
960650	PROTUT LEDSYSTEM 7x650lm 2700K DALI/TOUCH DIMM	370	3
960655	PROTUT LEDSYSTEM 7x650lm 2700K	320	3
960660	PROTUT LEDSYSTEM 8x650lm 2700K DALI/TOUCH DIMM	395	3
960665	PROTUT LEDSYSTEM 8x650lm 2700K	345	3
960670	PROTUT LEDSYSTEM 9x650lm 2700K DALI/TOUCH DIMM	420	3
960675	PROTUT LEDSYSTEM 9x650lm 2700K	370	3
960680	PROTUT LEDSYSTEM 10x650lm 2700K DALI/TOUCH DIMM	445	3
960685	PROTUT LEDSYSTEM 10x650lm 2700K	395	3
960700	PROTUT LEDSYSTEM 2x500lm 2700K UGR 25°	275	3
960701	PROTUT LEDSYSTEM 3x500lm 2700K UGR 25°	325	3
960702	PROTUT LEDSYSTEM 4x500lm 2700K UGR 25°	375	3
960703	PROTUT LEDSYSTEM 5x500lm 2700K UGR 25°	425	3
960705	PROTUT LEDSYSTEM 2x500lm 2700K UGR 25°	275	3
960706	PROTUT LEDSYSTEM 3x500lm 2700K UGR 25°	325	3
960707	PROTUT LEDSYSTEM 4x500lm 2700K UGR 25°	375	3
960708	PROTUT LEDSYSTEM 5x500lm 2700K UGR 25°	425	3
960710	PROTUT LEDSYSTEM 2x500lm 2700K UGR 25° DALI/TOUCH DIMM	325	3
960711	PROTUT LEDSYSTEM 3x500lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
960712	PROTUT LEDSYSTEM 4x500lm 2700K UGR 25° DALI/TOUCH DIMM	425	3
960713	PROTUT LEDSYSTEM 5x500lm 2700K UGR 25° DALI/TOUCH DIMM	475	3
960715	PROTUT LEDSYSTEM 2x500lm 2700K UGR 25° DALI/TOUCH DIMM	325	3
960716	PROTUT LEDSYSTEM 3x500lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
960717	PROTUT LEDSYSTEM 4x500lm 2700K UGR 25° DALI/TOUCH DIMM	425	3
960718	PROTUT LEDSYSTEM 5x500lm 2700K UGR 25° DALI/TOUCH DIMM	475	3
960720	PROTUT LEDSYSTEM 2x500lm 2700K UGR 46°	275	3
960721	PROTUT LEDSYSTEM 3x500lm 2700K UGR 46°	325	3
960722	PROTUT LEDSYSTEM 4x500lm 2700K UGR 46°	375	3
960723	PROTUT LEDSYSTEM 5x500lm 2700K UGR 46°	425	3
960725	PROTUT LEDSYSTEM 2x500lm 2700K UGR 46°	275	3
960726	PROTUT LEDSYSTEM 3x500lm 2700K UGR 46°	325	3
960727	PROTUT LEDSYSTEM 4x500lm 2700K UGR 46°	375	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
960728	PROTUT LEDSYSTEM 5x500lm 2700K UGR 46°	425	3
960730	PROTUT LEDSYSTEM 2x500lm 2700K UGR 46° DALI/TOUCH DIMM	325	3
960731	PROTUT LEDSYSTEM 3x500lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
960732	PROTUT LEDSYSTEM 4x500lm 2700K UGR 46° DALI/TOUCH DIMM	425	3
960733	PROTUT LEDSYSTEM 5x500lm 2700K UGR 46° DALI/TOUCH DIMM	475	3
960735	PROTUT LEDSYSTEM 2x500lm 2700K UGR 46° DALI/TOUCH DIMM	325	3
960736	PROTUT LEDSYSTEM 3x500lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
960737	PROTUT LEDSYSTEM 4x500lm 2700K UGR 46° DALI/TOUCH DIMM	425	3
960738	PROTUT LEDSYSTEM 5x500lm 2700K UGR 46° DALI/TOUCH DIMM	475	3
960740	PROTUT LEDSYSTEM 2x780lm 2700K UGR 25°	275	3
960741	PROTUT LEDSYSTEM 3x780lm 2700K UGR 25°	325	3
960742	PROTUT LEDSYSTEM 4x780lm 2700K UGR 25°	375	3
960743	PROTUT LEDSYSTEM 5x780lm 2700K UGR 25°	425	3
960745	PROTUT LEDSYSTEM 2x780lm 2700K UGR 25°	275	3
960746	PROTUT LEDSYSTEM 3x780lm 2700K UGR 25°	325	3
960747	PROTUT LEDSYSTEM 4x780lm 2700K UGR 25°	375	3
960748	PROTUT LEDSYSTEM 5x780lm 2700K UGR 25°	425	3
960750	PROTUT LEDSYSTEM 2x780lm 2700K UGR 25° DALI/TOUCH DIMM	325	3
960751	PROTUT LEDSYSTEM 3x780lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
960752	PROTUT LEDSYSTEM 4x780lm 2700K UGR 25° DALI/TOUCH DIMM	425	3
960753	PROTUT LEDSYSTEM 5x780lm 2700K UGR 25° DALI/TOUCH DIMM	475	3
960755	PROTUT LEDSYSTEM 2x780lm 2700K UGR 25° DALI/TOUCH DIMM	325	3
960756	PROTUT LEDSYSTEM 3x780lm 2700K UGR 25° DALI/TOUCH DIMM	375	3
960757	PROTUT LEDSYSTEM 4x780lm 2700K UGR 25° DALI/TOUCH DIMM	425	3
960758	PROTUT LEDSYSTEM 5x780lm 2700K UGR 25° DALI/TOUCH DIMM	475	3
960760	PROTUT LEDSYSTEM 2x780lm 2700K UGR 46°	275	3
960761	PROTUT LEDSYSTEM 3x780lm 2700K UGR 46°	325	3
960762	PROTUT LEDSYSTEM 4x780lm 2700K UGR 46°	375	3
960763	PROTUT LEDSYSTEM 5x780lm 2700K UGR 46°	425	3
960765	PROTUT LEDSYSTEM 2x780lm 2700K UGR 46°	275	3
960766	PROTUT LEDSYSTEM 3x780lm 2700K UGR 46°	325	3
960767	PROTUT LEDSYSTEM 4x780lm 2700K UGR 46°	375	3
960768	PROTUT LEDSYSTEM 5x780lm 2700K UGR 46°	425	3
960770	PROTUT LEDSYSTEM 2x780lm 2700K UGR 46° DALI/TOUCH DIMM	325	3
960771	PROTUT LEDSYSTEM 3x780lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
960772	PROTUT LEDSYSTEM 4x780lm 2700K UGR 46° DALI/TOUCH DIMM	425	3
960773	PROTUT LEDSYSTEM 5x780lm 2700K UGR 46° DALI/TOUCH DIMM	475	3
960775	PROTUT LEDSYSTEM 2x780lm 2700K UGR 46° DALI/TOUCH DIMM	325	3
960776	PROTUT LEDSYSTEM 3x780lm 2700K UGR 46° DALI/TOUCH DIMM	375	3
960777	PROTUT LEDSYSTEM 4x780lm 2700K UGR 46° DALI/TOUCH DIMM	425	3
960778	PROTUT LEDSYSTEM 5x780lm 2700K UGR 46° DALI/TOUCH DIMM	475	3
960780	PROTUT MODULE M10 SINGLE 230V	40	3
960800	PROTUT LEDSYSTEM 2x500lm 3000K UGR 25°	275	3
960801	PROTUT LEDSYSTEM 3x500lm 3000K UGR 25°	325	3
960802	PROTUT LEDSYSTEM 4x500lm 3000K UGR 25°	375	3
960803	PROTUT LEDSYSTEM 5x500lm 3000K UGR 25°	425	3
960805	PROTUT LEDSYSTEM 2x500lm 3000K UGR 25°	275	3
960806	PROTUT LEDSYSTEM 3x500lm 3000K UGR 25°	325	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
960807	PROTUT LEDSYSTEM 4x500lm 3000K UGR 25°	375	3
960808	PROTUT LEDSYSTEM 5x500lm 3000K UGR 25°	425	3
960810	PROTUT LEDSYSTEM 2x500lm 3000K UGR 25° DALI/TOUCH DIMM	325	3
960811	PROTUT LEDSYSTEM 3x500lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
960812	PROTUT LEDSYSTEM 4x500lm 3000K UGR 25° DALI/TOUCH DIMM	425	3
960813	PROTUT LEDSYSTEM 5x500lm 3000K UGR 25° DALI/TOUCH DIMM	475	3
960815	PROTUT LEDSYSTEM 2x500lm 3000K UGR 25° DALI/TOUCH DIMM	325	3
960816	PROTUT LEDSYSTEM 3x500lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
960817	PROTUT LEDSYSTEM 4x500lm 3000K UGR 25° DALI/TOUCH DIMM	425	3
960818	PROTUT LEDSYSTEM 5x500lm 3000K UGR 25° DALI/TOUCH DIMM	475	3
960820	PROTUT LEDSYSTEM 2x500lm 3000K UGR 46°	275	3
960821	PROTUT LEDSYSTEM 3x500lm 3000K UGR 46°	325	3
960822	PROTUT LEDSYSTEM 4x500lm 3000K UGR 46°	375	3
960823	PROTUT LEDSYSTEM 5x500lm 3000K UGR 46°	425	3
960825	PROTUT LEDSYSTEM 2x500lm 3000K UGR 46°	275	3
960826	PROTUT LEDSYSTEM 3x500lm 3000K UGR 46°	325	3
960827	PROTUT LEDSYSTEM 4x500lm 3000K UGR 46°	375	3
960828	PROTUT LEDSYSTEM 5x500lm 3000K UGR 46°	425	3
960830	PROTUT LEDSYSTEM 2x500lm 3000K UGR 46° DALI/TOUCH DIMM	325	3
960831	PROTUT LEDSYSTEM 3x500lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
960832	PROTUT LEDSYSTEM 4x500lm 3000K UGR 46° DALI/TOUCH DIMM	425	3
960833	PROTUT LEDSYSTEM 5x500lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
960835	PROTUT LEDSYSTEM 2x500lm 3000K UGR 46° DALI/TOUCH DIMM	325	3
960836	PROTUT LEDSYSTEM 3x500lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
960837	PROTUT LEDSYSTEM 4x500lm 3000K UGR 46° DALI/TOUCH DIMM	425	3
960838	PROTUT LEDSYSTEM 5x500lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
960840	PROTUT LEDSYSTEM 2x780lm 3000K UGR 25°	275	3
960841	PROTUT LEDSYSTEM 3x780lm 3000K UGR 25°	325	3
960842	PROTUT LEDSYSTEM 4x780lm 3000K UGR 25°	375	3
960843	PROTUT LEDSYSTEM 5x780lm 3000K UGR 25°	425	3
960845	PROTUT LEDSYSTEM 2x780lm 3000K UGR 25°	275	3
960846	PROTUT LEDSYSTEM 3x780lm 3000K UGR 25°	325	3
960847	PROTUT LEDSYSTEM 4x780lm 3000K UGR 25°	375	3
960848	PROTUT LEDSYSTEM 5x780lm 3000K UGR 25°	425	3
960850	PROTUT LEDSYSTEM 2x780lm 3000K UGR 25° DALI/TOUCH DIMM	325	3
960851	PROTUT LEDSYSTEM 3x780lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
960852	PROTUT LEDSYSTEM 4x780lm 3000K UGR 25° DALI/TOUCH DIMM	425	3
960853	PROTUT LEDSYSTEM 5x780lm 3000K UGR 25° DALI/TOUCH DIMM	475	3
960855	PROTUT LEDSYSTEM 2x780lm 3000K UGR 25° DALI/TOUCH DIMM	325	3
960856	PROTUT LEDSYSTEM 3x780lm 3000K UGR 25° DALI/TOUCH DIMM	375	3
960857	PROTUT LEDSYSTEM 4x780lm 3000K UGR 25° DALI/TOUCH DIMM	425	3
960858	PROTUT LEDSYSTEM 5x780lm 3000K UGR 25° DALI/TOUCH DIMM	475	3
960860	PROTUT LEDSYSTEM 2x780lm 3000K UGR 46°	275	3
960861	PROTUT LEDSYSTEM 3x780lm 3000K UGR 46°	325	3
960862	PROTUT LEDSYSTEM 4x780lm 3000K UGR 46°	375	3
960863	PROTUT LEDSYSTEM 5x780lm 3000K UGR 46°	425	3
960865	PROTUT LEDSYSTEM 2x780lm 3000K UGR 46°	275	3
960866	PROTUT LEDSYSTEM 3x780lm 3000K UGR 46°	325	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
960867	PROTUT LEDSYSTEM 4x780lm 3000K UGR 46°	375	3
960868	PROTUT LEDSYSTEM 5x780lm 3000K UGR 46°	425	3
960870	PROTUT LEDSYSTEM 2x780lm 3000K UGR 46° DALI/TOUCH DIMM	325	3
960871	PROTUT LEDSYSTEM 3x780lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
960872	PROTUT LEDSYSTEM 4x780lm 3000K UGR 46° DALI/TOUCH DIMM	425	3
960873	PROTUT LEDSYSTEM 5x780lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
960875	PROTUT LEDSYSTEM 2x780lm 3000K UGR 46° DALI/TOUCH DIMM	325	3
960876	PROTUT LEDSYSTEM 3x780lm 3000K UGR 46° DALI/TOUCH DIMM	375	3
960877	PROTUT LEDSYSTEM 4x780lm 3000K UGR 46° DALI/TOUCH DIMM	425	3
960878	PROTUT LEDSYSTEM 5x780lm 3000K UGR 46° DALI/TOUCH DIMM	475	3
960880	PROTUT MODULE 1xM10 CI 350mA MAINS DIMM	80	3
960900	PROTUT LEDSYSTEM 2x500lm 4000K UGR 25°	275	3
960901	PROTUT LEDSYSTEM 3x500lm 4000K UGR 25°	325	3
960902	PROTUT LEDSYSTEM 4x500lm 4000K UGR 25°	375	3
960903	PROTUT LEDSYSTEM 5x500lm 4000K UGR 25°	425	3
960905	PROTUT LEDSYSTEM 2x500lm 4000K UGR 25°	275	3
960906	PROTUT LEDSYSTEM 3x500lm 4000K UGR 25°	325	3
960907	PROTUT LEDSYSTEM 4x500lm 4000K UGR 25°	375	3
960908	PROTUT LEDSYSTEM 5x500lm 4000K UGR 25°	425	3
960910	PROTUT LEDSYSTEM 2x500lm 4000K UGR 25° DALI/TOUCH DIMM	325	3
960911	PROTUT LEDSYSTEM 3x500lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
960912	PROTUT LEDSYSTEM 4x500lm 4000K UGR 25° DALI/TOUCH DIMM	425	3
960913	PROTUT LEDSYSTEM 5x500lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
960915	PROTUT LEDSYSTEM 2x500lm 4000K UGR 25° DALI/TOUCH DIMM	325	3
960916	PROTUT LEDSYSTEM 3x500lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
960917	PROTUT LEDSYSTEM 4x500lm 4000K UGR 25° DALI/TOUCH DIMM	425	3
960918	PROTUT LEDSYSTEM 5x500lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
960920	PROTUT LEDSYSTEM 2x500lm 4000K UGR 46°	275	3
960921	PROTUT LEDSYSTEM 3x500lm 4000K UGR 46°	325	3
960922	PROTUT LEDSYSTEM 4x500lm 4000K UGR 46°	375	3
960923	PROTUT LEDSYSTEM 5x500lm 4000K UGR 46°	425	3
960925	PROTUT LEDSYSTEM 2x500lm 4000K UGR 46°	275	3
960926	PROTUT LEDSYSTEM 3x500lm 4000K UGR 46°	325	3
960927	PROTUT LEDSYSTEM 4x500lm 4000K UGR 46°	375	3
960928	PROTUT LEDSYSTEM 5x500lm 4000K UGR 46°	425	3
960930	PROTUT LEDSYSTEM 2x500lm 4000K UGR 46° DALI/TOUCH DIMM	325	3
960931	PROTUT LEDSYSTEM 3x500lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
960932	PROTUT LEDSYSTEM 4x500lm 4000K UGR 46° DALI/TOUCH DIMM	425	3
960933	PROTUT LEDSYSTEM 5x500lm 4000K UGR 46° DALI/TOUCH DIMM	475	3
960935	PROTUT LEDSYSTEM 2x500lm 4000K UGR 46° DALI/TOUCH DIMM	325	3
960936	PROTUT LEDSYSTEM 3x500lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
960937	PROTUT LEDSYSTEM 4x500lm 4000K UGR 46° DALI/TOUCH DIMM	425	3
960938	PROTUT LEDSYSTEM 5x500lm 4000K UGR 46° DALI/TOUCH DIMM	475	3
960940	PROTUT LEDSYSTEM 2x780lm 4000K UGR 25°	275	3
960941	PROTUT LEDSYSTEM 3x780lm 4000K UGR 25°	325	3
960942	PROTUT LEDSYSTEM 4x780lm 4000K UGR 25°	375	3
960943	PROTUT LEDSYSTEM 5x780lm 4000K UGR 25°	425	3
960945	PROTUT LEDSYSTEM 2x780lm 4000K UGR 25°	275	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
960946	PROTUT LEDSYSTEM 3x780lm 4000K UGR 25°	325	3
960947	PROTUT LEDSYSTEM 4x780lm 4000K UGR 25°	375	3
960948	PROTUT LEDSYSTEM 5x780lm 4000K UGR 25°	425	3
960950	PROTUT LEDSYSTEM 2x780lm 4000K UGR 25° DALI/TOUCH DIMM	325	3
960951	PROTUT LEDSYSTEM 3x780lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
960952	PROTUT LEDSYSTEM 4x780lm 4000K UGR 25° DALI/TOUCH DIMM	425	3
960953	PROTUT LEDSYSTEM 5x780lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
960955	PROTUT LEDSYSTEM 2x780lm 4000K UGR 25° DALI/TOUCH DIMM	325	3
960956	PROTUT LEDSYSTEM 3x780lm 4000K UGR 25° DALI/TOUCH DIMM	375	3
960957	PROTUT LEDSYSTEM 4x780lm 4000K UGR 25° DALI/TOUCH DIMM	425	3
960958	PROTUT LEDSYSTEM 5x780lm 4000K UGR 25° DALI/TOUCH DIMM	475	3
960960	PROTUT LEDSYSTEM 2x780lm 4000K UGR 46°	275	3
960961	PROTUT LEDSYSTEM 3x780lm 4000K UGR 46°	325	3
960962	PROTUT LEDSYSTEM 4x780lm 4000K UGR 46°	375	3
960963	PROTUT LEDSYSTEM 5x780lm 4000K UGR 46°	425	3
960965	PROTUT LEDSYSTEM 2x780lm 4000K UGR 46°	275	3
960966	PROTUT LEDSYSTEM 3x780lm 4000K UGR 46°	325	3
960967	PROTUT LEDSYSTEM 4x780lm 4000K UGR 46°	375	3
960968	PROTUT LEDSYSTEM 5x780lm 4000K UGR 46°	425	3
960970	PROTUT LEDSYSTEM 2x780lm 4000K UGR 46° DALI/TOUCH DIMM	325	3
960971	PROTUT LEDSYSTEM 3x780lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
960972	PROTUT LEDSYSTEM 4x780lm 4000K UGR 46° DALI/TOUCH DIMM	425	3
960973	PROTUT LEDSYSTEM 5x780lm 4000K UGR 46° DALI/TOUCH DIMM	475	3
960975	PROTUT LEDSYSTEM 2x780lm 4000K UGR 46° DALI/TOUCH DIMM	325	3
960976	PROTUT LEDSYSTEM 3x780lm 4000K UGR 46° DALI/TOUCH DIMM	375	3
960977	PROTUT LEDSYSTEM 4x780lm 4000K UGR 46° DALI/TOUCH DIMM	425	3
960978	PROTUT LEDSYSTEM 5x780lm 4000K UGR 46° DALI/TOUCH DIMM	475	3
960981	PROTUT MODULE 2xM10 CI 350mA DALI DIMM	170	3
960982	PROTUT MODULE 3xM10 CI 350mA DALI DIMM	200	3
960983	PROTUT MODULE 4xM10 CI 350mA DALI DIMM	210	3
965007	2U50 COVER /M	40	3
965008	2U50 COVER /M	40	3
965021	2U50 SUSPENSION SINGLE 6 M	50	3
965022	2U50 SUSPENSION SINGLE 6 M	50	3
965026	2U50 PROFILE /M	50	3
965031	2U50 SUSPENSION SINGLE 4 M	40	3
965032	2U50 SUSPENSION SINGLE 4 M	40	3
965041	2U50 SUSPENSION SINGLE 2.25 M	30	3
965042	2U50 SUSPENSION SINGLE 2.25 M	30	3
965047	2U50 PROFILE /M	50	3
965055	2U50 MOUNTING SPRING	8	3
965060	2U50 STRAIGHT CONNECTION	50	3
965065	2U50 COVER FALL PROTECTION FOR M10	25	3
965070	2U50 CORNER 90°	30	3
965080	2U50 CORNER 135°	40	3
965090	2U50 CORNER ON REQUEST	200	3
965128	2U50 ENDCAP UGR	25	3
965149	2U50 ENDCAP UGR	25	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
965700	2U50 LEDSYSTEM 2x650lm 3000K UGR 80°	150	3
965701	2U50 LEDSYSTEM 3x650lm 3000K UGR 80°	200	3
965702	2U50 LEDSYSTEM 4x650lm 3000K UGR 80°	250	3
965705	2U50 LEDSYSTEM 2x650lm 3000K UGR 80°	150	3
965706	2U50 LEDSYSTEM 3x650lm 3000K UGR 80°	200	3
965707	2U50 LEDSYSTEM 4x650lm 3000K UGR 80°	250	3
965710	2U50 LEDSYSTEM 2x650lm 3000K UGR 80° DALI/TOUCH DIMM	200	3
965711	2U50 LEDSYSTEM 3x650lm 3000K UGR 80° DALI/TOUCH DIMM	250	3
965712	2U50 LEDSYSTEM 4x650lm 3000K UGR 80° DALI/TOUCH DIMM	300	3
965715	2U50 LEDSYSTEM 2x650lm 3000K UGR 80° DALI/TOUCH DIMM	200	3
965716	2U50 LEDSYSTEM 3x650lm 3000K UGR 80° DALI/TOUCH DIMM	250	3
965717	2U50 LEDSYSTEM 4x650lm 3000K UGR 80° DALI/TOUCH DIMM	300	3
965720	2U50 LEDSYSTEM 2x1100lm 3000K UGR 80°	150	3
965721	2U50 LEDSYSTEM 3x1100lm 3000K UGR 80°	200	3
965722	2U50 LEDSYSTEM 4x1100lm 3000K UGR 80°	250	3
965725	2U50 LEDSYSTEM 2x1100lm 3000K UGR 80°	150	3
965726	2U50 LEDSYSTEM 3x1100lm 3000K UGR 80°	200	3
965727	2U50 LEDSYSTEM 4x1100lm 3000K UGR 80°	250	3
965730	2U50 LEDSYSTEM 2x1100lm 3000K UGR 80° DALI/TOUCH DIMM	200	3
965731	2U50 LEDSYSTEM 3x1100lm 3000K UGR 80° DALI/TOUCH DIMM	250	3
965732	2U50 LEDSYSTEM 4x1100lm 3000K UGR 80° DALI/TOUCH DIMM	300	3
965735	2U50 LEDSYSTEM 2x1100lm 3000K UGR 80° DALI/TOUCH DIMM	200	3
965736	2U50 LEDSYSTEM 3x1100lm 3000K UGR 80° DALI/TOUCH DIMM	250	3
965737	2U50 LEDSYSTEM 4x1100lm 3000K UGR 80° DALI/TOUCH DIMM	300	3
965740	2U50 LEDSYSTEM 2x650lm 4000K UGR 80°	150	3
965741	2U50 LEDSYSTEM 3x650lm 4000K UGR 80°	200	3
965742	2U50 LEDSYSTEM 4x650lm 4000K UGR 80°	250	3
965745	2U50 LEDSYSTEM 2x650lm 4000K UGR 80°	150	3
965746	2U50 LEDSYSTEM 3x650lm 4000K UGR 80°	200	3
965747	2U50 LEDSYSTEM 4x650lm 4000K UGR 80°	250	3
965750	2U50 LEDSYSTEM 2x650lm 4000K UGR 80° DALI/TOUCH DIMM	200	3
965751	2U50 LEDSYSTEM 3x650lm 4000K UGR 80° DALI/TOUCH DIMM	250	3
965752	2U50 LEDSYSTEM 4x650lm 4000K UGR 80° DALI/TOUCH DIMM	300	3
965755	2U50 LEDSYSTEM 2x650lm 4000K UGR 80° DALI/TOUCH DIMM	200	3
965756	2U50 LEDSYSTEM 3x650lm 4000K UGR 80° DALI/TOUCH DIMM	250	3
965757	2U50 LEDSYSTEM 4x650lm 4000K UGR 80° DALI/TOUCH DIMM	300	3
965760	2U50 LEDSYSTEM 2x1100lm 4000K UGR 80°	150	3
965761	2U50 LEDSYSTEM 3x1100lm 4000K UGR 80°	200	3
965762	2U50 LEDSYSTEM 4x1100lm 4000K UGR 80°	250	3
965765	2U50 LEDSYSTEM 2x1100lm 4000K UGR 80°	150	3
965766	2U50 LEDSYSTEM 3x1100lm 4000K UGR 80°	200	3
965767	2U50 LEDSYSTEM 4x1100lm 4000K UGR 80°	250	3
965770	2U50 LEDSYSTEM 2x1100lm 4000K UGR 80° DALI/TOUCH DIMM	200	3
965771	2U50 LEDSYSTEM 3x1100lm 4000K UGR 80° DALI/TOUCH DIMM	250	3
965772	2U50 LEDSYSTEM 4x1100lm 4000K UGR 80° DALI/TOUCH DIMM	300	3
965775	2U50 LEDSYSTEM 2x1100lm 4000K UGR 80° DALI/TOUCH DIMM	200	3
965776	2U50 LEDSYSTEM 3x1100lm 4000K UGR 80° DALI/TOUCH DIMM	250	3
965777	2U50 LEDSYSTEM 4x1100lm 4000K UGR 80° DALI/TOUCH DIMM	300	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
965780	2U50 MODULE M10 SINGLE 230V	20	3
965820	2U50 LEDSYSTEM 2x650lm 3000K UGR 50°	150	3
965821	2U50 LEDSYSTEM 3x650lm 3000K UGR 50°	200	3
965822	2U50 LEDSYSTEM 4x650lm 3000K UGR 50°	250	3
965825	2U50 LEDSYSTEM 2x650lm 3000K UGR 50°	150	3
965826	2U50 LEDSYSTEM 3x650lm 3000K UGR 50°	200	3
965827	2U50 LEDSYSTEM 4x650lm 3000K UGR 50°	250	3
965830	2U50 LEDSYSTEM 2x650lm 3000K UGR 50° DALI/TOUCH DIMM	200	3
965831	2U50 LEDSYSTEM 3x650lm 3000K UGR 50° DALI/TOUCH DIMM	250	3
965832	2U50 LEDSYSTEM 4x650lm 3000K UGR 50° DALI/TOUCH DIMM	300	3
965835	2U50 LEDSYSTEM 2x650lm 3000K UGR 50° DALI/TOUCH DIMM	200	3
965836	2U50 LEDSYSTEM 3x650lm 3000K UGR 50° DALI/TOUCH DIMM	250	3
965837	2U50 LEDSYSTEM 4x650lm 3000K UGR 50° DALI/TOUCH DIMM	300	3
965860	2U50 LEDSYSTEM 2x1100lm 3000K UGR 50°	150	3
965861	2U50 LEDSYSTEM 3x1100lm 3000K UGR 50°	200	3
965862	2U50 LEDSYSTEM 4x1100lm 3000K UGR 50°	250	3
965865	2U50 LEDSYSTEM 2x1100lm 3000K UGR 50°	150	3
965866	2U50 LEDSYSTEM 3x1100lm 3000K UGR 50°	200	3
965867	2U50 LEDSYSTEM 4x1100lm 3000K UGR 50°	250	3
965870	2U50 LEDSYSTEM 2x1100lm 3000K UGR 50° DALI/TOUCH DIMM	200	3
965871	2U50 LEDSYSTEM 3x1100lm 3000K UGR 50° DALI/TOUCH DIMM	250	3
965872	2U50 LEDSYSTEM 4x1100lm 3000K UGR 50° DALI/TOUCH DIMM	300	3
965875	2U50 LEDSYSTEM 2x1100lm 3000K UGR 50° DALI/TOUCH DIMM	200	3
965876	2U50 LEDSYSTEM 3x1100lm 3000K UGR 50° DALI/TOUCH DIMM	250	3
965877	2U50 LEDSYSTEM 4x1100lm 3000K UGR 50° DALI/TOUCH DIMM	300	3
965920	2U50 LEDSYSTEM 2x650lm 4000K UGR 50°	150	3
965921	2U50 LEDSYSTEM 3x650lm 4000K UGR 50°	200	3
965922	2U50 LEDSYSTEM 4x650lm 4000K UGR 50°	250	3
965925	2U50 LEDSYSTEM 2x650lm 4000K UGR 50°	150	3
965926	2U50 LEDSYSTEM 3x650lm 4000K UGR 50°	200	3
965927	2U50 LEDSYSTEM 4x650lm 4000K UGR 50°	250	3
965930	2U50 LEDSYSTEM 2x650lm 4000K UGR 50° DALI/TOUCH DIMM	200	3
965931	2U50 LEDSYSTEM 3x650lm 4000K UGR 50° DALI/TOUCH DIMM	250	3
965932	2U50 LEDSYSTEM 4x650lm 4000K UGR 50° DALI/TOUCH DIMM	300	3
965935	2U50 LEDSYSTEM 2x650lm 4000K UGR 50° DALI/TOUCH DIMM	200	3
965936	2U50 LEDSYSTEM 3x650lm 4000K UGR 50° DALI/TOUCH DIMM	250	3
965937	2U50 LEDSYSTEM 4x650lm 4000K UGR 50° DALI/TOUCH DIMM	300	3
965960	2U50 LEDSYSTEM 2x1100lm 4000K UGR 50°	150	3
965961	2U50 LEDSYSTEM 3x1100lm 4000K UGR 50°	200	3
965962	2U50 LEDSYSTEM 4x1100lm 4000K UGR 50°	250	3
965965	2U50 LEDSYSTEM 2x1100lm 4000K UGR 50°	150	3
965966	2U50 LEDSYSTEM 3x1100lm 4000K UGR 50°	200	3
965967	2U50 LEDSYSTEM 4x1100lm 4000K UGR 50°	250	3
965970	2U50 LEDSYSTEM 2x1100lm 4000K UGR 50° DALI/TOUCH DIMM	200	3
965971	2U50 LEDSYSTEM 3x1100lm 4000K UGR 50° DALI/TOUCH DIMM	250	3
965972	2U50 LEDSYSTEM 4x1100lm 4000K UGR 50° DALI/TOUCH DIMM	300	3
965975	2U50 LEDSYSTEM 2x1100lm 4000K UGR 50° DALI/TOUCH DIMM	200	3
965976	2U50 LEDSYSTEM 3x1100lm 4000K UGR 50° DALI/TOUCH DIMM	250	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
965977	2U50 LEDSYSTEM 4x1100lm 4000K UGR 50° DALI/TOUCH DIMM	300	3
965980	2U50 MODULE 1xM10 CI 350mA MAINS DIMM	60	3
965981	2U50 MODULE 1xM10 CI 350mA DALI DIMM	125	3
965982	2U50 MODULE 2xM10 CI 350mA DALI DIMM	150	3
965983	2U50 MODULE 3xM10 CI 350mA DALI DIMM	180	3
965984	2U50 MODULE 4xM10 CI 350mA DALI DIMM	200	3
965990	2U50 MODULE 1xM10 CI 700mA MAINS DIMM	60	3
965991	2U50 MODULE 1xM10 CI 700mA DALI DIMM	125	3
965992	2U50 MODULE 2xM10 CI 700mA DALI DIMM	150	3
965993	2U50 MODULE 3xM10 CI 700mA DALI DIMM	180	3
965994	2U50 MODULE 4xM10 CI 700mA DALI DIMM	200	3
966010	PIXL OFFICE 3000K - 4x650lm UGR 50° DOWN - 3x650lm UP - DALI DIMM	750	3
966011	PIXL OFFICE 3000K - 4x650lm UGR 80° DOWN - 3x650lm UP - DALI DIMM	750	3
966020	PIXL OFFICE 3000K - 4x650lm UGR 50° DOWN - 3x650lm UP - DALI DIMM	750	3
966021	PIXL OFFICE 3000K - 4x650lm UGR 80° DOWN - 3x650lm UP - DALI DIMM	750	3
970012	BORITI PROFILE /M	152	3
970026	BORITI PROFILE /M	152	3
970047	BORITI PROFILE /M	152	3
970212	BORITI ENDCAP	49	3
970226	BORITI ENDCAP	49	3
970247	BORITI ENDCAP	49	3
971600	BORITI LEDSYSTEM HE 2x 10x650lm 3000K DALI/TOUCH DIMM	905	3
971601	BORITI LEDSYSTEM HE 2x 10x650lm 4000K DALI/TOUCH DIMM	905	3
971602	BORITI LEDSYSTEM HE 2x 10x650lm 2700K DALI/TOUCH DIMM	905	3
971604	BORITI LEDSYSTEM HE 2x 10x650lm 3000K	897	3
971605	BORITI LEDSYSTEM HE 2x 10x650lm 4000K	897	3
971606	BORITI LEDSYSTEM HE 2x 10x650lm 2700K	897	3
971620	BORITI LEDSYSTEM HE 2x 2x650lm 3000K DALI/TOUCH DIMM	386	3
971621	BORITI LEDSYSTEM HE 2x 2x650lm 4000K DALI/TOUCH DIMM	386	3
971622	BORITI LEDSYSTEM HE 2x 2x650lm 2700K DALI/TOUCH DIMM	386	3
971624	BORITI LEDSYSTEM HE 2x 2x650lm 3000K	376	3
971625	BORITI LEDSYSTEM HE 2x 2x650lm 4000K	376	3
971626	BORITI LEDSYSTEM HE 2x 2x650lm 2700K	376	3
971630	BORITI LEDSYSTEM HE 2x 3x650lm 3000K DALI/TOUCH DIMM	458	3
971631	BORITI LEDSYSTEM HE 2x 3x650lm 4000K DALI/TOUCH DIMM	458	3
971632	BORITI LEDSYSTEM HE 2x 3x650lm 2700K DALI/TOUCH DIMM	458	3
971634	BORITI LEDSYSTEM HE 2x 3x650lm 3000K	448	3
971635	BORITI LEDSYSTEM HE 2x 3x650lm 4000K	448	3
971636	BORITI LEDSYSTEM HE 2x 3x650lm 2700K	448	3
971640	BORITI LEDSYSTEM HE 2x 4x650lm 3000K DALI/TOUCH DIMM	537	3
971641	BORITI LEDSYSTEM HE 2x 4x650lm 4000K DALI/TOUCH DIMM	537	3
971642	BORITI LEDSYSTEM HE 2x 4x650lm 2700K DALI/TOUCH DIMM	537	3
971644	BORITI LEDSYSTEM HE 2x 4x650lm 3000K	527	3
971645	BORITI LEDSYSTEM HE 2x 4x650lm 4000K	527	3
971646	BORITI LEDSYSTEM HE 2x 4x650lm 2700K	527	3
971650	BORITI LEDSYSTEM HE 2x 5x650lm 3000K DALI/TOUCH DIMM	607	3
971651	BORITI LEDSYSTEM HE 2x 5x650lm 4000K DALI/TOUCH DIMM	607	3
971652	BORITI LEDSYSTEM HE 2x 5x650lm 2700K DALI/TOUCH DIMM	607	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
971654	BORITI LEDSYSTEM HE 2x 5x650lm 3000K	597	3
971655	BORITI LEDSYSTEM HE 2x 5x650lm 4000K	597	3
971656	BORITI LEDSYSTEM HE 2x 5x650lm 2700K	597	3
971660	BORITI LEDSYSTEM HE 2x 6x650lm 3000K DALI/TOUCH DIMM	664	3
971661	BORITI LEDSYSTEM HE 2x 6x650lm 4000K DALI/TOUCH DIMM	664	3
971662	BORITI LEDSYSTEM HE 2x 6x650lm 2700K DALI/TOUCH DIMM	664	3
971664	BORITI LEDSYSTEM HE 2x 6x650lm 3000K	654	3
971665	BORITI LEDSYSTEM HE 2x 6x650lm 4000K	654	3
971666	BORITI LEDSYSTEM HE 2x 6x650lm 2700K	654	3
971670	BORITI LEDSYSTEM HE 2x 7x650lm 3000K DALI/TOUCH DIMM	751	3
971671	BORITI LEDSYSTEM HE 2x 7x650lm 4000K DALI/TOUCH DIMM	751	3
971672	BORITI LEDSYSTEM HE 2x 7x650lm 2700K DALI/TOUCH DIMM	751	3
971674	BORITI LEDSYSTEM HE 2x 7x650lm 3000K	739	3
971675	BORITI LEDSYSTEM HE 2x 7x650lm 4000K	739	3
971676	BORITI LEDSYSTEM HE 2x 7x650lm 2700K	739	3
971680	BORITI LEDSYSTEM HE 2x 8x650lm 3000K DALI/TOUCH DIMM	798	3
971681	BORITI LEDSYSTEM HE 2x 8x650lm 4000K DALI/TOUCH DIMM	798	3
971682	BORITI LEDSYSTEM HE 2x 8x650lm 2700K DALI/TOUCH DIMM	798	3
971684	BORITI LEDSYSTEM HE 2x 8x650lm 3000K	788	3
971685	BORITI LEDSYSTEM HE 2x 8x650lm 4000K	788	3
971686	BORITI LEDSYSTEM HE 2x 8x650lm 2700K	788	3
971690	BORITI LEDSYSTEM HE 2x 9x650lm 3000K DALI/TOUCH DIMM	866	3
971691	BORITI LEDSYSTEM HE 2x 9x650lm 4000K DALI/TOUCH DIMM	866	3
971692	BORITI LEDSYSTEM HE 2x 9x650lm 2700K DALI/TOUCH DIMM	866	3
971694	BORITI LEDSYSTEM HE 2x 9x650lm 3000K	856	3
971695	BORITI LEDSYSTEM HE 2x 9x650lm 4000K	856	3
971696	BORITI LEDSYSTEM HE 2x 9x650lm 2700K	856	3
971700	BORITI LEDSYSTEM HE 2x 10x650lm 3000K DALI/TOUCH DIMM	905	3
971701	BORITI LEDSYSTEM HE 2x 10x650lm 4000K DALI/TOUCH DIMM	905	3
971702	BORITI LEDSYSTEM HE 2x 10x650lm 2700K DALI/TOUCH DIMM	905	3
971704	BORITI LEDSYSTEM HE 2x 10x650lm 3000K	897	3
971705	BORITI LEDSYSTEM HE 2x 10x650lm 4000K	897	3
971706	BORITI LEDSYSTEM HE 2x 10x650lm 2700K	897	3
971720	BORITI LEDSYSTEM HE 2x 2x650lm 3000K DALI/TOUCH DIMM	386	3
971721	BORITI LEDSYSTEM HE 2x 2x650lm 4000K DALI/TOUCH DIMM	386	3
971722	BORITI LEDSYSTEM HE 2x 2x650lm 2700K DALI/TOUCH DIMM	386	3
971724	BORITI LEDSYSTEM HE 2x 2x650lm 3000K	376	3
971725	BORITI LEDSYSTEM HE 2x 2x650lm 4000K	376	3
971726	BORITI LEDSYSTEM HE 2x 2x650lm 2700K	376	3
971730	BORITI LEDSYSTEM HE 2x 3x650lm 3000K DALI/TOUCH DIMM	458	3
971731	BORITI LEDSYSTEM HE 2x 3x650lm 4000K DALI/TOUCH DIMM	458	3
971732	BORITI LEDSYSTEM HE 2x 3x650lm 2700K DALI/TOUCH DIMM	458	3
971734	BORITI LEDSYSTEM HE 2x 3x650lm 3000K	448	3
971735	BORITI LEDSYSTEM HE 2x 3x650lm 4000K	448	3
971736	BORITI LEDSYSTEM HE 2x 3x650lm 2700K	448	3
971740	BORITI LEDSYSTEM HE 2x 4x650lm 3000K DALI/TOUCH DIMM	537	3
971741	BORITI LEDSYSTEM HE 2x 4x650lm 4000K DALI/TOUCH DIMM	537	3
971742	BORITI LEDSYSTEM HE 2x 4x650lm 2700K DALI/TOUCH DIMM	537	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
971744	BORITI LEDSYSTEM HE 2x 4x650lm 3000K	527	3
971745	BORITI LEDSYSTEM HE 2x 4x650lm 4000K	527	3
971746	BORITI LEDSYSTEM HE 2x 4x650lm 2700K	527	3
971750	BORITI LEDSYSTEM HE 2x 5x650lm 3000K DALI/TOUCH DIMM	607	3
971751	BORITI LEDSYSTEM HE 2x 5x650lm 4000K DALI/TOUCH DIMM	607	3
971752	BORITI LEDSYSTEM HE 2x 5x650lm 2700K DALI/TOUCH DIMM	607	3
971754	BORITI LEDSYSTEM HE 2x 5x650lm 3000K	597	3
971755	BORITI LEDSYSTEM HE 2x 5x650lm 4000K	597	3
971756	BORITI LEDSYSTEM HE 2x 5x650lm 2700K	597	3
971760	BORITI LEDSYSTEM HE 2x 6x650lm 3000K DALI/TOUCH DIMM	664	3
971761	BORITI LEDSYSTEM HE 2x 6x650lm 4000K DALI/TOUCH DIMM	664	3
971762	BORITI LEDSYSTEM HE 2x 6x650lm 2700K DALI/TOUCH DIMM	664	3
971764	BORITI LEDSYSTEM HE 2x 6x650lm 3000K	654	3
971765	BORITI LEDSYSTEM HE 2x 6x650lm 4000K	654	3
971766	BORITI LEDSYSTEM HE 2x 6x650lm 2700K	654	3
971770	BORITI LEDSYSTEM HE 2x 7x650lm 3000K DALI/TOUCH DIMM	751	3
971771	BORITI LEDSYSTEM HE 2x 7x650lm 4000K DALI/TOUCH DIMM	751	3
971772	BORITI LEDSYSTEM HE 2x 7x650lm 2700K DALI/TOUCH DIMM	751	3
971774	BORITI LEDSYSTEM HE 2x 7x650lm 3000K	739	3
971775	BORITI LEDSYSTEM HE 2x 7x650lm 4000K	739	3
971776	BORITI LEDSYSTEM HE 2x 7x650lm 2700K	739	3
971780	BORITI LEDSYSTEM HE 2x 8x650lm 3000K DALI/TOUCH DIMM	798	3
971781	BORITI LEDSYSTEM HE 2x 8x650lm 4000K DALI/TOUCH DIMM	798	3
971782	BORITI LEDSYSTEM HE 2x 8x650lm 2700K DALI/TOUCH DIMM	798	3
971784	BORITI LEDSYSTEM HE 2x 8x650lm 3000K	788	3
971785	BORITI LEDSYSTEM HE 2x 8x650lm 4000K	788	3
971786	BORITI LEDSYSTEM HE 2x 8x650lm 2700K	788	3
971790	BORITI LEDSYSTEM HE 2x 9x650lm 3000K DALI/TOUCH DIMM	866	3
971791	BORITI LEDSYSTEM HE 2x 9x650lm 4000K DALI/TOUCH DIMM	866	3
971792	BORITI LEDSYSTEM HE 2x 9x650lm 2700K DALI/TOUCH DIMM	866	3
971794	BORITI LEDSYSTEM HE 2x 9x650lm 3000K	856	3
971795	BORITI LEDSYSTEM HE 2x 9x650lm 4000K	856	3
971796	BORITI LEDSYSTEM HE 2x 9x650lm 2700K	856	3
972226	BORITI MODULE 1x BEAUFORT 1-10V/MAINS DIMM LC 2700K	226	3
972236	BORITI MODULE 1x BEAUFORT 1-10V/MAINS DIMM LC 3000K	226	3
972247	BORITI MODULE 1x BEAUFORT 1-10V/MAINS DIMM LC 2700K	226	3
972257	BORITI MODULE 1x BEAUFORT 1-10V/MAINS DIMM LC 3000K	226	3
972426	BORITI MODULE 1x BEAUFORT DALI/TOUCH DIMM 2700K	273	3
972436	BORITI MODULE 1x BEAUFORT DALI/TOUCH DIMM 3000K	273	3
972447	BORITI MODULE 1x BEAUFORT DALI/TOUCH DIMM 2700K	273	3
972457	BORITI MODULE 1x BEAUFORT DALI/TOUCH DIMM 3000K	273	3
979003	BORITI WALL FIXATION	104	3
979026	BORITI WALL FIXATION	104	3
979047	BORITI WALL FIXATION	104	3
979100	BORITI / OSCAR STRAIGHT CONNECTION 3DELIG	96	3
979200	BORITI / OSCAR(HOR. INNER) CORNER 90° 3DELIG	64	3
979210	OSCAR HORIZONTAL OUTER CORNER 270°	64	3
979300	BORITI / OSCAR(HOR. INNER) CORNER 135°	64	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
979310	OSCAR HORIZONTAL OUTER CORNER 315°	64	3
979400	BORITI / OSCAR(HOR. INNER) CORNER OTHER ANGLE	255	3
979410	OSCAR HORIZONTAL OUTER CORNER 225°-265° ON REQUEST	255	3
980207	DUCTOR ENDCAP	30	3
980212	DUCTOR ENDCAP	30	3
981012	DUCTOR PROFILE /m	108	3
981047	DUCTOR PROFILE /m	108	3
981170	DUCTOR MODULE LEDLINE 9.6W 4000K CRI92 + DIFFUSER /M	94	3
981172	DUCTOR MODULE LEDLINE 9.6W 3000K CRI92 + DIFFUSER /M	94	3
981173	DUCTOR MODULE LEDLINE 14.4W 2700K CRI92 + DIFFUSER /M	104	3
981174	DUCTOR MODULE LEDLINE 14.4W 4000K CRI92 + DIFFUSER /M	104	3
981175	DUCTOR MODULE LEDLINE 14.4W 3000K CRI92 + DIFFUSER /M	104	3
981179	DUCTOR MODULE LEDLINE 9.6W 2700K CRI92 + DIFFUSER /M	94	3
988100	DUCTOR STRAIGHT CONNECTION	35	3
988200	DUCTOR HORIZONTAL INNER CORNER 90°	38	3
988210	DUCTOR HORIZONTAL OUTER CORNER 270°	38	3
988300	DUCTOR HORIZONTAL INNER CORNER 135°	38	3
988310	DUCTOR HORIZONTAL OUTER CORNER 315°	41	3
988400	DUCTOR HORIZONTAL INNER CORNER 45°-85° ON REQUEST	228	3
988410	DUCTOR HORIZONTAL OUTER CORNER 225°-265° ON REQUEST	228	3
988500	DUCTOR VERTICAL CORNER 90°	38	3
988600	DUCTOR VERTICAL CORNER 135°	38	3
988700	DUCTOR VERTICAL CORNER 45°-85° ON REQUEST	228	3
988900	DUCTOR CONVERTERMOD. 230V LED 24V 20VA IP20 DIMMABLE 1-10V	102	3
607013M	MICROSCOOP EVO 36° 350mA 2700K	220	3
607013N	MICROSCOOP EVO 15° 350mA 2700K	220	3
607013W	MICROSCOOP EVO 50° 350mA 2700K	220	3
607014M	MICROSCOOP EVO 36° 350mA 2700K	220	3
607014N	MICROSCOOP EVO 15° 350mA 2700K	220	3
607014W	MICROSCOOP EVO 50° 350mA 2700K	220	3
607015M	MICROSCOOP EVO 36° 350mA 2700K	220	3
607015N	MICROSCOOP EVO 15° 350mA 2700K	220	3
607015W	MICROSCOOP EVO 50° 350mA 2700K	220	3
607026M	MICROSCOOP EVO 36° 350mA 2700K	157	3
607026N	MICROSCOOP EVO 15° 350mA 2700K	157	3
607026W	MICROSCOOP EVO 50° 350mA 2700K	157	3
607027M	MICROSCOOP EVO 36° 350mA 2700K	157	3
607027N	MICROSCOOP EVO 15° 350mA 2700K	157	3
607027W	MICROSCOOP EVO 50° 350mA 2700K	157	3
607057M	MICROSCOOP EVO 36° 350mA 2700K	237	3
607057N	MICROSCOOP EVO 15° 350mA 2700K	237	3
607057W	MICROSCOOP EVO 50° 350mA 2700K	237	3
607095M	MICROSCOOP EVO 36° 350mA 2700K	157	3
607095N	MICROSCOOP EVO 15° 350mA 2700K	157	3
607095W	MICROSCOOP EVO 50° 350mA 2700K	157	3
607096M	MICROSCOOP EVO 36° 350mA 2700K	176	3
607096N	MICROSCOOP EVO 15° 350mA 2700K	176	3
607096W	MICROSCOOP EVO 50° 350mA 2700K	176	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
607213M	MICROSCOOP EVO 36° 350mA 3000K	220	3
607213N	MICROSCOOP EVO 15° 350mA 3000K	220	3
607213W	MICROSCOOP EVO 50° 350mA 3000K	220	3
607214M	MICROSCOOP EVO 36° 350mA 3000K	220	3
607214N	MICROSCOOP EVO 15° 350mA 3000K	220	3
607214W	MICROSCOOP EVO 50° 350mA 3000K	220	3
607215M	MICROSCOOP EVO 36° 350mA 3000K	220	3
607215N	MICROSCOOP EVO 15° 350mA 3000K	220	3
607215W	MICROSCOOP EVO 50° 350mA 3000K	220	3
607226M	MICROSCOOP EVO 36° 350mA 3000K	157	3
607226N	MICROSCOOP EVO 15° 350mA 3000K	157	3
607226W	MICROSCOOP EVO 50° 350mA 3000K	157	3
607227M	MICROSCOOP EVO 36° 350mA 3000K	157	3
607227N	MICROSCOOP EVO 15° 350mA 3000K	157	3
607227W	MICROSCOOP EVO 50° 350mA 3000K	157	3
607257M	MICROSCOOP EVO 36° 350mA 3000K	237	3
607257N	MICROSCOOP EVO 15° 350mA 3000K	237	3
607257W	MICROSCOOP EVO 50° 350mA 3000K	237	3
607295M	MICROSCOOP EVO 36° 350mA 3000K	157	3
607295N	MICROSCOOP EVO 15° 350mA 3000K	157	3
607295W	MICROSCOOP EVO 50° 350mA 3000K	157	3
607296M	MICROSCOOP EVO 36° 350mA 3000K	176	3
607296N	MICROSCOOP EVO 15° 350mA 3000K	176	3
607296W	MICROSCOOP EVO 50° 350mA 3000K	176	3
607323M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 2700K	446	3
607323N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 2700K	446	3
607323W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 2700K	446	3
607324M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 2700K	420	3
607324N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 2700K	420	3
607324W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 2700K	420	3
607325M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 2700K	290	3
607325N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 2700K	290	3
607325W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 2700K	290	3
607326M	MICROSCOOP EVO 36° TRACK 48V SINGLE 2700K	264	3
607326N	MICROSCOOP EVO 15° TRACK 48V SINGLE 2700K	264	3
607326W	MICROSCOOP EVO 50° TRACK 48V SINGLE 2700K	264	3
607333M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 3000K	446	3
607333N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 3000K	446	3
607333W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 3000K	446	3
607334M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 3000K	420	3
607334N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 3000K	420	3
607334W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 3000K	420	3
607335M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 3000K	290	3
607335N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 3000K	290	3
607335W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 3000K	290	3
607336M	MICROSCOOP EVO 36° TRACK 48V SINGLE 3000K	264	3
607336N	MICROSCOOP EVO 15° TRACK 48V SINGLE 3000K	264	3
607336W	MICROSCOOP EVO 50° TRACK 48V SINGLE 3000K	264	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
607344M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 2700K	446	3
607344N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 2700K	446	3
607344W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 2700K	446	3
607345M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 2700K	420	3
607345N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 2700K	420	3
607345W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 2700K	420	3
607346M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 2700K	290	3
607346N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 2700K	290	3
607346W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 2700K	290	3
607347M	MICROSCOOP EVO 36° TRACK 48V SINGLE 2700K	264	3
607347N	MICROSCOOP EVO 15° TRACK 48V SINGLE 2700K	264	3
607347W	MICROSCOOP EVO 50° TRACK 48V SINGLE 2700K	264	3
607354M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 3000K	446	3
607354N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 3000K	446	3
607354W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 3000K	446	3
607355M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 3000K	420	3
607355N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 3000K	420	3
607355W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 3000K	420	3
607356M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 3000K	290	3
607356N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 3000K	290	3
607356W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 3000K	290	3
607357M	MICROSCOOP EVO 36° TRACK 48V SINGLE 3000K	264	3
607357N	MICROSCOOP EVO 15° TRACK 48V SINGLE 3000K	264	3
607357W	MICROSCOOP EVO 50° TRACK 48V SINGLE 3000K	264	3
607378M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 3000K	446	3
607378N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 3000K	446	3
607378W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 3000K	446	3
607379M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 3000K	420	3
607379N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 3000K	420	3
607379W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 3000K	420	3
607380M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 3000K	290	3
607380N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 3000K	290	3
607380W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 3000K	290	3
607381M	MICROSCOOP EVO 36° TRACK 48V SINGLE 3000K	264	3
607381N	MICROSCOOP EVO 15° TRACK 48V SINGLE 3000K	264	3
607381W	MICROSCOOP EVO 50° TRACK 48V SINGLE 3000K	264	3
607383M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 3000K	456	3
607383N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 3000K	456	3
607383W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 3000K	456	3
607384M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 3000K	431	3
607384N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 3000K	431	3
607384W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 3000K	431	3
607385M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 3000K	295	3
607385N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 3000K	295	3
607385W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 3000K	295	3
607386M	MICROSCOOP EVO 36° TRACK 48V SINGLE 3000K	271	3
607386N	MICROSCOOP EVO 15° TRACK 48V SINGLE 3000K	271	3
607386W	MICROSCOOP EVO 50° TRACK 48V SINGLE 3000K	271	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
607388M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 2700K	446	3
607388N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 2700K	446	3
607388W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 2700K	446	3
607389M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 2700K	420	3
607389N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 2700K	420	3
607389W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 2700K	420	3
607390M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 2700K	290	3
607390N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 2700K	290	3
607390W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 2700K	290	3
607391M	MICROSCOOP EVO 36° TRACK 48V SINGLE 2700K	264	3
607391N	MICROSCOOP EVO 15° TRACK 48V SINGLE 2700K	264	3
607391W	MICROSCOOP EVO 50° TRACK 48V SINGLE 2700K	264	3
607393M	MICROSCOOP EVO 36° TRACK 48V DOUBLE DALI 2700K	456	3
607393N	MICROSCOOP EVO 15° TRACK 48V DOUBLE DALI 2700K	456	3
607393W	MICROSCOOP EVO 50° TRACK 48V DOUBLE DALI 2700K	456	3
607394M	MICROSCOOP EVO 36° TRACK 48V DOUBLE 2700K	431	3
607394N	MICROSCOOP EVO 15° TRACK 48V DOUBLE 2700K	431	3
607394W	MICROSCOOP EVO 50° TRACK 48V DOUBLE 2700K	431	3
607395M	MICROSCOOP EVO 36° TRACK 48V SINGLE DALI 2700K	295	3
607395N	MICROSCOOP EVO 15° TRACK 48V SINGLE DALI 2700K	295	3
607395W	MICROSCOOP EVO 50° TRACK 48V SINGLE DALI 2700K	295	3
607396M	MICROSCOOP EVO 36° TRACK 48V SINGLE 2700K	271	3
607396N	MICROSCOOP EVO 15° TRACK 48V SINGLE 2700K	271	3
607396W	MICROSCOOP EVO 50° TRACK 48V SINGLE 2700K	271	3
607525M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607525N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607525W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607526M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 2700K	288	3
607526N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 2700K	288	3
607526W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 2700K	288	3
607535M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607535N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607535W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607536M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 3000K	288	3
607536N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 3000K	288	3
607536W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 3000K	288	3
607546M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607546N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607546W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607547M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 2700K	288	3
607547N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 2700K	288	3
607547W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 2700K	288	3
607556M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607556N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607556W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607557M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 3000K	288	3
607557N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 3000K	288	3
607557W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 3000K	288	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
607580M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607580N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607580W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 3000K	314	3
607581M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 3000K	288	3
607581N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 3000K	288	3
607581W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 3000K	288	3
607585M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 3000K	319	3
607585N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 3000K	319	3
607585W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 3000K	319	3
607586M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 3000K	294	3
607586N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 3000K	294	3
607586W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 3000K	294	3
607590M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607590N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607590W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 2700K	314	3
607591M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 2700K	288	3
607591N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 2700K	288	3
607591W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 2700K	288	3
607595M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE DALI 2700K	319	3
607595N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE DALI 2700K	319	3
607595W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE DALI 2700K	319	3
607596M	MICROSCOOP EVO 36° ST5 TRACK 48V SINGLE 2700K	294	3
607596N	MICROSCOOP EVO 15° ST5 TRACK 48V SINGLE 2700K	294	3
607596W	MICROSCOOP EVO 50° ST5 TRACK 48V SINGLE 2700K	294	3
618202M	NOBEL PI EVO 36° M10 350mA 2700K	152	3
618202N	NOBEL PI EVO 15° M10 350mA 2700K	152	3
618202W	NOBEL PI EVO 50° M10 350mA 2700K	152	3
618208M	NOBEL PI EVO 36° M10 350mA 3000K	152	3
618208N	NOBEL PI EVO 15° M10 350mA 3000K	152	3
618208W	NOBEL PI EVO 50° M10 350mA 3000K	152	3
618209M	NOBEL PI EVO 36° M10 350mA 3000K	201	3
618209N	NOBEL PI EVO 15° M10 350mA 3000K	201	3
618209W	NOBEL PI EVO 50° M10 350mA 3000K	201	3
618210M	NOBEL PI EVO 36° M10 350mA 3000K	260	3
618210N	NOBEL PI EVO 15° M10 350mA 3000K	260	3
618210W	NOBEL PI EVO 50° M10 350mA 3000K	260	3
618212M	NOBEL PI EVO 36° M10 350mA 3000K	152	3
618212N	NOBEL PI EVO 15° M10 350mA 3000K	152	3
618212W	NOBEL PI EVO 50° M10 350mA 3000K	152	3
618218M	NOBEL PI EVO 36° M10 350mA 2700K	152	3
618218N	NOBEL PI EVO 15° M10 350mA 2700K	152	3
618218W	NOBEL PI EVO 50° M10 350mA 2700K	152	3
618219M	NOBEL PI EVO 36° M10 350mA 2700K	201	3
618219N	NOBEL PI EVO 15° M10 350mA 2700K	201	3
618219W	NOBEL PI EVO 50° M10 350mA 2700K	201	3
618220M	NOBEL PI EVO 36° M10 350mA 2700K	260	3
618220N	NOBEL PI EVO 15° M10 350mA 2700K	260	3
618220W	NOBEL PI EVO 50° M10 350mA 2700K	260	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
618243M	NOBEL PI EVO 36° M10 350mA 2700K	215	3
618243N	NOBEL PI EVO 15° M10 350mA 2700K	215	3
618243W	NOBEL PI EVO 50° M10 350mA 2700K	215	3
618244M	NOBEL PI EVO 36° M10 350mA 2700K	215	3
618244N	NOBEL PI EVO 15° M10 350mA 2700K	215	3
618244W	NOBEL PI EVO 50° M10 350mA 2700K	215	3
618245M	NOBEL PI EVO 36° M10 350mA 2700K	215	3
618245N	NOBEL PI EVO 15° M10 350mA 2700K	215	3
618245W	NOBEL PI EVO 50° M10 350mA 2700K	215	3
618246M	NOBEL PI EVO 36° M10 350mA 3000K	276	3
618246N	NOBEL PI EVO 15° M10 350mA 3000K	276	3
618246W	NOBEL PI EVO 50° M10 350mA 3000K	276	3
618247M	NOBEL PI EVO 36° M10 350mA 3000K	201	3
618247N	NOBEL PI EVO 15° M10 350mA 3000K	201	3
618247W	NOBEL PI EVO 50° M10 350mA 3000K	201	3
618253M	NOBEL PI EVO 36° M10 350mA 3000K	215	3
618253N	NOBEL PI EVO 15° M10 350mA 3000K	215	3
618253W	NOBEL PI EVO 50° M10 350mA 3000K	215	3
618254M	NOBEL PI EVO 36° M10 350mA 3000K	215	3
618254N	NOBEL PI EVO 15° M10 350mA 3000K	215	3
618254W	NOBEL PI EVO 50° M10 350mA 3000K	215	3
618255M	NOBEL PI EVO 36° M10 350mA 3000K	215	3
618255N	NOBEL PI EVO 15° M10 350mA 3000K	215	3
618255W	NOBEL PI EVO 50° M10 350mA 3000K	215	3
618256M	NOBEL PI EVO 36° M10 350mA 2700K	276	3
618256N	NOBEL PI EVO 15° M10 350mA 2700K	276	3
618256W	NOBEL PI EVO 50° M10 350mA 2700K	276	3
618257M	NOBEL PI EVO 36° M10 350mA 2700K	201	3
618257N	NOBEL PI EVO 15° M10 350mA 2700K	201	3
618257W	NOBEL PI EVO 50° M10 350mA 2700K	201	3
618284M	NOBEL PI EVO 36° M10 350mA 3000K	152	3
618284N	NOBEL PI EVO 15° M10 350mA 3000K	152	3
618284W	NOBEL PI EVO 50° M10 350mA 3000K	152	3
618286M	NOBEL PI EVO 36° M10 350mA 3000K	159	3
618286N	NOBEL PI EVO 15° M10 350mA 3000K	159	3
618286W	NOBEL PI EVO 50° M10 350mA 3000K	159	3
618294M	NOBEL PI EVO 36° M10 350mA 2700K	152	3
618294N	NOBEL PI EVO 15° M10 350mA 2700K	152	3
618294W	NOBEL PI EVO 50° M10 350mA 2700K	152	3
618296M	NOBEL PI EVO 36° M10 350mA 2700K	159	3
618296N	NOBEL PI EVO 15° M10 350mA 2700K	159	3
618296W	NOBEL PI EVO 50° M10 350mA 2700K	159	3
618301M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 2700K	287	3
618301N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 2700K	287	3
618301W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 2700K	287	3
618302M	NOBEL PI EVO 36° TRACK 48V 2700K	262	3
618302N	NOBEL PI EVO 15° TRACK 48V 2700K	262	3
618302W	NOBEL PI EVO 50° TRACK 48V 2700K	262	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
618307M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 3000K	287	3
618307N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 3000K	287	3
618307W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 3000K	287	3
618308M	NOBEL PI EVO 36° TRACK 48V 3000K	262	3
618308N	NOBEL PI EVO 15° TRACK 48V 3000K	262	3
618308W	NOBEL PI EVO 50° TRACK 48V 3000K	262	3
618315M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 3000K	287	3
618315N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 3000K	287	3
618315W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 3000K	287	3
618316M	NOBEL PI EVO 36° TRACK 48V 3000K	262	3
618316N	NOBEL PI EVO 15° TRACK 48V 3000K	262	3
618316W	NOBEL PI EVO 50° TRACK 48V 3000K	262	3
618333M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 2700K	287	3
618333N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 2700K	287	3
618333W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 2700K	287	3
618334M	NOBEL PI EVO 36° TRACK 48V 2700K	262	3
618334N	NOBEL PI EVO 15° TRACK 48V 2700K	262	3
618334W	NOBEL PI EVO 50° TRACK 48V 2700K	262	3
618385M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 3000K	293	3
618385N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 3000K	293	3
618385W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 3000K	293	3
618386M	NOBEL PI EVO 36° TRACK 48V 3000K	267	3
618386N	NOBEL PI EVO 15° TRACK 48V 3000K	267	3
618386W	NOBEL PI EVO 50° TRACK 48V 3000K	267	3
618387M	NOBEL PI EVO 36° TRACK 48V 3000K	267	3
618387N	NOBEL PI EVO 15° TRACK 48V 2700K	267	3
618387W	NOBEL PI EVO 50° TRACK 48V 2700K	267	3
618393M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 2700K	287	3
618393N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 2700K	287	3
618393W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 2700K	287	3
618394M	NOBEL PI EVO 36° TRACK 48V 2700K	262	3
618394N	NOBEL PI EVO 15° TRACK 48V 2700K	262	3
618394W	NOBEL PI EVO 50° TRACK 48V 2700K	262	3
618395M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 2700K	293	3
618395N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 2700K	293	3
618395W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 2700K	293	3
618396M	NOBEL PI EVO 36° TRACK 48V 2700K	267	3
618396N	NOBEL PI EVO 15° TRACK 48V 2700K	267	3
618396W	NOBEL PI EVO 50° TRACK 48V 2700K	267	3
618402M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	200	3
618402N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	200	3
618402W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	200	3
618403M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	280	3
618403N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	280	3
618403W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	280	3
618404M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	280	3
618404N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	280	3
618404W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	280	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
618405M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	280	3
618405N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	280	3
618405W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	280	3
618408M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	200	3
618408N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	200	3
618408W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	200	3
618409M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	248	3
618409N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	248	3
618409W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	248	3
618410M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	308	3
618410N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	308	3
618410W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	308	3
618412M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	200	3
618412N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	200	3
618412W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	200	3
618413M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	280	3
618413N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	280	3
618413W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	280	3
618414M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	280	3
618414N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	280	3
618414W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	280	3
618415M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	280	3
618415N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	280	3
618415W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	280	3
618418M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	200	3
618418N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	200	3
618418W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	200	3
618419M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	248	3
618419N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	248	3
618419W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	248	3
618420M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	308	3
618420N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	308	3
618420W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	308	3
618446M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	322	3
618446N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	322	3
618446W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	322	3
618447M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	248	3
618447N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	248	3
618447W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	248	3
618456M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	322	3
618456N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	322	3
618456W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	322	3
618457M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	248	3
618457N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	248	3
618457W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	248	3
618484M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	200	3
618484N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	200	3
618484W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	200	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
618485M	NOBEL PI EVO 36° TRACK 48V DALI DIMM 3000K	287	3
618485N	NOBEL PI EVO 15° TRACK 48V DALI DIMM 3000K	287	3
618485W	NOBEL PI EVO 50° TRACK 48V DALI DIMM 3000K	287	3
618486M	NOBEL PI EVO 36° 230V 3000K MAINS DIMMABLE	206	3
618486N	NOBEL PI EVO 15° 230V 3000K MAINS DIMMABLE	206	3
618486W	NOBEL PI EVO 50° 230V 3000K MAINS DIMMABLE	206	3
618494M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	200	3
618494N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	200	3
618494W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	200	3
618496M	NOBEL PI EVO 36° 230V 2700K MAINS DIMMABLE	206	3
618496N	NOBEL PI EVO 15° 230V 2700K MAINS DIMMABLE	206	3
618496W	NOBEL PI EVO 50° 230V 2700K MAINS DIMMABLE	206	3
618716M	MICRO TOMMY 3 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	445	3
618716N	MICRO TOMMY 3 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	445	3
618716W	MICRO TOMMY 3 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	445	3
618726M	MICRO TOMMY 3 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	445	3
618726N	MICRO TOMMY 3 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	445	3
618726W	MICRO TOMMY 3 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	445	3
618737M	MICRO TOMMY 3 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	445	3
618737N	MICRO TOMMY 3 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	445	3
618737W	MICRO TOMMY 3 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	445	3
618747M	MICRO TOMMY 3 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	445	3
618747N	MICRO TOMMY 3 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	445	3
618747W	MICRO TOMMY 3 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	445	3
618782M	MICRO TOMMY 3 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	460	3
618782N	MICRO TOMMY 3 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	460	3
618782W	MICRO TOMMY 3 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	460	3
618784M	MICRO TOMMY 3 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	445	3
618784N	MICRO TOMMY 3 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	445	3
618784W	MICRO TOMMY 3 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	445	3
618785M	MICRO TOMMY 3 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	445	3
618785N	MICRO TOMMY 3 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	445	3
618785W	MICRO TOMMY 3 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	445	3
618786M	MICRO TOMMY 3 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	460	3
618786N	MICRO TOMMY 3 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	460	3
618786W	MICRO TOMMY 3 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	460	3
618787M	MICRO TOMMY 3 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	445	3
618787N	MICRO TOMMY 3 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	445	3
618787W	MICRO TOMMY 3 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	445	3
618792M	MICRO TOMMY 3 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	460	3
618792N	MICRO TOMMY 3 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	460	3
618792W	MICRO TOMMY 3 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	460	3
618794M	MICRO TOMMY 3 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	445	3
618794N	MICRO TOMMY 3 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	445	3
618794W	MICRO TOMMY 3 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	445	3
618795M	MICRO TOMMY 3 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	445	3
618795N	MICRO TOMMY 3 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	445	3
618795W	MICRO TOMMY 3 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	445	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
618796M	MICRO TOMMY 3 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	460	3
618796N	MICRO TOMMY 3 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	460	3
618796W	MICRO TOMMY 3 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	460	3
618797M	MICRO TOMMY 3 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	445	3
618797N	MICRO TOMMY 3 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	445	3
618797W	MICRO TOMMY 3 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	445	3
618816M	MICRO TOMMY 2 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	357	3
618816N	MICRO TOMMY 2 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	357	3
618816W	MICRO TOMMY 2 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	357	3
618826M	MICRO TOMMY 2 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	357	3
618826N	MICRO TOMMY 2 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	357	3
618826W	MICRO TOMMY 2 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	357	3
618837M	MICRO TOMMY 2 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	357	3
618837N	MICRO TOMMY 2 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	357	3
618837W	MICRO TOMMY 2 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	357	3
618847M	MICRO TOMMY 2 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	357	3
618847N	MICRO TOMMY 2 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	357	3
618847W	MICRO TOMMY 2 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	357	3
618882M	MICRO TOMMY 2 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	366	3
618882N	MICRO TOMMY 2 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	366	3
618882W	MICRO TOMMY 2 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	366	3
618884M	MICRO TOMMY 2 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	357	3
618884N	MICRO TOMMY 2 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	357	3
618884W	MICRO TOMMY 2 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	357	3
618885M	MICRO TOMMY 2 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	357	3
618885N	MICRO TOMMY 2 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	357	3
618885W	MICRO TOMMY 2 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	357	3
618886M	MICRO TOMMY 2 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	366	3
618886N	MICRO TOMMY 2 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	366	3
618886W	MICRO TOMMY 2 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	366	3
618887M	MICRO TOMMY 2 CEILING EVO 36° 230V 3000K MAINS DIMMABLE	357	3
618887N	MICRO TOMMY 2 CEILING EVO 15° 230V 3000K MAINS DIMMABLE	357	3
618887W	MICRO TOMMY 2 CEILING EVO 50° 230V 3000K MAINS DIMMABLE	357	3
618892M	MICRO TOMMY 2 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	366	3
618892N	MICRO TOMMY 2 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	366	3
618892W	MICRO TOMMY 2 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	366	3
618894M	MICRO TOMMY 2 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	357	3
618894N	MICRO TOMMY 2 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	357	3
618894W	MICRO TOMMY 2 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	357	3
618895M	MICRO TOMMY 2 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	357	3
618895N	MICRO TOMMY 2 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	357	3
618895W	MICRO TOMMY 2 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	357	3
618896M	MICRO TOMMY 2 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	366	3
618896N	MICRO TOMMY 2 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	366	3
618896W	MICRO TOMMY 2 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	366	3
618897M	MICRO TOMMY 2 CEILING EVO 36° 230V 2700K MAINS DIMMABLE	357	3
618897N	MICRO TOMMY 2 CEILING EVO 15° 230V 2700K MAINS DIMMABLE	357	3
618897W	MICRO TOMMY 2 CEILING EVO 50° 230V 2700K MAINS DIMMABLE	357	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
619016M	MICRO TOMMY TRIMLESS EVO 36° 350mA 3000K	250	3
619016N	MICRO TOMMY TRIMLESS EVO 15° 350mA 3000K	250	3
619016W	MICRO TOMMY TRIMLESS EVO 50° 350mA 3000K	250	3
619026M	MICRO TOMMY TRIMLESS EVO 36° 350mA 2700K	250	3
619026N	MICRO TOMMY TRIMLESS EVO 15° 350mA 2700K	250	3
619026W	MICRO TOMMY TRIMLESS EVO 50° 350mA 2700K	250	3
619037M	MICRO TOMMY TRIMLESS EVO 36° 350mA 3000K	250	3
619037N	MICRO TOMMY TRIMLESS EVO 15° 350mA 3000K	250	3
619037W	MICRO TOMMY TRIMLESS EVO 50° 350mA 3000K	250	3
619047M	MICRO TOMMY TRIMLESS EVO 36° 350mA 2700K	250	3
619047N	MICRO TOMMY TRIMLESS EVO 15° 350mA 2700K	250	3
619047W	MICRO TOMMY TRIMLESS EVO 50° 350mA 2700K	250	3
619084M	MICRO TOMMY TRIMLESS EVO 36° 350mA 3000K	250	3
619084N	MICRO TOMMY TRIMLESS EVO 15° 350mA 3000K	250	3
619084W	MICRO TOMMY TRIMLESS EVO 50° 350mA 3000K	250	3
619085M	MICRO TOMMY TRIMLESS EVO 36° 350mA 3000K	250	3
619085N	MICRO TOMMY TRIMLESS EVO 15° 350mA 3000K	250	3
619085W	MICRO TOMMY TRIMLESS EVO 50° 350mA 3000K	250	3
619086M	MICRO TOMMY TRIMLESS EVO 36° 350mA 3000K	250	3
619086N	MICRO TOMMY TRIMLESS EVO 15° 350mA 3000K	250	3
619086W	MICRO TOMMY TRIMLESS EVO 50° 350mA 3000K	250	3
619094M	MICRO TOMMY TRIMLESS EVO 36° 350mA 2700K	250	3
619094N	MICRO TOMMY TRIMLESS EVO 15° 350mA 2700K	250	3
619094W	MICRO TOMMY TRIMLESS EVO 50° 350mA 2700K	250	3
619095M	MICRO TOMMY TRIMLESS EVO 36° 350mA 2700K	250	3
619095N	MICRO TOMMY TRIMLESS EVO 15° 350mA 2700K	250	3
619095W	MICRO TOMMY TRIMLESS EVO 50° 350mA 2700K	250	3
619096M	MICRO TOMMY TRIMLESS EVO 36° 350mA 2700K	250	3
619096N	MICRO TOMMY TRIMLESS EVO 15° 350mA 2700K	250	3
619096W	MICRO TOMMY TRIMLESS EVO 50° 350mA 2700K	250	3
619116M	MICRO TOMMY 1 EVO 36° TORSION 3000K	125	3
619116N	MICRO TOMMY 1 EVO 15° TORSION 3000K	125	3
619116W	MICRO TOMMY 1 EVO 50° TORSION 3000K	125	3
619126M	MICRO TOMMY 1 EVO 36° TORSION 2700K	125	3
619126N	MICRO TOMMY 1 EVO 15° TORSION 2700K	125	3
619126W	MICRO TOMMY 1 EVO 50° TORSION 2700K	125	3
619137M	MICRO TOMMY 1 EVO 36° TORSION 3000K	125	3
619137N	MICRO TOMMY 1 EVO 15° TORSION 3000K	125	3
619137W	MICRO TOMMY 1 EVO 50° TORSION 3000K	125	3
619147M	MICRO TOMMY 1 EVO 36° TORSION 2700K	125	3
619147N	MICRO TOMMY 1 EVO 15° TORSION 2700K	125	3
619147W	MICRO TOMMY 1 EVO 50° TORSION 2700K	125	3
619184M	MICRO TOMMY 1 EVO 36° TORSION 3000K	125	3
619184N	MICRO TOMMY 1 EVO 15° TORSION 3000K	125	3
619184W	MICRO TOMMY 1 EVO 50° TORSION 3000K	125	3
619185M	MICRO TOMMY 1 EVO 36° TORSION 3000K	125	3
619185N	MICRO TOMMY 1 EVO 15° TORSION 3000K	125	3
619185W	MICRO TOMMY 1 EVO 50° TORSION 3000K	125	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
619186M	MICRO TOMMY 1 EVO 36° TORSION 3000K	132	3
619186N	MICRO TOMMY 1 EVO 15° TORSION 3000K	132	3
619186W	MICRO TOMMY 1 EVO 50° TORSION 3000K	132	3
619194M	MICRO TOMMY 1 EVO 36° TORSION 2700K	125	3
619194N	MICRO TOMMY 1 EVO 15° TORSION 2700K	125	3
619194W	MICRO TOMMY 1 EVO 50° TORSION 2700K	125	3
619195M	MICRO TOMMY 1 EVO 36° TORSION 2700K	125	3
619195N	MICRO TOMMY 1 EVO 15° TORSION 2700K	125	3
619195W	MICRO TOMMY 1 EVO 50° TORSION 2700K	125	3
619196M	MICRO TOMMY 1 EVO 36° TORSION 2700K	132	3
619196N	MICRO TOMMY 1 EVO 15° TORSION 2700K	132	3
619196W	MICRO TOMMY 1 EVO 50° TORSION 2700K	132	3
619216M	MICRO TOMMY 2 EVO 36° TORSION 3000K	211	3
619216N	MICRO TOMMY 2 EVO 15° TORSION 3000K	211	3
619216W	MICRO TOMMY 2 EVO 50° TORSION 3000K	211	3
619226M	MICRO TOMMY 2 EVO 36° TORSION 2700K	211	3
619226N	MICRO TOMMY 2 EVO 15° TORSION 2700K	211	3
619226W	MICRO TOMMY 2 EVO 50° TORSION 2700K	211	3
619237M	MICRO TOMMY 2 EVO 36° TORSION 3000K	211	3
619237N	MICRO TOMMY 2 EVO 15° TORSION 3000K	211	3
619237W	MICRO TOMMY 2 EVO 50° TORSION 3000K	211	3
619247M	MICRO TOMMY 2 EVO 36° TORSION 2700K	211	3
619247N	MICRO TOMMY 2 EVO 15° TORSION 2700K	211	3
619247W	MICRO TOMMY 2 EVO 50° TORSION 2700K	211	3
619284M	MICRO TOMMY 2 EVO 36° TORSION 3000K	211	3
619284N	MICRO TOMMY 2 EVO 15° TORSION 3000K	211	3
619284W	MICRO TOMMY 2 EVO 50° TORSION 3000K	211	3
619285M	MICRO TOMMY 2 EVO 36° TORSION 3000K	211	3
619285N	MICRO TOMMY 2 EVO 15° TORSION 3000K	211	3
619285W	MICRO TOMMY 2 EVO 50° TORSION 3000K	211	3
619286M	MICRO TOMMY 2 EVO 36° TORSION 3000K	221	3
619286N	MICRO TOMMY 2 EVO 15° TORSION 3000K	221	3
619286W	MICRO TOMMY 2 EVO 50° TORSION 3000K	221	3
619294M	MICRO TOMMY 2 EVO 36° TORSION 2700K	211	3
619294N	MICRO TOMMY 2 EVO 15° TORSION 2700K	211	3
619294W	MICRO TOMMY 2 EVO 50° TORSION 2700K	211	3
619295M	MICRO TOMMY 2 EVO 36° TORSION 2700K	211	3
619295N	MICRO TOMMY 2 EVO 15° TORSION 2700K	211	3
619295W	MICRO TOMMY 2 EVO 50° TORSION 2700K	211	3
619296M	MICRO TOMMY 2 EVO 36° TORSION 2700K	221	3
619296N	MICRO TOMMY 2 EVO 15° TORSION 2700K	221	3
619296W	MICRO TOMMY 2 EVO 50° TORSION 2700K	221	3
619316M	MICRO TOMMY 3 EVO 36° TORSION 3000K	288	3
619316N	MICRO TOMMY 3 EVO 15° TORSION 3000K	288	3
619316W	MICRO TOMMY 3 EVO 50° TORSION 3000K	288	3
619326M	MICRO TOMMY 3 EVO 36° TORSION 2700K	288	3
619326N	MICRO TOMMY 3 EVO 15° TORSION 2700K	288	3
619326W	MICRO TOMMY 3 EVO 50° TORSION 2700K	288	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
619337M	MICRO TOMMY 3 EVO 36° TORSION 3000K	288	3
619337N	MICRO TOMMY 3 EVO 15° TORSION 3000K	288	3
619337W	MICRO TOMMY 3 EVO 50° TORSION 3000K	288	3
619347M	MICRO TOMMY 3 EVO 36° TORSION 2700K	288	3
619347N	MICRO TOMMY 3 EVO 15° TORSION 2700K	288	3
619347W	MICRO TOMMY 3 EVO 50° TORSION 2700K	288	3
619384M	MICRO TOMMY 3 EVO 36° TORSION 3000K	288	3
619384N	MICRO TOMMY 3 EVO 15° TORSION 3000K	288	3
619384W	MICRO TOMMY 3 EVO 50° TORSION 3000K	288	3
619385M	MICRO TOMMY 3 EVO 36° TORSION 3000K	288	3
619385N	MICRO TOMMY 3 EVO 15° TORSION 3000K	288	3
619385W	MICRO TOMMY 3 EVO 50° TORSION 3000K	288	3
619386M	MICRO TOMMY 3 EVO 36° TORSION 3000K	305	3
619386N	MICRO TOMMY 3 EVO 15° TORSION 3000K	305	3
619386W	MICRO TOMMY 3 EVO 50° TORSION 3000K	305	3
619394M	MICRO TOMMY 3 EVO 36° TORSION 2700K	288	3
619394N	MICRO TOMMY 3 EVO 15° TORSION 2700K	288	3
619394W	MICRO TOMMY 3 EVO 50° TORSION 2700K	288	3
619395M	MICRO TOMMY 3 EVO 36° TORSION 2700K	288	3
619395N	MICRO TOMMY 3 EVO 15° TORSION 2700K	288	3
619395W	MICRO TOMMY 3 EVO 50° TORSION 2700K	288	3
619396M	MICRO TOMMY 3 EVO 36° TORSION 2700K	305	3
619396N	MICRO TOMMY 3 EVO 15° TORSION 2700K	305	3
619396W	MICRO TOMMY 3 EVO 50° TORSION 2700K	305	3
619416M	MICRO TOMMY 1 EVO 36° LEAF 3000K	125	3
619416N	MICRO TOMMY 1 EVO 15° LEAF 3000K	125	3
619416W	MICRO TOMMY 1 EVO 50° LEAF 3000K	125	3
619426M	MICRO TOMMY 1 EVO 36° LEAF 2700K	125	3
619426N	MICRO TOMMY 1 EVO 15° LEAF 2700K	125	3
619426W	MICRO TOMMY 1 EVO 50° LEAF 2700K	125	3
619437M	MICRO TOMMY 1 EVO 36° LEAF 3000K	125	3
619437N	MICRO TOMMY 1 EVO 15° LEAF 3000K	125	3
619437W	MICRO TOMMY 1 EVO 50° LEAF 3000K	125	3
619447M	MICRO TOMMY 1 EVO 36° LEAF 2700K	125	3
619447N	MICRO TOMMY 1 EVO 15° LEAF 2700K	125	3
619447W	MICRO TOMMY 1 EVO 50° LEAF 2700K	125	3
619484M	MICRO TOMMY 1 EVO 36° LEAF 3000K	125	3
619484N	MICRO TOMMY 1 EVO 15° LEAF 3000K	125	3
619484W	MICRO TOMMY 1 EVO 50° LEAF 3000K	125	3
619485M	MICRO TOMMY 1 EVO 36° LEAF 3000K	125	3
619485N	MICRO TOMMY 1 EVO 15° LEAF 3000K	125	3
619485W	MICRO TOMMY 1 EVO 50° LEAF 3000K	125	3
619486M	MICRO TOMMY 1 EVO 36° LEAF 3000K	132	3
619486N	MICRO TOMMY 1 EVO 15° LEAF 3000K	132	3
619486W	MICRO TOMMY 1 EVO 50° LEAF 3000K	132	3
619494M	MICRO TOMMY 1 EVO 36° LEAF 2700K	125	3
619494N	MICRO TOMMY 1 EVO 15° LEAF 2700K	125	3
619494W	MICRO TOMMY 1 EVO 50° LEAF 2700K	125	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
619495M	MICRO TOMMY 1 EVO 36° LEAF 2700K	125	3
619495N	MICRO TOMMY 1 EVO 15° LEAF 2700K	125	3
619495W	MICRO TOMMY 1 EVO 50° LEAF 2700K	125	3
619496M	MICRO TOMMY 1 EVO 36° LEAF 2700K	132	3
619496N	MICRO TOMMY 1 EVO 15° LEAF 2700K	132	3
619496W	MICRO TOMMY 1 EVO 50° LEAF 2700K	132	3
619516M	MICRO TOMMY 2 EVO 36° LEAF 3000K	211	3
619516N	MICRO TOMMY 2 EVO 15° LEAF 3000K	211	3
619516W	MICRO TOMMY 2 EVO 50° LEAF 3000K	211	3
619526M	MICRO TOMMY 2 EVO 36° LEAF 2700K	211	3
619526N	MICRO TOMMY 2 EVO 15° LEAF 2700K	211	3
619526W	MICRO TOMMY 2 EVO 50° LEAF 2700K	211	3
619537M	MICRO TOMMY 2 EVO 36° LEAF 3000K	211	3
619537N	MICRO TOMMY 2 EVO 15° LEAF 3000K	211	3
619537W	MICRO TOMMY 2 EVO 50° LEAF 3000K	211	3
619547M	MICRO TOMMY 2 EVO 36° LEAF 2700K	211	3
619547N	MICRO TOMMY 2 EVO 15° LEAF 2700K	211	3
619547W	MICRO TOMMY 2 EVO 50° LEAF 2700K	211	3
619584M	MICRO TOMMY 2 EVO 36° LEAF 3000K	211	3
619584N	MICRO TOMMY 2 EVO 15° LEAF 3000K	211	3
619584W	MICRO TOMMY 2 EVO 50° LEAF 3000K	211	3
619585M	MICRO TOMMY 2 EVO 36° LEAF 3000K	211	3
619585N	MICRO TOMMY 2 EVO 15° LEAF 3000K	211	3
619585W	MICRO TOMMY 2 EVO 50° LEAF 3000K	211	3
619586M	MICRO TOMMY 2 EVO 36° LEAF 3000K	221	3
619586N	MICRO TOMMY 2 EVO 15° LEAF 3000K	221	3
619586W	MICRO TOMMY 2 EVO 50° LEAF 3000K	221	3
619594M	MICRO TOMMY 2 EVO 36° LEAF 2700K	211	3
619594N	MICRO TOMMY 2 EVO 15° LEAF 2700K	211	3
619594W	MICRO TOMMY 2 EVO 50° LEAF 2700K	211	3
619595M	MICRO TOMMY 2 EVO 36° LEAF 2700K	211	3
619595N	MICRO TOMMY 2 EVO 15° LEAF 2700K	211	3
619595W	MICRO TOMMY 2 EVO 50° LEAF 2700K	211	3
619596M	MICRO TOMMY 2 EVO 36° LEAF 2700K	221	3
619596N	MICRO TOMMY 2 EVO 15° LEAF 2700K	221	3
619596W	MICRO TOMMY 2 EVO 50° LEAF 2700K	221	3
619616M	MICRO TOMMY 3 EVO 36° LEAF 3000K	288	3
619616N	MICRO TOMMY 3 EVO 15° LEAF 3000K	288	3
619616W	MICRO TOMMY 3 EVO 50° LEAF 3000K	288	3
619626M	MICRO TOMMY 3 EVO 36° LEAF 2700K	288	3
619626N	MICRO TOMMY 3 EVO 15° LEAF 2700K	288	3
619626W	MICRO TOMMY 3 EVO 50° LEAF 2700K	288	3
619637M	MICRO TOMMY 3 EVO 36° LEAF 3000K	288	3
619637N	MICRO TOMMY 3 EVO 15° LEAF 3000K	288	3
619637W	MICRO TOMMY 3 EVO 50° LEAF 3000K	288	3
619647M	MICRO TOMMY 3 EVO 36° LEAF 2700K	288	3
619647N	MICRO TOMMY 3 EVO 15° LEAF 2700K	288	3
619647W	MICRO TOMMY 3 EVO 50° LEAF 2700K	288	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
619684M	MICRO TOMMY 3 EVO 36° LEAF 3000K	288	3
619684N	MICRO TOMMY 3 EVO 15° LEAF 3000K	288	3
619684W	MICRO TOMMY 3 EVO 50° LEAF 3000K	288	3
619685M	MICRO TOMMY 3 EVO 36° LEAF 3000K	288	3
619685N	MICRO TOMMY 3 EVO 15° LEAF 3000K	288	3
619685W	MICRO TOMMY 3 EVO 50° LEAF 3000K	288	3
619686M	MICRO TOMMY 3 EVO 36° LEAF 3000K	305	3
619686N	MICRO TOMMY 3 EVO 15° LEAF 3000K	305	3
619686W	MICRO TOMMY 3 EVO 50° LEAF 3000K	305	3
619694M	MICRO TOMMY 3 EVO 36° LEAF 2700K	288	3
619694N	MICRO TOMMY 3 EVO 15° LEAF 2700K	288	3
619694W	MICRO TOMMY 3 EVO 50° LEAF 2700K	288	3
619695M	MICRO TOMMY 3 EVO 36° LEAF 2700K	288	3
619695N	MICRO TOMMY 3 EVO 15° LEAF 2700K	288	3
619695W	MICRO TOMMY 3 EVO 50° LEAF 2700K	288	3
619696M	MICRO TOMMY 3 EVO 36° LEAF 2700K	305	3
619696N	MICRO TOMMY 3 EVO 15° LEAF 2700K	305	3
619696W	MICRO TOMMY 3 EVO 50° LEAF 2700K	305	3
659026M	NOBEL ELBOW EVO 36° 350mA 2700K	159	3
659026N	NOBEL ELBOW EVO 15° 350mA 2700K	159	3
659026W	NOBEL ELBOW EVO 50° 350mA 2700K	159	3
659036M	NOBEL ELBOW EVO 36° 350mA 3000K	159	3
659036N	NOBEL ELBOW EVO 15° 350mA 3000K	159	3
659036W	NOBEL ELBOW EVO 50° 350mA 3000K	159	3
659047M	NOBEL ELBOW EVO 36° 350mA 2700K	159	3
659047N	NOBEL ELBOW EVO 15° 350mA 2700K	159	3
659047W	NOBEL ELBOW EVO 50° 350mA 2700K	159	3
659057M	NOBEL ELBOW EVO 36° 350mA 3000K	159	3
659057N	NOBEL ELBOW EVO 15° 350mA 3000K	159	3
659057W	NOBEL ELBOW EVO 50° 350mA 3000K	159	3
659086M	NOBEL ELBOW EVO 36° 350mA 3000K	163	3
659086N	NOBEL ELBOW EVO 15° 350mA 3000K	163	3
659086W	NOBEL ELBOW EVO 50° 350mA 3000K	163	3
659096M	NOBEL ELBOW EVO 36° 350mA 2700K	163	3
659096N	NOBEL ELBOW EVO 15° 350mA 2700K	163	3
659096W	NOBEL ELBOW EVO 50° 350mA 2700K	163	3
659102M	NOBEL ELBOW EVO 36° 230V 2700K MAINS DIMMABLE	176	3
659102N	NOBEL ELBOW EVO 15° 230V 2700K MAINS DIMMABLE	176	3
659102W	NOBEL ELBOW EVO 50° 230V 2700K MAINS DIMMABLE	176	3
659106M	NOBEL ELBOW EVO 36° 230V 2700K MAINS DIMMABLE	181	3
659106N	NOBEL ELBOW EVO 15° 230V 2700K MAINS DIMMABLE	181	3
659106W	NOBEL ELBOW EVO 50° 230V 2700K MAINS DIMMABLE	181	3
659107M	NOBEL ELBOW EVO 36° 230V 2700K MAINS DIMMABLE	176	3
659107N	NOBEL ELBOW EVO 15° 230V 2700K MAINS DIMMABLE	176	3
659107W	NOBEL ELBOW EVO 50° 230V 2700K MAINS DIMMABLE	176	3
659112M	NOBEL ELBOW EVO 36° 230V 3000K MAINS DIMMABLE	176	3
659112N	NOBEL ELBOW EVO 15° 230V 3000K MAINS DIMMABLE	176	3
659112W	NOBEL ELBOW EVO 50° 230V 3000K MAINS DIMMABLE	176	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
659117M	NOBEL ELBOW EVO 36° 230V 3000K MAINS DIMMABLE	176	3
659117N	NOBEL ELBOW EVO 15° 230V 3000K MAINS DIMMABLE	176	3
659117W	NOBEL ELBOW EVO 50° 230V 3000K MAINS DIMMABLE	176	3
659156M	NOBEL ELBOW EVO 36° 230V 3000K MAINS DIMMABLE	181	3
659156N	NOBEL ELBOW EVO 15° 230V 3000K MAINS DIMMABLE	181	3
659156W	NOBEL ELBOW EVO 50° 230V 3000K MAINS DIMMABLE	181	3
659203M	NOBEL ELBOW EVO 36° 230V 2700K MAINS DIMMABLE	250	3
659203N	NOBEL ELBOW EVO 15° 230V 2700K MAINS DIMMABLE	250	3
659203W	NOBEL ELBOW EVO 50° 230V 2700K MAINS DIMMABLE	250	3
659204M	NOBEL ELBOW EVO 36° 230V 2700K MAINS DIMMABLE	250	3
659204N	NOBEL ELBOW EVO 15° 230V 2700K MAINS DIMMABLE	250	3
659204W	NOBEL ELBOW EVO 50° 230V 2700K MAINS DIMMABLE	250	3
659205M	NOBEL ELBOW EVO 36° 230V 2700K MAINS DIMMABLE	250	3
659205N	NOBEL ELBOW EVO 15° 230V 2700K MAINS DIMMABLE	250	3
659205W	NOBEL ELBOW EVO 50° 230V 2700K MAINS DIMMABLE	250	3
659213M	NOBEL ELBOW EVO 36° 230V 3000K MAINS DIMMABLE	250	3
659213N	NOBEL ELBOW EVO 15° 230V 3000K MAINS DIMMABLE	250	3
659213W	NOBEL ELBOW EVO 50° 230V 3000K MAINS DIMMABLE	250	3
659214M	NOBEL ELBOW EVO 36° 230V 3000K MAINS DIMMABLE	250	3
659214N	NOBEL ELBOW EVO 15° 230V 3000K MAINS DIMMABLE	250	3
659214W	NOBEL ELBOW EVO 50° 230V 3000K MAINS DIMMABLE	250	3
659215M	NOBEL ELBOW EVO 36° 230V 3000K MAINS DIMMABLE	250	3
659215N	NOBEL ELBOW EVO 15° 230V 3000K MAINS DIMMABLE	250	3
659215W	NOBEL ELBOW EVO 50° 230V 3000K MAINS DIMMABLE	250	3
659403M	NOBEL ELBOW EVO 36° 350mA 2700K	225	3
659403N	NOBEL ELBOW EVO 15° 350mA 2700K	225	3
659403W	NOBEL ELBOW EVO 50° 350mA 2700K	225	3
659404M	NOBEL ELBOW EVO 36° 350mA 2700K	225	3
659404N	NOBEL ELBOW EVO 15° 350mA 2700K	225	3
659404W	NOBEL ELBOW EVO 50° 350mA 2700K	225	3
659405M	NOBEL ELBOW EVO 36° 350mA 2700K	225	3
659405N	NOBEL ELBOW EVO 15° 350mA 2700K	225	3
659405W	NOBEL ELBOW EVO 50° 350mA 2700K	225	3
659413M	NOBEL ELBOW EVO 36° 350mA 3000K	225	3
659413N	NOBEL ELBOW EVO 15° 350mA 3000K	225	3
659413W	NOBEL ELBOW EVO 50° 350mA 3000K	225	3
659414M	NOBEL ELBOW EVO 36° 350mA 3000K	225	3
659414N	NOBEL ELBOW EVO 15° 350mA 3000K	225	3
659414W	NOBEL ELBOW EVO 50° 350mA 3000K	225	3
659415M	NOBEL ELBOW EVO 36° 350mA 3000K	225	3
659415N	NOBEL ELBOW EVO 15° 350mA 3000K	225	3
659415W	NOBEL ELBOW EVO 50° 350mA 3000K	225	3
659526M	NOBEL ELBOW EVO 36° M10 350mA 2700K	115	3
659526N	NOBEL ELBOW EVO 15° M10 350mA 2700K	115	3
659526W	NOBEL ELBOW EVO 50° M10 350mA 2700K	115	3
659536M	NOBEL ELBOW EVO 36° M10 350mA 3000K	115	3
659536N	NOBEL ELBOW EVO 15° M10 350mA 3000K	115	3
659536W	NOBEL ELBOW EVO 50° M10 350mA 3000K	115	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
659547M	NOBEL ELBOW EVO 36° M10 350mA 2700K	115	3
659547N	NOBEL ELBOW EVO 15° M10 350mA 2700K	115	3
659547W	NOBEL ELBOW EVO 50° M10 350mA 2700K	115	3
659557M	NOBEL ELBOW EVO 36° M10 350mA 3000K	115	3
659557N	NOBEL ELBOW EVO 15° M10 350mA 3000K	115	3
659557W	NOBEL ELBOW EVO 50° M10 350mA 3000K	115	3
659567M	NOBEL ELBOW EVO 36° M10 350mA 2700K	161	3
659567N	NOBEL ELBOW EVO 15° M10 350mA 2700K	161	3
659567W	NOBEL ELBOW EVO 50° M10 350mA 2700K	161	3
659577M	NOBEL ELBOW EVO 36° M10 350mA 3000K	161	3
659577N	NOBEL ELBOW EVO 15° M10 350mA 3000K	161	3
659577W	NOBEL ELBOW EVO 50° M10 350mA 3000K	161	3
659586M	NOBEL ELBOW EVO 36° M10 350mA 3000K	120	3
659586N	NOBEL ELBOW EVO 15° M10 350mA 3000K	120	3
659586W	NOBEL ELBOW EVO 50° M10 350mA 3000K	120	3
659596M	NOBEL ELBOW EVO 36° M10 350mA 2700K	120	3
659596N	NOBEL ELBOW EVO 15° M10 350mA 2700K	120	3
659596W	NOBEL ELBOW EVO 50° M10 350mA 2700K	120	3
659603M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 2700K	270	3
659603N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 2700K	270	3
659603W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 2700K	270	3
659604M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 2700K	270	3
659604N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 2700K	270	3
659604W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 2700K	270	3
659605M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 2700K	270	3
659605N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 2700K	270	3
659605W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 2700K	270	3
659613M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 3000K	270	3
659613N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 3000K	270	3
659613W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 3000K	270	3
659614M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 3000K	270	3
659614N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 3000K	270	3
659614W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 3000K	270	3
659615M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 3000K	270	3
659615N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 3000K	270	3
659615W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 3000K	270	3
659623M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE DALI 2700K	363	3
659623N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE DALI 2700K	363	3
659623W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE DALI 2700K	363	3
659624M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE 2700K	338	3
659624N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE 2700K	338	3
659624W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE 2700K	338	3
659625M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 2700K	249	3
659625N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 2700K	249	3
659625W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 2700K	249	3
659626M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 2700K	223	3
659626N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 2700K	223	3
659626W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 2700K	223	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
659633M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE DALI 3000K	363	3
659633N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE DALI 3000K	363	3
659633W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE DALI 3000K	363	3
659634M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE 3000K	338	3
659634N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE 3000K	338	3
659634W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE 3000K	338	3
659635M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 3000K	249	3
659635N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 3000K	249	3
659635W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 3000K	249	3
659636M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 3000K	223	3
659636N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 3000K	223	3
659636W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 3000K	223	3
659644M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE DALI 2700K	363	3
659644N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE DALI 2700K	363	3
659644W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE DALI 2700K	363	3
659645M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE 2700K	338	3
659645N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE 2700K	338	3
659645W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE 2700K	338	3
659646M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 2700K	249	3
659646N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 2700K	249	3
659646W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 2700K	249	3
659647M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 2700K	223	3
659647N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 2700K	223	3
659647W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 2700K	223	3
659654M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE DALI 3000K	363	3
659654N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE DALI 3000K	363	3
659654W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE DALI 3000K	363	3
659655M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE 3000K	338	3
659655N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE 3000K	338	3
659655W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE 3000K	338	3
659656M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 3000K	249	3
659656N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 3000K	249	3
659656W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 3000K	249	3
659657M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 3000K	223	3
659657N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 3000K	223	3
659657W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 3000K	223	3
659663M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 2700K	300	3
659663N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 2700K	300	3
659663W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 2700K	300	3
659664M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 2700K	300	3
659664N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 2700K	300	3
659664W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 2700K	300	3
659665M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 2700K	300	3
659665N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 2700K	300	3
659665W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 2700K	300	3
659673M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 3000K	300	3
659673N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 3000K	300	3
659673W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 3000K	300	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
659674M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 3000K	300	3
659674N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 3000K	300	3
659674W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 3000K	300	3
659675M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 3000K	300	3
659675N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 3000K	300	3
659675W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 3000K	300	3
659683M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE DALI 3000K	373	3
659683N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE DALI 3000K	373	3
659683W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE DALI 3000K	373	3
659684M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE 3000K	347	3
659684N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE 3000K	347	3
659684W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE 3000K	347	3
659685M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 3000K	255	3
659685N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 3000K	255	3
659685W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 3000K	255	3
659686M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 3000K	228	3
659686N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 3000K	228	3
659686W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 3000K	228	3
659693M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE DALI 2700K	373	3
659693N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE DALI 2700K	373	3
659693W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE DALI 2700K	373	3
659694M	NOBEL ELBOW EVO 36° TRACK 48V DOUBLE 2700K	347	3
659694N	NOBEL ELBOW EVO 15° TRACK 48V DOUBLE 2700K	347	3
659694W	NOBEL ELBOW EVO 50° TRACK 48V DOUBLE 2700K	347	3
659695M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE DALI 2700K	255	3
659695N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE DALI 2700K	255	3
659695W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE DALI 2700K	255	3
659696M	NOBEL ELBOW EVO 36° TRACK 48V SINGLE 2700K	228	3
659696N	NOBEL ELBOW EVO 15° TRACK 48V SINGLE 2700K	228	3
659696W	NOBEL ELBOW EVO 50° TRACK 48V SINGLE 2700K	228	3
659725M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE DALI 2700K	274	3
659725N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE DALI 2700K	274	3
659725W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE DALI 2700K	274	3
659726M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE 2700K	247	3
659726N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE 2700K	247	3
659726W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE 2700K	247	3
659735M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE DALI 3000K	274	3
659735N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE DALI 3000K	274	3
659735W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE DALI 3000K	274	3
659736M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE 3000K	247	3
659736N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE 3000K	247	3
659736W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE 3000K	247	3
659746M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE DALI 2700K	274	3
659746N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE DALI 2700K	274	3
659746W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE DALI 2700K	274	3
659747M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE 2700K	247	3
659747N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE 2700K	247	3
659747W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE 2700K	247	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
659756M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE DALI 3000K	274	3
659756N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE DALI 3000K	274	3
659756W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE DALI 3000K	274	3
659757M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE 3000K	247	3
659757N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE 3000K	247	3
659757W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE 3000K	247	3
659785M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE DALI 3000K	279	3
659785N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE DALI 3000K	279	3
659785W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE DALI 3000K	279	3
659786M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE 3000K	254	3
659786N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE 3000K	254	3
659786W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE 3000K	254	3
659795M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE DALI 2700K	279	3
659795N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE DALI 2700K	279	3
659795W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE DALI 2700K	279	3
659796M	NOBEL ELBOW EVO 36° TRACK ST5 48V SINGLE 2700K	254	3
659796N	NOBEL ELBOW EVO 15° TRACK ST5 48V SINGLE 2700K	254	3
659796W	NOBEL ELBOW EVO 50° TRACK ST5 48V SINGLE 2700K	254	3
659803M	NOBEL ELBOW EVO 36° M10 350mA 2700K	140	3
659803N	NOBEL ELBOW EVO 15° M10 350mA 2700K	140	3
659803W	NOBEL ELBOW EVO 50° M10 350mA 2700K	140	3
659804M	NOBEL ELBOW EVO 36° M10 350mA 2700K	140	3
659804N	NOBEL ELBOW EVO 15° M10 350mA 2700K	140	3
659804W	NOBEL ELBOW EVO 50° M10 350mA 2700K	140	3
659805M	NOBEL ELBOW EVO 36° M10 350mA 2700K	140	3
659805N	NOBEL ELBOW EVO 15° M10 350mA 2700K	140	3
659805W	NOBEL ELBOW EVO 50° M10 350mA 2700K	140	3
659813M	NOBEL ELBOW EVO 36° M10 350mA 3000K	140	3
659813N	NOBEL ELBOW EVO 15° M10 350mA 3000K	140	3
659813W	NOBEL ELBOW EVO 50° M10 350mA 3000K	140	3
659814M	NOBEL ELBOW EVO 36° M10 350mA 3000K	140	3
659814N	NOBEL ELBOW EVO 15° M10 350mA 3000K	140	3
659814W	NOBEL ELBOW EVO 50° M10 350mA 3000K	140	3
659815M	NOBEL ELBOW EVO 36° M10 350mA 3000K	140	3
659815N	NOBEL ELBOW EVO 15° M10 350mA 3000K	140	3
659815W	NOBEL ELBOW EVO 50° M10 350mA 3000K	140	3
667016M	NOBEL SINGLE BEAM EVO 36° 350mA 3000K	193	3
667016N	NOBEL SINGLE BEAM EVO 15° 350mA 3000K	193	3
667016W	NOBEL SINGLE BEAM EVO 50° 350mA 3000K	193	3
667026M	NOBEL SINGLE BEAM EVO 36° 350mA 2700K	187	3
667026N	NOBEL SINGLE BEAM EVO 15° 350mA 2700K	187	3
667026W	NOBEL SINGLE BEAM EVO 50° 350mA 2700K	187	3
667046M	NOBEL SINGLE BEAM EVO 36° 350mA 3000K	187	3
667046N	NOBEL SINGLE BEAM EVO 15° 350mA 3000K	187	3
667046W	NOBEL SINGLE BEAM EVO 50° 350mA 3000K	187	3
667047M	NOBEL SINGLE BEAM EVO 36° 350mA 2700K	187	3
667047N	NOBEL SINGLE BEAM EVO 15° 350mA 2700K	187	3
667047W	NOBEL SINGLE BEAM EVO 50° 350mA 2700K	187	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
667057M	NOBEL SINGLE BEAM EVO 36° 350mA 2700K	281	3
667057N	NOBEL SINGLE BEAM EVO 15° 350mA 2700K	281	3
667057W	NOBEL SINGLE BEAM EVO 50° 350mA 2700K	281	3
667067M	NOBEL SINGLE BEAM EVO 36° 350mA 3000K	187	3
667067N	NOBEL SINGLE BEAM EVO 15° 350mA 3000K	187	3
667067W	NOBEL SINGLE BEAM EVO 50° 350mA 3000K	187	3
667077M	NOBEL SINGLE BEAM EVO 36° 350mA 3000K	281	3
667077N	NOBEL SINGLE BEAM EVO 15° 350mA 3000K	281	3
667077W	NOBEL SINGLE BEAM EVO 50° 350mA 3000K	281	3
667096M	NOBEL SINGLE BEAM EVO 36° 350mA 2700K	193	3
667096N	NOBEL SINGLE BEAM EVO 15° 350mA 2700K	193	3
667096W	NOBEL SINGLE BEAM EVO 50° 350mA 2700K	193	3
667116M	NOBEL UP-DOWN EVO 36° 350mA 3000K	224	3
667116N	NOBEL UP-DOWN EVO 15° 350mA 3000K	224	3
667116W	NOBEL UP-DOWN EVO 50° 350mA 3000K	224	3
667126M	NOBEL UP-DOWN EVO 36° 350mA 2700K	215	3
667126N	NOBEL UP-DOWN EVO 15° 350mA 2700K	215	3
667126W	NOBEL UP-DOWN EVO 50° 350mA 2700K	215	3
667146M	NOBEL UP-DOWN EVO 36° 350mA 3000K	215	3
667146N	NOBEL UP-DOWN EVO 15° 350mA 3000K	215	3
667146W	NOBEL UP-DOWN EVO 50° 350mA 3000K	215	3
667147M	NOBEL UP-DOWN EVO 36° 350mA 2700K	215	3
667147N	NOBEL UP-DOWN EVO 15° 350mA 2700K	215	3
667147W	NOBEL UP-DOWN EVO 50° 350mA 2700K	215	3
667157M	NOBEL UP-DOWN EVO 36° 350mA 2700K	316	3
667157N	NOBEL UP-DOWN EVO 15° 350mA 2700K	316	3
667157W	NOBEL UP-DOWN EVO 50° 350mA 2700K	316	3
667167M	NOBEL UP-DOWN EVO 36° 350mA 3000K	215	3
667167N	NOBEL UP-DOWN EVO 15° 350mA 3000K	215	3
667167W	NOBEL UP-DOWN EVO 50° 350mA 3000K	215	3
667177M	NOBEL UP-DOWN EVO 36° 350mA 3000K	316	3
667177N	NOBEL UP-DOWN EVO 15° 350mA 3000K	316	3
667177W	NOBEL UP-DOWN EVO 50° 350mA 3000K	316	3
667196M	NOBEL UP-DOWN EVO 36° 350mA 2700K	224	3
667196N	NOBEL UP-DOWN EVO 15° 350mA 2700K	224	3
667196W	NOBEL UP-DOWN EVO 50° 350mA 2700K	224	3
667217M	NOBEL SINGLE BEAM EVO 36° 230V 2700K MAINS DIMMABLE	233	3
667217N	NOBEL SINGLE BEAM EVO 15° 230V 2700K MAINS DIMMABLE	233	3
667217W	NOBEL SINGLE BEAM EVO 50° 230V 2700K MAINS DIMMABLE	233	3
667227M	NOBEL SINGLE BEAM EVO 36° 230V 3000K MAINS DIMMABLE	233	3
667227N	NOBEL SINGLE BEAM EVO 15° 230V 3000K MAINS DIMMABLE	233	3
667227W	NOBEL SINGLE BEAM EVO 50° 230V 3000K MAINS DIMMABLE	233	3
667228M	NOBEL SINGLE BEAM EVO 36° 230V 2700K MAINS DIMMABLE	292	3
667228N	NOBEL SINGLE BEAM EVO 15° 230V 2700K MAINS DIMMABLE	292	3
667228W	NOBEL SINGLE BEAM EVO 50° 230V 2700K MAINS DIMMABLE	292	3
667238M	NOBEL SINGLE BEAM EVO 36° 230V 3000K MAINS DIMMABLE	292	3
667238N	NOBEL SINGLE BEAM EVO 15° 230V 3000K MAINS DIMMABLE	292	3
667238W	NOBEL SINGLE BEAM EVO 50° 230V 3000K MAINS DIMMABLE	292	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
667256M	NOBEL SINGLE BEAM EVO 36° 230V 2700K MAINS DIMMABLE	233	3
667256N	NOBEL SINGLE BEAM EVO 15° 230V 2700K MAINS DIMMABLE	233	3
667256W	NOBEL SINGLE BEAM EVO 50° 230V 2700K MAINS DIMMABLE	233	3
667266M	NOBEL SINGLE BEAM EVO 36° 230V 3000K MAINS DIMMABLE	233	3
667266N	NOBEL SINGLE BEAM EVO 15° 230V 3000K MAINS DIMMABLE	233	3
667266W	NOBEL SINGLE BEAM EVO 50° 230V 3000K MAINS DIMMABLE	233	3
667276M	NOBEL SINGLE BEAM EVO 36° 230V 2700K MAINS DIMMABLE	238	3
667276N	NOBEL SINGLE BEAM EVO 15° 230V 2700K MAINS DIMMABLE	238	3
667276W	NOBEL SINGLE BEAM EVO 50° 230V 2700K MAINS DIMMABLE	238	3
667286M	NOBEL SINGLE BEAM EVO 36° 230V 3000K MAINS DIMMABLE	238	3
667286N	NOBEL SINGLE BEAM EVO 15° 230V 3000K MAINS DIMMABLE	238	3
667286W	NOBEL SINGLE BEAM EVO 50° 230V 3000K MAINS DIMMABLE	238	3
667317M	NOBEL UP-DOWN EVO 36° 230V 2700K MAINS DIMMABLE	273	3
667317N	NOBEL UP-DOWN EVO 15° 230V 2700K MAINS DIMMABLE	273	3
667317W	NOBEL UP-DOWN EVO 50° 230V 2700K MAINS DIMMABLE	273	3
667327M	NOBEL UP-DOWN EVO 36° 230V 3000K MAINS DIMMABLE	273	3
667327N	NOBEL UP-DOWN EVO 15° 230V 3000K MAINS DIMMABLE	273	3
667327W	NOBEL UP-DOWN EVO 50° 230V 3000K MAINS DIMMABLE	273	3
667328M	NOBEL UP-DOWN EVO 36° 230V 2700K MAINS DIMMABLE	334	3
667328N	NOBEL UP-DOWN EVO 15° 230V 2700K MAINS DIMMABLE	334	3
667328W	NOBEL UP-DOWN EVO 50° 230V 2700K MAINS DIMMABLE	334	3
667338M	NOBEL UP-DOWN EVO 36° 230V 3000K MAINS DIMMABLE	334	3
667338N	NOBEL UP-DOWN EVO 15° 230V 3000K MAINS DIMMABLE	334	3
667338W	NOBEL UP-DOWN EVO 50° 230V 3000K MAINS DIMMABLE	334	3
667356M	NOBEL UP-DOWN EVO 36° 230V 2700K MAINS DIMMABLE	273	3
667356N	NOBEL UP-DOWN EVO 15° 230V 2700K MAINS DIMMABLE	273	3
667356W	NOBEL UP-DOWN EVO 50° 230V 2700K MAINS DIMMABLE	273	3
667366M	NOBEL UP-DOWN EVO 36° 230V 3000K MAINS DIMMABLE	273	3
667366N	NOBEL UP-DOWN EVO 15° 230V 3000K MAINS DIMMABLE	273	3
667366W	NOBEL UP-DOWN EVO 50° 230V 3000K MAINS DIMMABLE	273	3
667376M	NOBEL UP-DOWN EVO 36° 230V 2700K MAINS DIMMABLE	282	3
667376N	NOBEL UP-DOWN EVO 15° 230V 2700K MAINS DIMMABLE	282	3
667376W	NOBEL UP-DOWN EVO 50° 230V 2700K MAINS DIMMABLE	282	3
667386M	NOBEL UP-DOWN EVO 36° 230V 3000K MAINS DIMMABLE	282	3
667386N	NOBEL UP-DOWN EVO 15° 230V 3000K MAINS DIMMABLE	282	3
667386W	NOBEL UP-DOWN EVO 50° 230V 3000K MAINS DIMMABLE	282	3
672116M	MICRO TOMMY EVO 36° TORSION IP54 350mA 3000K	158	3
672116N	MICRO TOMMY EVO 15° TORSION IP54 350mA 3000K	158	3
672116W	MICRO TOMMY EVO 50° TORSION IP54 350mA 3000K	158	3
672126M	MICRO TOMMY EVO 36° TORSION IP54 350mA 2700K	158	3
672126N	MICRO TOMMY EVO 15° TORSION IP54 350mA 2700K	158	3
672126W	MICRO TOMMY EVO 50° TORSION IP54 350mA 2700K	158	3
672137M	MICRO TOMMY EVO 36° TORSION IP54 350mA 3000K	158	3
672137N	MICRO TOMMY EVO 15° TORSION IP54 350mA 3000K	158	3
672137W	MICRO TOMMY EVO 50° TORSION IP54 350mA 3000K	158	3
672147M	MICRO TOMMY EVO 36° TORSION IP54 350mA 2700K	158	3
672147N	MICRO TOMMY EVO 15° TORSION IP54 350mA 2700K	158	3
672147W	MICRO TOMMY EVO 50° TORSION IP54 350mA 2700K	158	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
672182M	MICRO TOMMY EVO 36° TORSION IP54 350mA 3000K	162	3
672182N	MICRO TOMMY EVO 15° TORSION IP54 350mA 3000K	162	3
672182W	MICRO TOMMY EVO 50° TORSION IP54 350mA 3000K	162	3
672184M	MICRO TOMMY EVO 36° TORSION IP54 350mA 3000K	158	3
672184N	MICRO TOMMY EVO 15° TORSION IP54 350mA 3000K	158	3
672184W	MICRO TOMMY EVO 50° TORSION IP54 350mA 3000K	158	3
672185M	MICRO TOMMY EVO 36° TORSION IP54 350mA 3000K	158	3
672185N	MICRO TOMMY EVO 15° TORSION IP54 350mA 3000K	158	3
672185W	MICRO TOMMY EVO 50° TORSION IP54 350mA 3000K	158	3
672186M	MICRO TOMMY EVO 36° TORSION IP54 350mA 3000K	162	3
672186N	MICRO TOMMY EVO 15° TORSION IP54 350mA 3000K	162	3
672186W	MICRO TOMMY EVO 50° TORSION IP54 350mA 3000K	162	3
672192M	MICRO TOMMY EVO 36° TORSION IP54 350mA 2700K	162	3
672192N	MICRO TOMMY EVO 15° TORSION IP54 350mA 2700K	162	3
672192W	MICRO TOMMY EVO 50° TORSION IP54 350mA 2700K	162	3
672194M	MICRO TOMMY EVO 36° TORSION IP54 350mA 2700K	158	3
672194N	MICRO TOMMY EVO 15° TORSION IP54 350mA 2700K	158	3
672194W	MICRO TOMMY EVO 50° TORSION IP54 350mA 2700K	158	3
672195M	MICRO TOMMY EVO 36° TORSION IP54 350mA 2700K	158	3
672195N	MICRO TOMMY EVO 15° TORSION IP54 350mA 2700K	158	3
672195W	MICRO TOMMY EVO 50° TORSION IP54 350mA 2700K	158	3
672196M	MICRO TOMMY EVO 36° TORSION IP54 350mA 2700K	162	3
672196N	MICRO TOMMY EVO 15° TORSION IP54 350mA 2700K	162	3
672196W	MICRO TOMMY EVO 50° TORSION IP54 350mA 2700K	162	3
678326M	HELAX SML EVO 36° LEAF 350mA 2700K	96	3
678326N	HELAX SML EVO 15° LEAF 350mA 2700K	96	3
678326W	HELAX SML EVO 50° LEAF 350mA 2700K	96	3
678336M	HELAX SML EVO 36° LEAF 350mA 3000K	96	3
678336N	HELAX SML EVO 15° LEAF 350mA 3000K	96	3
678336W	HELAX SML EVO 50° LEAF 350mA 3000K	96	3
678347M	HELAX SML EVO 36° LEAF 350mA 2700K	96	3
678347N	HELAX SML EVO 15° LEAF 350mA 2700K	96	3
678347W	HELAX SML EVO 50° LEAF 350mA 2700K	96	3
678357M	HELAX SML EVO 36° LEAF 350mA 3000K	96	3
678357N	HELAX SML EVO 15° LEAF 350mA 3000K	96	3
678357W	HELAX SML EVO 50° LEAF 350mA 3000K	96	3
678426M	HELAX SML EVO 36° TORSION 350mA 2700K	96	3
678426N	HELAX SML EVO 15° TORSION 350mA 2700K	96	3
678426W	HELAX SML EVO 50° TORSION 350mA 2700K	96	3
678436M	HELAX SML EVO 36° TORSION 350mA 3000K	96	3
678436N	HELAX SML EVO 15° TORSION 350mA 3000K	96	3
678436W	HELAX SML EVO 50° TORSION 350mA 3000K	96	3
678447M	HELAX SML EVO 36° TORSION 350mA 2700K	96	3
678447N	HELAX SML EVO 15° TORSION 350mA 2700K	96	3
678447W	HELAX SML EVO 50° TORSION 350mA 2700K	96	3
678457M	HELAX SML EVO 36° TORSION 350mA 3000K	96	3
678457N	HELAX SML EVO 15° TORSION 350mA 3000K	96	3
678457W	HELAX SML EVO 50° TORSION 350mA 3000K	96	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
678526M	HELAX SML OUT EVO 36° LEAF IP65 350mA 2700K	119	3
678526N	HELAX SML OUT EVO 15° LEAF IP65 350mA 2700K	119	3
678526W	HELAX SML OUT EVO 50° LEAF IP65 350mA 2700K	119	3
678536M	HELAX SML OUT EVO 36° LEAF IP65 350mA 3000K	119	3
678536N	HELAX SML OUT EVO 15° LEAF IP65 350mA 3000K	119	3
678536W	HELAX SML OUT EVO 50° LEAF IP65 350mA 3000K	119	3
678547M	HELAX SML OUT EVO 36° LEAF IP65 350mA 2700K	119	3
678547N	HELAX SML OUT EVO 15° LEAF IP65 350mA 2700K	119	3
678547W	HELAX SML OUT EVO 50° LEAF IP65 350mA 2700K	119	3
678557M	HELAX SML OUT EVO 36° LEAF IP65 350mA 3000K	119	3
678557N	HELAX SML OUT EVO 15° LEAF IP65 350mA 3000K	119	3
678557W	HELAX SML OUT EVO 50° LEAF IP65 350mA 3000K	119	3
678626M	HELAX SML OUT EVO 36° TORSION IP65 350mA 2700K	119	3
678626N	HELAX SML OUT EVO 15° TORSION IP65 350mA 2700K	119	3
678626W	HELAX SML OUT EVO 50° TORSION IP65 350mA 2700K	119	3
678636M	HELAX SML OUT EVO 36° TORSION IP65 350mA 3000K	119	3
678636N	HELAX SML OUT EVO 15° TORSION IP65 350mA 3000K	119	3
678636W	HELAX SML OUT EVO 50° TORSION IP65 350mA 3000K	119	3
678647M	HELAX SML OUT EVO 36° TORSION IP65 350mA 2700K	119	3
678647N	HELAX SML OUT EVO 15° TORSION IP65 350mA 2700K	119	3
678647W	HELAX SML OUT EVO 50° TORSION IP65 350mA 2700K	119	3
678657M	HELAX SML OUT EVO 36° TORSION IP65 350mA 3000K	119	3
678657N	HELAX SML OUT EVO 15° TORSION IP65 350mA 3000K	119	3
678657W	HELAX SML OUT EVO 50° TORSION IP65 350mA 3000K	119	3
678725M	HELAX SML OUT EVO 36° LEAF IP65 350mA 2700K - BEACH	152	3
678725N	HELAX SML OUT EVO 15° LEAF IP65 350mA 2700K - BEACH	152	3
678725W	HELAX SML OUT EVO 50° LEAF IP65 350mA 2700K - BEACH	152	3
678726M	HELAX SML OUT EVO 36° LEAF IP65 350mA 3000K - BEACH	152	3
678726N	HELAX SML OUT EVO 15° LEAF IP65 350mA 3000K - BEACH	152	3
678726W	HELAX SML OUT EVO 50° LEAF IP65 350mA 3000K - BEACH	152	3
678735M	HELAX SML OUT EVO 36° TORSION IP65 350mA 2700K - BEACH	152	3
678735N	HELAX SML OUT EVO 15° TORSION IP65 350mA 2700K - BEACH	152	3
678735W	HELAX SML OUT EVO 50° TORSION IP65 350mA 2700K - BEACH	152	3
678736M	HELAX SML OUT EVO 36° TORSION IP65 350mA 3000K - BEACH	152	3
678736N	HELAX SML OUT EVO 15° TORSION IP65 350mA 3000K - BEACH	152	3
678736W	HELAX SML OUT EVO 50° TORSION IP65 350mA 3000K - BEACH	152	3
678746M	HELAX SML OUT EVO 36° LEAF IP65 350mA 2700K - BEACH	152	3
678746N	HELAX SML OUT EVO 15° LEAF IP65 350mA 2700K - BEACH	152	3
678746W	HELAX SML OUT EVO 50° LEAF IP65 350mA 2700K - BEACH	152	3
678747M	HELAX SML OUT EVO 36° LEAF IP65 350mA 3000K - BEACH	152	3
678747N	HELAX SML OUT EVO 15° LEAF IP65 350mA 3000K - BEACH	152	3
678747W	HELAX SML OUT EVO 50° LEAF IP65 350mA 3000K - BEACH	152	3
678756M	HELAX SML OUT EVO 36° TORSION IP65 350mA 2700K - BEACH	152	3
678756N	HELAX SML OUT EVO 15° TORSION IP65 350mA 2700K - BEACH	152	3
678756W	HELAX SML OUT EVO 50° TORSION IP65 350mA 2700K - BEACH	152	3
678757M	HELAX SML OUT EVO 36° TORSION IP65 350mA 3000K - BEACH	152	3
678757N	HELAX SML OUT EVO 15° TORSION IP65 350mA 3000K - BEACH	152	3
678757W	HELAX SML OUT EVO 50° TORSION IP65 350mA 3000K - BEACH	152	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
678903M	MICRO HELAX EVO 36° 350mA 2700K	110	3
678903N	MICRO HELAX EVO 15° 350mA 2700K	110	3
678903W	MICRO HELAX EVO 50° 350mA 2700K	110	3
678904M	MICRO HELAX EVO 36° 350mA 2700K	110	3
678904N	MICRO HELAX EVO 15° 350mA 2700K	110	3
678904W	MICRO HELAX EVO 50° 350mA 2700K	110	3
678905M	MICRO HELAX EVO 36° 350mA 2700K	110	3
678905N	MICRO HELAX EVO 15° 350mA 2700K	110	3
678905W	MICRO HELAX EVO 50° 350mA 2700K	110	3
678913M	MICRO HELAX EVO 36° 350mA 3000K	110	3
678913N	MICRO HELAX EVO 15° 350mA 3000K	110	3
678913W	MICRO HELAX EVO 50° 350mA 3000K	110	3
678914M	MICRO HELAX EVO 36° 350mA 3000K	110	3
678914N	MICRO HELAX EVO 15° 350mA 3000K	110	3
678914W	MICRO HELAX EVO 50° 350mA 3000K	110	3
678915M	MICRO HELAX EVO 36° 350mA 3000K	110	3
678915N	MICRO HELAX EVO 15° 350mA 3000K	110	3
678915W	MICRO HELAX EVO 50° 350mA 3000K	110	3
678930M	MICRO HELAX EVO 36° 350mA 2700K	70	3
678930N	MICRO HELAX EVO 15° 350mA 2700K	70	3
678930W	MICRO HELAX EVO 50° 350mA 2700K	70	3
678931M	MICRO HELAX EVO 36° 350mA 3000K	70	3
678931N	MICRO HELAX EVO 15° 350mA 3000K	70	3
678931W	MICRO HELAX EVO 50° 350mA 3000K	70	3
678936M	MICRO HELAX EVO 36° 350mA 2700K	70	3
678936N	MICRO HELAX EVO 15° 350mA 2700K	70	3
678936W	MICRO HELAX EVO 50° 350mA 2700K	70	3
678937M	MICRO HELAX EVO 36° 350mA 3000K	70	3
678937N	MICRO HELAX EVO 15° 350mA 3000K	70	3
678937W	MICRO HELAX EVO 50° 350mA 3000K	70	3
678940M	MICRO HELAX OUT EVO 36° 350mA 2700K	92	3
678940N	MICRO HELAX OUT EVO 15° 350mA 2700K	92	3
678940W	MICRO HELAX OUT EVO 50° 350mA 2700K	92	3
678941M	MICRO HELAX OUT EVO 36° 350mA 3000K	92	3
678941N	MICRO HELAX OUT EVO 15° 350mA 3000K	92	3
678941W	MICRO HELAX OUT EVO 50° 350mA 3000K	92	3
678946M	MICRO HELAX OUT EVO 36° 350mA 2700K	92	3
678946N	MICRO HELAX OUT EVO 15° 350mA 2700K	92	3
678946W	MICRO HELAX OUT EVO 50° 350mA 2700K	92	3
678947M	MICRO HELAX OUT EVO 36° 350mA 3000K	92	3
678947N	MICRO HELAX OUT EVO 15° 350mA 3000K	92	3
678947W	MICRO HELAX OUT EVO 50° 350mA 3000K	92	3
697116M	NOBEL ECLIPS EVO 36° 350mA TORSION 3000K	120	3
697116N	NOBEL ECLIPS EVO 15° 350mA TORSION 3000K	120	3
697116W	NOBEL ECLIPS EVO 50° 350mA TORSION 3000K	120	3
697126M	NOBEL ECLIPS EVO 36° 350mA TORSION 2700K	120	3
697126N	NOBEL ECLIPS EVO 15° 350mA TORSION 2700K	120	3
697126W	NOBEL ECLIPS EVO 50° 350mA TORSION 2700K	120	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
697137M	NOBEL ECLIPS EVO 36° 350mA TORSION 3000K	120	3
697137N	NOBEL ECLIPS EVO 15° 350mA TORSION 3000K	120	3
697137W	NOBEL ECLIPS EVO 50° 350mA TORSION 3000K	120	3
697147M	NOBEL ECLIPS EVO 36° 350mA TORSION 2700K	120	3
697147N	NOBEL ECLIPS EVO 15° 350mA TORSION 2700K	120	3
697147W	NOBEL ECLIPS EVO 50° 350mA TORSION 2700K	120	3
697182M	NOBEL ECLIPS EVO 36° 350mA TORSION 3000K	124	3
697182N	NOBEL ECLIPS EVO 15° 350mA TORSION 3000K	124	3
697182W	NOBEL ECLIPS EVO 50° 350mA TORSION 3000K	124	3
697184M	NOBEL ECLIPS EVO 36° 350mA TORSION 3000K	120	3
697184N	NOBEL ECLIPS EVO 15° 350mA TORSION 3000K	120	3
697184W	NOBEL ECLIPS EVO 50° 350mA TORSION 3000K	120	3
697185M	NOBEL ECLIPS EVO 36° 350mA TORSION 3000K	120	3
697185N	NOBEL ECLIPS EVO 15° 350mA TORSION 3000K	120	3
697185W	NOBEL ECLIPS EVO 50° 350mA TORSION 3000K	120	3
697186M	NOBEL ECLIPS EVO 36° 350mA TORSION 3000K	124	3
697186N	NOBEL ECLIPS EVO 15° 350mA TORSION 3000K	124	3
697186W	NOBEL ECLIPS EVO 50° 350mA TORSION 3000K	124	3
697192M	NOBEL ECLIPS EVO 36° 350mA TORSION 2700K	124	3
697192N	NOBEL ECLIPS EVO 15° 350mA TORSION 2700K	124	3
697192W	NOBEL ECLIPS EVO 50° 350mA TORSION 2700K	124	3
697194M	NOBEL ECLIPS EVO 36° 350mA TORSION 2700K	120	3
697194N	NOBEL ECLIPS EVO 15° 350mA TORSION 2700K	120	3
697194W	NOBEL ECLIPS EVO 50° 350mA TORSION 2700K	120	3
697195M	NOBEL ECLIPS EVO 36° 350mA TORSION 2700K	120	3
697195N	NOBEL ECLIPS EVO 15° 350mA TORSION 2700K	120	3
697195W	NOBEL ECLIPS EVO 50° 350mA TORSION 2700K	120	3
697196M	NOBEL ECLIPS EVO 36° 350mA TORSION 2700K	124	3
697196N	NOBEL ECLIPS EVO 15° 350mA TORSION 2700K	124	3
697196W	NOBEL ECLIPS EVO 50° 350mA TORSION 2700K	124	3
697416M	NOBEL ECLIPS EVO 36° 350mA LEAF 3000K	120	3
697416N	NOBEL ECLIPS EVO 15° 350mA LEAF 3000K	120	3
697416W	NOBEL ECLIPS EVO 50° 350mA LEAF 3000K	120	3
697426M	NOBEL ECLIPS EVO 36° 350mA LEAF 2700K	120	3
697426N	NOBEL ECLIPS EVO 15° 350mA LEAF 2700K	120	3
697426W	NOBEL ECLIPS EVO 50° 350mA LEAF 2700K	120	3
697437M	NOBEL ECLIPS EVO 36° 350mA LEAF 3000K	120	3
697437N	NOBEL ECLIPS EVO 15° 350mA LEAF 3000K	120	3
697437W	NOBEL ECLIPS EVO 50° 350mA LEAF 3000K	120	3
697447M	NOBEL ECLIPS EVO 36° 350mA LEAF 2700K	120	3
697447N	NOBEL ECLIPS EVO 15° 350mA LEAF 2700K	120	3
697447W	NOBEL ECLIPS EVO 50° 350mA LEAF 2700K	120	3
697482M	NOBEL ECLIPS EVO 36° 350mA LEAF 3000K	124	3
697482N	NOBEL ECLIPS EVO 15° 350mA LEAF 3000K	124	3
697482W	NOBEL ECLIPS EVO 50° 350mA LEAF 3000K	124	3
697484m	NOBEL ECLIPS EVO 36° 350mA LEAF 3000K	120	3
697484N	NOBEL ECLIPS EVO 15° 350mA LEAF 3000K	120	3
697484W	NOBEL ECLIPS EVO 50° 350mA LEAF 3000K	120	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
697485M	NOBEL ECLIPS EVO 36° 350mA LEAF 3000K	120	3
697485N	NOBEL ECLIPS EVO 15° 350mA LEAF 3000K	120	3
697485W	NOBEL ECLIPS EVO 50° 350mA LEAF 3000K	120	3
697486M	NOBEL ECLIPS EVO 36° 350mA LEAF 3000K	124	3
697486N	NOBEL ECLIPS EVO 15° 350mA LEAF 3000K	124	3
697486W	NOBEL ECLIPS EVO 50° 350mA LEAF 3000K	124	3
697492M	NOBEL ECLIPS EVO 36° 350mA LEAF 2700K	124	3
697492N	NOBEL ECLIPS EVO 15° 350mA LEAF 2700K	124	3
697492W	NOBEL ECLIPS EVO 50° 350mA LEAF 2700K	124	3
697494M	NOBEL ECLIPS EVO 36° 350mA LEAF 2700K	120	3
697494N	NOBEL ECLIPS EVO 15° 350mA LEAF 2700K	120	3
697494W	NOBEL ECLIPS EVO 50° 350mA LEAF 2700K	120	3
697495M	NOBEL ECLIPS EVO 36° 350mA LEAF 2700K	120	3
697495N	NOBEL ECLIPS EVO 15° 350mA LEAF 2700K	120	3
697495W	NOBEL ECLIPS EVO 50° 350mA LEAF 2700K	120	3
697496M	NOBEL ECLIPS EVO 36° 350mA LEAF 2700K	124	3
697496N	NOBEL ECLIPS EVO 15° 350mA LEAF 2700K	124	3
697496W	NOBEL ECLIPS EVO 50° 350mA LEAF 2700K	124	3
698103M	NOBEL SFEROS EVO 36° TORSION 2700K	250	3
698103N	NOBEL SFEROS EVO 15° TORSION 2700K	250	3
698103W	NOBEL SFEROS EVO 50° TORSION 2700K	250	3
698104M	NOBEL SFEROS EVO 36° TORSION 2700K	250	3
698104N	NOBEL SFEROS EVO 15° TORSION 2700K	250	3
698104W	NOBEL SFEROS EVO 50° TORSION 2700K	250	3
698105M	NOBEL SFEROS EVO 36° TORSION 2700K	250	3
698105N	NOBEL SFEROS EVO 15° TORSION 2700K	250	3
698105W	NOBEL SFEROS EVO 50° TORSION 2700K	250	3
698113M	NOBEL SFEROS EVO 36° TORSION 3000K	250	3
698113N	NOBEL SFEROS EVO 15° TORSION 3000K	250	3
698113W	NOBEL SFEROS EVO 50° TORSION 3000K	250	3
698114M	NOBEL SFEROS EVO 36° TORSION 3000K	250	3
698114N	NOBEL SFEROS EVO 15° TORSION 3000K	250	3
698114W	NOBEL SFEROS EVO 50° TORSION 3000K	250	3
698115M	NOBEL SFEROS EVO 36° TORSION 3000K	250	3
698115N	NOBEL SFEROS EVO 15° TORSION 3000K	250	3
698115W	NOBEL SFEROS EVO 50° TORSION 3000K	250	3
698116M	NOBEL SFEROS EVO 36° TORSION 3000K	178	3
698116N	NOBEL SFEROS EVO 15° TORSION 3000K	178	3
698116W	NOBEL SFEROS EVO 50° TORSION 3000K	178	3
698126M	NOBEL SFEROS EVO 36° TORSION 2700K	178	3
698126N	NOBEL SFEROS EVO 15° TORSION 2700K	178	3
698126W	NOBEL SFEROS EVO 50° TORSION 2700K	178	3
698137M	NOBEL SFEROS EVO 36° TORSION 3000K	178	3
698137N	NOBEL SFEROS EVO 15° TORSION 3000K	178	3
698137W	NOBEL SFEROS EVO 50° TORSION 3000K	178	3
698147M	NOBEL SFEROS EVO 36° TORSION 2700K	178	3
698147N	NOBEL SFEROS EVO 15° TORSION 2700K	178	3
698147W	NOBEL SFEROS EVO 50° TORSION 2700K	178	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
698182M	NOBEL SFEROS EVO 36° TORSION 3000K	183	3
698182N	NOBEL SFEROS EVO 15° TORSION 3000K	183	3
698182W	NOBEL SFEROS EVO 50° TORSION 3000K	183	3
698184M	NOBEL SFEROS EVO 36° TORSION 3000K	178	3
698184N	NOBEL SFEROS EVO 15° TORSION 3000K	178	3
698184W	NOBEL SFEROS EVO 50° TORSION 3000K	178	3
698185M	NOBEL SFEROS EVO 36° TORSION 3000K	178	3
698185N	NOBEL SFEROS EVO 15° TORSION 3000K	178	3
698185W	NOBEL SFEROS EVO 50° TORSION 3000K	178	3
698186M	NOBEL SFEROS EVO 36° TORSION 3000K	178	3
698186N	NOBEL SFEROS EVO 15° TORSION 3000K	178	3
698186W	NOBEL SFEROS EVO 50° TORSION 3000K	178	3
698192M	NOBEL SFEROS EVO 36° TORSION 2700K	183	3
698192N	NOBEL SFEROS EVO 15° TORSION 2700K	183	3
698192W	NOBEL SFEROS EVO 50° TORSION 2700K	183	3
698194M	NOBEL SFEROS EVO 36° TORSION 2700K	178	3
698194N	NOBEL SFEROS EVO 15° TORSION 2700K	178	3
698194W	NOBEL SFEROS EVO 50° TORSION 2700K	178	3
698195M	NOBEL SFEROS EVO 36° TORSION 2700K	178	3
698195N	NOBEL SFEROS EVO 15° TORSION 2700K	178	3
698195W	NOBEL SFEROS EVO 50° TORSION 2700K	178	3
698196M	NOBEL SFEROS EVO 36° TORSION 2700K	183	3
698196N	NOBEL SFEROS EVO 15° TORSION 2700K	183	3
698196W	NOBEL SFEROS EVO 50° TORSION 2700K	183	3
698403M	NOBEL SFEROS EVO 36° LEAF 2700K	250	3
698403N	NOBEL SFEROS EVO 15° LEAF 2700K	250	3
698403W	NOBEL SFEROS EVO 50° LEAF 2700K	250	3
698404M	NOBEL SFEROS EVO 36° LEAF 2700K	250	3
698404N	NOBEL SFEROS EVO 15° LEAF 2700K	250	3
698404W	NOBEL SFEROS EVO 50° LEAF 2700K	250	3
698405M	NOBEL SFEROS EVO 36° LEAF 2700K	250	3
698405N	NOBEL SFEROS EVO 15° LEAF 2700K	250	3
698405W	NOBEL SFEROS EVO 50° LEAF 2700K	250	3
698413M	NOBEL SFEROS EVO 36° LEAF 3000K	250	3
698413N	NOBEL SFEROS EVO 15° LEAF 3000K	250	3
698413W	NOBEL SFEROS EVO 50° LEAF 3000K	250	3
698414M	NOBEL SFEROS EVO 36° LEAF 3000K	250	3
698414N	NOBEL SFEROS EVO 15° LEAF 3000K	250	3
698414W	NOBEL SFEROS EVO 50° LEAF 3000K	250	3
698415M	NOBEL SFEROS EVO 36° LEAF 3000K	250	3
698415N	NOBEL SFEROS EVO 15° LEAF 3000K	250	3
698415W	NOBEL SFEROS EVO 50° LEAF 3000K	250	3
698416M	NOBEL SFEROS EVO 36° LEAF 3000K	178	3
698416N	NOBEL SFEROS EVO 15° LEAF 3000K	178	3
698416W	NOBEL SFEROS EVO 50° LEAF 3000K	178	3
698426M	NOBEL SFEROS EVO 36° LEAF 2700K	178	3
698426N	NOBEL SFEROS EVO 15° LEAF 2700K	178	3
698426W	NOBEL SFEROS EVO 50° LEAF 2700K	178	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
698437M	NOBEL SFEROS EVO 36° LEAF 3000K	178	3
698437N	NOBEL SFEROS EVO 15° LEAF 3000K	178	3
698437W	NOBEL SFEROS EVO 50° LEAF 3000K	178	3
698447M	NOBEL SFEROS EVO 36° LEAF 2700K	178	3
698447N	NOBEL SFEROS EVO 15° LEAF 2700K	178	3
698447W	NOBEL SFEROS EVO 50° LEAF 2700K	178	3
698482M	NOBEL SFEROS EVO 36° LEAF 3000K	183	3
698482N	NOBEL SFEROS EVO 15° LEAF 3000K	183	3
698482W	NOBEL SFEROS EVO 50° LEAF 3000K	183	3
698484M	NOBEL SFEROS EVO 36° LEAF 3000K	178	3
698484N	NOBEL SFEROS EVO 15° LEAF 3000K	178	3
698484W	NOBEL SFEROS EVO 50° LEAF 3000K	178	3
698485M	NOBEL SFEROS EVO 36° LEAF 3000K	178	3
698485N	NOBEL SFEROS EVO 15° LEAF 3000K	178	3
698485W	NOBEL SFEROS EVO 50° LEAF 3000K	178	3
698486M	NOBEL SFEROS EVO 36° LEAF 3000K	183	3
698486N	NOBEL SFEROS EVO 15° LEAF 3000K	183	3
698486W	NOBEL SFEROS EVO 50° LEAF 3000K	183	3
698492M	NOBEL SFEROS EVO 36° LEAF 2700K	183	3
698492N	NOBEL SFEROS EVO 15° LEAF 2700K	183	3
698492W	NOBEL SFEROS EVO 50° LEAF 2700K	183	3
698494M	NOBEL SFEROS EVO 36° LEAF 2700K	178	3
698494N	NOBEL SFEROS EVO 15° LEAF 2700K	178	3
698494W	NOBEL SFEROS EVO 50° LEAF 2700K	178	3
698495M	NOBEL SFEROS EVO 36° LEAF 2700K	178	3
698495N	NOBEL SFEROS EVO 15° LEAF 2700K	178	3
698495W	NOBEL SFEROS EVO 50° LEAF 2700K	178	3
698496M	NOBEL SFEROS EVO 36° LEAF 2700K	183	3
698496N	NOBEL SFEROS EVO 15° LEAF 2700K	183	3
698496W	NOBEL SFEROS EVO 50° LEAF 2700K	183	3
698503M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	280	3
698503N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	280	3
698503W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	280	3
698504M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	280	3
698504N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	280	3
698504W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	280	3
698505M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	280	3
698505N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	280	3
698505W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	280	3
698513M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	280	3
698513N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	280	3
698513W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	280	3
698514M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	280	3
698514N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	280	3
698514W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	280	3
698515M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	280	3
698515N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	280	3
698515W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	280	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
698516M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	200	3
698516N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	200	3
698516W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	200	3
698526M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	200	3
698526N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	200	3
698526W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	200	3
698537M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	200	3
698537N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	200	3
698537W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	200	3
698547M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	200	3
698547N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	200	3
698547W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	200	3
698582M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	205	3
698582N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	205	3
698582W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	205	3
698584M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	200	3
698584N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	200	3
698584W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	200	3
698585M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	200	3
698585N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	200	3
698585W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	200	3
698586M	NOBEL SFEROS EVO 36° TRIMLESS 3000K	205	3
698586N	NOBEL SFEROS EVO 15° TRIMLESS 3000K	205	3
698586W	NOBEL SFEROS EVO 50° TRIMLESS 3000K	205	3
698592M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	205	3
698592N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	205	3
698592W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	205	3
698594M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	200	3
698594N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	200	3
698594W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	200	3
698595M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	200	3
698595N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	200	3
698595W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	200	3
698596M	NOBEL SFEROS EVO 36° TRIMLESS 2700K	205	3
698596N	NOBEL SFEROS EVO 15° TRIMLESS 2700K	205	3
698596W	NOBEL SFEROS EVO 50° TRIMLESS 2700K	205	3
FL00001	FLORETTE UP/DOWN 2700K MAINS DIMM RC SUSPENSION 4m 3P	1250	3
FL00002	FLORETTE UP/DOWN 2700K MAINS DIMM RC SUSPENSION 4m 3P	1250	3
FL00011	FLORETTE UP/DOWN 2700K DALI DIMM SUSPENSION 4m 5P	1736	3
FL00012	FLORETTE UP/DOWN 2700K DALI DIMM SUSPENSION 4m 5P	1736	3
FL00090	FLORETTE CASAMBI PLUGIN OPTION (2pcs)	382	3
FL00091	FLORETTE EXTRA CIRCUIT (for separate UP/DOWN non casambi)	50	3
FL00102	FLORETTE LEAF SET (set 12pcs)	232	3
FL00103	FLORETTE LEAF SET (set 12pcs)	652	3
FL00113	FLORETTE LEAF SET (set 12pcs)	1559	3
FL00126	FLORETTE LEAF SET (set 12pcs)	550	3
FL00140	FLORETTE LEAF SET (set 12pcs)	260	3
FL00147	FLORETTE LEAF SET (set 12pcs)	550	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
MX0xxxx	MIX 6W IP54 / MIX 6W TRIMLESS IP54	111	3
MX100090	MIX 6-13W - FUNNEL SFEROS HONEYCOMB	10	3
MX100091	MIX 6-13W OPAL DISC	10	3
MX110077	_MIX 6-13W ROUND FRAME + BOX FOR PLASTER	58	3
MX110097	_MIX 6-13W ROUND FRAME FOR PLASTERED CONCRETE SLABS	17	3
MX130077	_MIX-T 6-13W ROUND FRAME + BOX FOR PLASTER	91	3
MX130087	_MIX-T 6-13W ROUND FRAME FOR PLASTERED CONCRETE SLABS	51	3
MX130097	_MIX-T 6-13W ROUND FRAME FOR PLASTER	26	3
MX150077	_MIX 6-13W SQUARE FRAME + BOX FOR PLASTER	71	3
MX150097	_MIX 6-13W SQUARE FRAME FOR PLASTERED CONCRETE SLABS	30	3
MX170077	_MIX-T 6-13W SQUARE FRAME + BOX FOR PLASTER	92	3
MX170087	_MIX-T 6-13W SQUARE FRAME FOR PLASTERED CONCRETE SLABS	53	3
MX170097	_MIX-T 6-13W SQUARE FRAME FOR PLASTER	26	3
MX1xxxxxx	MIX 13W / MIX 13W trimless	136	3
MX200090	MIX 26W HONEYCOMB (LOUVRE)	10	3
MX200091	MIX 26W OPAL DISC	10	3
MX210077	_MIX 26W ROUND FRAME + BOX FOR PLASTER	114	3
MX210097	_MIX 26W ROUND FRAME FOR PLASTERED CONCRETE SLABS	23	3
MX230077	_MIX-T 26W ROUND FRAME + BOX FOR PLASTER	169	3
MX230087	_MIX-T 26W ROUND FRAME FOR PLASTERED CONCRETE SLABS	75	3
MX230097	_MIX-T 26W ROUND FRAME FOR PLASTER	40	3
MX250077	_MIX 26W SQUARE FRAME + BOX FOR PLASTER	125	3
MX250097	_MIX 26W SQUARE FRAME FOR PLASTERED CONCRETE SLABS	36	3
MX270077	_MIX-T 26W SQUARE FRAME + BOX FOR PLASTER	169	3
MX270087	_MIX-T 26W SQUARE FRAME FOR PLASTERED CONCRETE SLABS	75	3
MX270097	_MIX-T 26W SQUARE FRAME FOR PLASTER	40	3
MX2xxxxxx	MIX 26W / MIX 26W trimless	186	3
MX4xxxxxx	MIX 13 W IP54 / MIX 13W trimless IP54	161	3
TR0126	TRACK 3F SURFACE-SUSPENDED - 1000MM	54	3
TR0147	TRACK 3F SURFACE-SUSPENDED - 1000MM	54	3
TR0226	TRACK 3F SURFACE-SUSPENDED - 2000MM	91	3
TR0247	TRACK 3F SURFACE-SUSPENDED - 2000MM	91	3
TR0326	TRACK 3F SURFACE-SUSPENDED - 3000MM	135	3
TR0347	TRACK 3F SURFACE-SUSPENDED - 3000MM	135	3
TR0526	SURFACE TRACK 3F - END CAP	5	3
TR0547	SURFACE TRACK 3F - END CAP	5	3
TR0626	SURFACE TRACK 3F - LIVE END - EARTH CONTACT LEFT	22	3
TR0647	SURFACE TRACK 3F - LIVE END - EARTH CONTACT LEFT	22	3
TR0726	SURFACE TRACK 3F - LIVE END - EARTH CONTACT RIGHT	22	3
TR0747	SURFACE TRACK 3F - LIVE END - EARTH CONTACT RIGHT	22	3
TR0826	SURFACE TRACK 3F - STRAIGHT COUPLER	16	3
TR0847	SURFACE TRACK 3F - STRAIGHT COUPLER	16	3
TR0926	SURFACE TRACK 3F - I COUPLER	49	3
TR0947	SURFACE TRACK 3F - I COUPLER	49	3
TR1026	SURFACE TRACK 3F - L COUPLER - EARTH INSIDE	49	3
TR1047	SURFACE TRACK 3F - L COUPLER - EARTH INSIDE	49	3
TR1126	SURFACE TRACK 3F - L COUPLER - EARTH OUTSIDE	49	3
TR1147	SURFACE TRACK 3F - L COUPLER - EARTH OUTSIDE	49	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
TR1226	SURFACE TRACK 3F - PENDANT CLIP	12	3
TR1247	SURFACE TRACK 3F - PENDANT CLIP	12	3
TR1301	SURFACE TRACK 3F - PENDANT CLIP + SUSP STEEL WIRE 1.5m	39	3
TR1302	SURFACE TRACK 3F - PENDANT CLIP + SUSP STEEL WIRE 3m	40	3
TR1303	SURFACE TRACK 3F - PENDANT CLIP + SUSP STEEL WIRE 6.2m	49	3
TR1304	SURFACE TRACK 3F - PENDANT CLIP + SUSP STEEL WIRE 1.5m	39	3
TR1305	SURFACE TRACK 3F - PENDANT CLIP + SUSP STEEL WIRE 3m	40	3
TR1306	SURFACE TRACK 3F - PENDANT CLIP + SUSP STEEL WIRE 6.2m	49	3
TR1426	SURFACE TRACK 3F - BASE + CABLE 1.5m	59	3
TR1447	SURFACE TRACK 3F - BASE + CABLE 1.5m	59	3
TR1526	SURFACE TRACK 3F - BASE + CABLE 3m	66	3
TR1547	SURFACE TRACK 3F - BASE + CABLE 3m	66	3
TR1626	SURFACE TRACK 3F - BASE + CABLE 6.2m	106	3
TR1647	SURFACE TRACK 3F - BASE + CABLE 6.2m	106	3
TR1726	SURFACE TRACK 3F - MECHANICAL COUPLER	18	3
TR1747	SURFACE TRACK 3F - MECHANICAL COUPLER	18	3
TR1826	SURFACE TRACK 3F - FLEX COUPLER	72	3
TR1847	SURFACE TRACK 3F - FLEX COUPLER	72	3
TR1926	SURFACE TRACK 3F - T COUPLER EARTH INSIDE + RIGHT	75	3
TR1947	SURFACE TRACK 3F - T COUPLER EARTH INSIDE + RIGHT	75	3
TR2026	SURFACE TRACK 3F - T COUPLER EARTH INSIDE + LEFT	75	3
TR2047	SURFACE TRACK 3F - T COUPLER EARTH INSIDE + LEFT	75	3
TR2126	SURFACE TRACK 3F - T COUPLER EARTH OUTSIDE + RIGHT	75	3
TR2147	SURFACE TRACK 3F - T COUPLER EARTH OUTSIDE + RIGHT	75	3
TR2226	SURFACE TRACK 3F - T COUPLER EARTH OUTSIDE + LEFT	75	3
TR2247	SURFACE TRACK 3F - T COUPLER EARTH OUTSIDE + LEFT	75	3
TR2326	SURFACE TRACK 3F - X COUPLER	107	3
TR2347	SURFACE TRACK 3F - X COUPLER	107	3
TR4001	TRACK 48V SURFACE - PENDANT CLIP + SUSP STEEL WIRE 2.25m	44	3
TR4002	TRACK 48V SURFACE - PENDANT CLIP + SUSP STEEL WIRE 4m	45	3
TR4003	TRACK 48V SURFACE - PENDANT CLIP + SUSP STEEL WIRE 6m	47	3
TR4004	TRACK 48V SURFACE - PENDANT CLIP + SUSP STEEL WIRE 2.25m	44	3
TR4005	TRACK 48V SURFACE - PENDANT CLIP + SUSP STEEL WIRE 4m	45	3
TR4006	TRACK 48V SURFACE - PENDANT CLIP + SUSP STEEL WIRE 6m	47	3
TR4113	TRACK 48V ST1 SURFACE-SUSPENDED - 1000MM	115	3
TR4114	TRACK 48V ST1 SURFACE-SUSPENDED - 1000MM	115	3
TR4115	TRACK 48V ST1 SURFACE-SUSPENDED - 1000MM	115	3
TR4126	TRACK 48V ST1 SURFACE-SUSPENDED - 1000MM	85	3
TR4147	TRACK 48V ST1 SURFACE-SUSPENDED - 1000MM	85	3
TR4213	TRACK 48V ST1 SURFACE-SUSPENDED - 2000MM	218	3
TR4214	TRACK 48V ST1 SURFACE-SUSPENDED - 2000MM	218	3
TR4215	TRACK 48V ST1 SURFACE-SUSPENDED - 2000MM	218	3
TR4226	TRACK 48V ST1 SURFACE-SUSPENDED - 2000MM	160	3
TR4247	TRACK 48V ST1 SURFACE-SUSPENDED - 2000MM	160	3
TR4313	TRACK 48V ST1 SURFACE-SUSPENDED - 3000MM	320	3
TR4314	TRACK 48V ST1 SURFACE-SUSPENDED - 3000MM	320	3
TR4315	TRACK 48V ST1 SURFACE-SUSPENDED - 3000MM	320	3
TR4326	TRACK 48V ST1 SURFACE-SUSPENDED - 3000MM	235	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
TR4347	TRACK 48V ST1 SURFACE-SUSPENDED - 3000MM	235	3
TR4426	TRACK 48V SURFACE - CEILING FIXATION CLIP	11	3
TR4447	TRACK 48V SURFACE - CEILING FIXATION CLIP	11	3
TR4526	TRACK 48V SURFACE - END CAP	13	3
TR4547	TRACK 48V SURFACE - END CAP	13	3
TR4626	TRACK 48V - CORNER COUPLER	80	3
TR4647	TRACK 48V - CORNER COUPLER	80	3
TR4726	TRACK 48V - FEED RIGHT	40	3
TR4727	TRACK 48V - FLEXIBLE CORNER COUPLER	133	3
TR4728	CASAMBI DALI GATE 8CH (MOUNTING LIKE ADAPTER)	575	3
TR4736	TRACK 48V - FEED LEFT	40	3
TR4747	TRACK 48V - FEED RIGHT	40	3
TR4748	TRACK 48V - FLEXIBLE CORNER COUPLER	133	3
TR4749	CASAMBI DALI GATE 8CH (MOUNTING LIKE ADAPTER)	575	3
TR4757	TRACK 48V - FEED LEFT	40	3
TR4826	TRACK 48V - STRAIGHT Electrical COUPLER	26	3
TR4847	TRACK 48V - STRAIGHT Electrical COUPLER	26	3
TR4926	TRACK 48V SURFACE - MECHANICAL COUPLER	20	3
TR4947	TRACK 48V SURFACE - MECHANICAL COUPLER	20	3
TR5126	TRACK 48V ST3 TRIMLESS - 1000MM	107	3
TR5147	TRACK 48V ST3 TRIMLESS - 1000MM	107	3
TR5226	TRACK 48V ST3 TRIMLESS - 2000MM	207	3
TR5247	TRACK 48V ST3 TRIMLESS - 2000MM	207	3
TR5326	TRACK 48V ST3 TRIMLESS - 3000MM	316	3
TR5347	TRACK 48V ST3 TRIMLESS - 3000MM	316	3
TR5426	TRACK 48V TRIMLESS - FIXATION BRACKET / SET OF 2 PCS.	34	3
TR5436	TRACK 48V TRIMLESS ST3 - CORNER	114	3
TR5447	TRACK 48V TRIMLESS ST3 - CORNER	114	3
TR5526	TRACK 48V TRIMLESS ST3 - END CAP	10	3
TR5547	TRACK 48V TRIMLESS ST3 - END CAP	10	3
TR5926	TRACK 48V TRIMLESS ST3 - MECHANICAL COUPLER (single)	11	3
TR5947	TRACK 48V TRIMLESS ST3 - MECHANICAL COUPLER (single)	11	3
TR6001	TRACK 48V TRIMLESS ST5 - TEMPLATE	17	3
TR6002	TRACK 48V TRIMLESS ST5 - SUSPENSION SET (ROD) L1000mm	18	3
TR6101	TRACK 48V TRIMLESS ST5 - PLASTER INSTALLATION GUARD 1000MM	14	3
TR6126	TRACK 48V TRIMLESS ST5 - 1000MM	121	3
TR6147	TRACK 48V TRIMLESS ST5 - 1000MM	121	3
TR6201	TRACK 48V TRIMLESS ST5 - PLASTER INSTALLATION GUARD 2000MM	18	3
TR6226	TRACK 48V TRIMLESS ST5 - 2000MM	243	3
TR6247	TRACK 48V TRIMLESS ST5 - 2000MM	243	3
TR6301	TRACK 48V TRIMLESS ST5 - PLASTER INSTALLATION GUARD 3000MM	22	3
TR6326	TRACK 48V TRIMLESS ST5 - 3000MM	358	3
TR6347	TRACK 48V TRIMLESS ST5 - 3000MM	358	3
TR6426	TRACK 48V TRIMLESS ST5 - CORNER	114	3
TR6447	TRACK 48V TRIMLESS ST5 - CORNER	114	3
TR6526	TRACK 48V TRIMLESS ST5 - END CAP	14	3
TR6527	TRACK 48V TRIMLESS ST5 - END CAP FOR POWER SUPPLY	18	3
TR6547	TRACK 48V TRIMLESS ST5 - END CAP	14	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
TR6548	TRACK 48V TRIMLESS ST5 - END CAP FOR POWER SUPPLY	18	3
TR6826	TRACK 48V TRIMLESS ST5 - AESTHETIC COVER 1500MM	49	3
TR6828	TRACK 48V TRIMLESS ST5 - AESTHETIC COVER 3000MM	95	3
TR6829	TRACK 48V ST1&3 - AESTHETIC COVER 1500MM	49	3
TR6830	TRACK 48V ST1&3 - AESTHETIC COVER 3000MM	95	3
TR6832	TRACK 48V ST1&3 - AESTHETIC COVER 150MM	5	3
TR6847	TRACK 48V TRIMLESS ST5 - AESTHETIC COVER 1500MM	49	3
TR6849	TRACK 48V TRIMLESS ST5 - AESTHETIC COVER 3000MM	95	3
TR6850	TRACK 48V ST1&3 - AESTHETIC COVER 1500MM	49	3
TR6851	TRACK 48V ST1&3 - AESTHETIC COVER 3000MM	95	3
TR6852	TRACK 48V ST1&3 - AESTHETIC COVER 150MM	5	3
TR691037	CONNECTION SET KOSMOS 2x0.75MM2 2.25M	83	3
TR691038	CONNECTION SET ROUND SM 2x0,75MM2 2,25M	67	3
TR691039	CONNECTION SET SQUARE SM 2x0.75MM2 2.25M	57	3
TR691040	CONNECTION SET KOSMOS 4x0.75MM2 2.25M	125	3
TR691041	CONNECTION SET ROUND SM 4x0,75MM2 2,25M	112	3
TR691042	CONNECTION SET SQUARE SM 4x0.75MM2 2.25M	98	3
TR691048	CONNECTION SET KOSMOS 2x0.75MM2 2.25M	83	3
TR691049	CONNECTION SET ROUND SM 2x0,75MM2 2,25M	67	3
TR691050	CONNECTION SET SQUARE SM 2x0.75MM2 2.25M	57	3
TR691051	CONNECTION SET KOSMOS 4x0.75MM2 2.25M	125	3
TR691052	CONNECTION SET ROUND SM 4x0,75MM2 2,25M	112	3
TR691053	CONNECTION SET SQUARE SM 4x0.75MM2 2.25M	98	3
TR691137	CONNECTION SET KOSMOS 2x0.75MM2 4M	95	3
TR691138	CONNECTION SET ROUND SM 2x0,75MM2 4M	82	3
TR691139	CONNECTION SET SQUARE SM 2x0.75MM2 4M	67	3
TR691140	CONNECTION SET KOSMOS 4x0.75MM2 4M	166	3
TR691141	CONNECTION SET ROUND SM 4x0,75MM2 4M	152	3
TR691142	CONNECTION SET SQUARE SM 4x0.75MM2 4M	140	3
TR691148	CONNECTION SET KOSMOS 2x0.75MM2 4M	95	3
TR691149	CONNECTION SET ROUND SM 2x0,75MM2 4M	82	3
TR691150	CONNECTION SET SQUARE SM 2x0.75MM2 4M	67	3
TR691151	CONNECTION SET KOSMOS 4x0.75MM2 4M	166	3
TR691152	CONNECTION SET ROUND SM 4x0,75MM2 4M	152	3
TR691153	CONNECTION SET SQUARE SM 4x0.75MM2 4M	140	3
TR691237	CONNECTION SET KOSMOS 2x0.75MM2 6M	111	3
TR691238	CONNECTION SET ROUND SM 2x0,75MM2 6M	96	3
TR691239	CONNECTION SET SQUARE SM 2x0.75MM2 6M	84	3
TR691240	CONNECTION SET KOSMOS 4x0.75MM2 6M	214	3
TR691241	CONNECTION SET ROUND SM 4x0,75MM2 6M	199	3
TR691242	CONNECTION SET SQUARE SM 4x0.75MM2 6M	186	3
TR691248	CONNECTION SET KOSMOS 2x0.75MM2 6M	111	3
TR691249	CONNECTION SET ROUND SM 2x0,75MM2 6M	96	3
TR691250	CONNECTION SET SQUARE SM 2x0.75MM2 6M	84	3
TR691251	CONNECTION SET KOSMOS 4x0.75MM2 6M	214	3
TR691252	CONNECTION SET ROUND SM 4x0,75MM2 6M	199	3
TR691253	CONNECTION SET SQUARE SM 4x0.75MM2 6M	186	3
TR6926	TRACK 48V TRIMLESS ST5 - MECHANICAL COUPLER (triple)	30	3

Prijslijst TAL

6-5-2026



Artikelnummer	Omschrijving	Adviesprijs	Groep
TR6947	TRACK 48V TRIMLESS ST5 - MECHANICAL COUPLER (triple)	30	3